ALMACONE - aluminum hydroxide, magnesium hydroxide, simethicone tablet, chewable Rugby Laboratories, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts for Antacid Anti-gas tablets

Enter section text here

Active ingredients (in each tablet)	Purpose	
Aluminum Hydroxide (dried gel) 200mg	Antacid	
Magnesium Hydroxide 200mg	Antacid	
Simethicone 20 mg	Antigas	

Enter section text here

Purposes

Antacid

Antigas

Enter section text here

Keep out of reach of children.

Enter section text here

Uses relieves

- heartburn
- acid indigestion
- sour stomach
- gas associated with these conditions

Enter section text here

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

Enter section text here

Stop use and ask a doctor if symptoms last more than 2 weeks.

Enter section text here

dos age: chew 2 - 4 tablets between meals and at bedtime.

do not take more than 24 tablets in a 24 hour period.

do not use the maximum dose for more than 2 weeks.

each tablet contains: magnesium 82 mg

Enter section text here

store between 15 $^{\circ}$ - 30 $^{\circ}$ C (59 $^{\circ}$ - 86 $^{\circ}$ F)

Enter section text here

Questions or comments?

call 1-800-645-2158, 9am - 5pm ET, Monday - Friday

Enter section text here

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Enter section text here

Inactive ingredients: dextrose, dipac sugar, microcrystalline cellulose, peppermint flavor, stearic acid Enter section text here



Drug Facts

Active ingredients (in each tablet) Purposes
Aluminum hydroxide (dried gel) 200 mg ... Antacid
Simethicone 20 mg Antigas

Uses relieves ■ heartburn ■ acid indigestion ■ gas associated with these conditions

Stop use and ask a doctor if symptoms last more than 2 weeks

Keep out of reach of children.

Directions

do not take more than 24 tablets in a 24 hour period
do not use the maximum dosage for more than 2 weeks
dosage: chew 2-4 tablets between meals and at bedtime

Other information
each tablet contains: magnesium 82 mg
store between 15° - 30°C (59'-86°F)

Inactive ingredients dextrose, dipac sugar, microcrystalline cellulose, peppermint flavor, stearic acid



Lot No.:

Exp.Date:

ALMACONE

aluminum hydroxide, magnesium hydroxide, simethicone tablet, chewable

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0536-3504
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM CATION - UNII:3XHB1D032B)	ALUMINUM HYDRO XIDE	200 mg	
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6 V3LHY838)	MAGNES IUM HYDRO XIDE	200 mg	
DIMETHICO NE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O, SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	DIMETHICONE	20 mg	

Inactive Ingredients			
Ingredient Name	Strength		
DEXTROSE (UNII: IY9 XDZ35W2)			
SUCRO SE (UNII: C151H8 M554)			
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)			
STEARIC ACID (UNII: 4ELV7Z65AP)			

Product Characteristics			
Color	white (White)	Score	no score
Shape	ROUND (Tablet)	Size	16 mm
Flavor	PEPPERMINT (peppermint flavor)	Imprint Code	049
Contains			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0536-3504-01	100 in 1 BOTTLE, PLASTIC		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	08/23/2010	

Labeler - Rugby Laboratories, Inc. (109178264)

Establishment				
Name	Address	ID/FEI	Business Operations	
Advance Pharmaceutical, Inc.		187824339	manufacture, repack, relabel	

Revised: 12/2010 Rugby Laboratories, Inc.