

# **HYDROGEN PEROXIDE 3 PERCENT- hydrogen peroxide liquid Walgreens**

-----  
**Drug Facts**

## **Active ingredient**

Hydrogen peroxide 3%

## **Purpose**

first aid antiseptic/oral debriding agent

## **Uses**

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

## **Warnings**

**For external use only.**

### **Do not use**

- in the eyes or apply over large areas of the body
- longer than one week

### **Ask a doctor before use if you have**

- deep or puncture wounds, animal bites or serious burns

### **Stop use and ask a doctor if**

- swelling, rash, or fever develops
- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## **Directions**

### **For use as a first aid antiseptic:**

- clean affected area
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage

- if bandaged, let dry first

**For use as an oral debriding agent (oral rinse):**

- **adults and children 2 years of age and over:**
  - mix with an equal amount of water
  - swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
  - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- **children under 2 years of age:** consult a dentist or doctor

**Other information**

- keep tightly closed and in a dark place at room temperature.
- do not shake bottle. Hold away from face when opening.

**Inactive ingredient**

purified water

**Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

**Principal Display Panel**

3% Hydrogen Peroxide

TOPICAL SOLUTION USP

FIRST AID ANTISEPTIC

ORAL DEBRIDING AGENT

- Use as a gargle or rinse
- For treatment of minor cuts & abrasions

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING.**

FL OZ (mL)

DISTRIBUTED BY: WALGREEN CO.,

200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

**Package Label**

VALUE SIZE

NDC 0363-0268-32

Walgreens

# 3% Hydrogen Peroxide

TOPICAL SOLUTION USP  
FIRST AID ANTISEPTIC  
ORAL DEBRIDING AGENT

- For treatment of minor cuts & abrasions
- Use as a gargle or rinse

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

PLD-D220C LB008531

32 FL OZ (1 QT) 946 mL

### Drug Facts

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

#### Active ingredient

Hydrogen peroxide 3%.....First aid antiseptic/oral debriding agent

#### Purpose

#### Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

#### Warnings

For external use only.

- Do not use**
- in the eyes or apply over large areas of the body
  - longer than one week

#### Ask a doctor before use if you have

- deep puncture wounds, animal bites or serious burns

#### Stop use and ask a doctor if

- swelling, rash, or fever develops
- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### Directions

For use as a first aid antiseptic:

- clean affected area
- if bandaged, let dry first
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage

For use as an oral debriding agent (oral rinse):

- adults and children 2 years of age and over:
  - mix with an equal amount of water
  - swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
  - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- children under 12 years should be supervised in the use of this product
- children under 2 years of age: consult a doctor or dentist

#### Other information

- keep tightly closed and in a dark place at room temperature
- do not shake bottle. Hold away from face when opening.

**Inactive ingredient** purified water

#### Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015  
 100% SATISFACTION GUARANTEED  
 walgreens.com ©2021 Walgreen Co.  
 Walgreens Pharmacist Recommended.  
 Our pharmacists recommend the Walgreens brand. W3ORG0821-F  
 ITEM 911447 W10369-0819-F PLD-E220C LB008532



WALGREENS 3% Hydrogen Peroxide

## HYDROGEN PEROXIDE 3 PERCENT

hydrogen peroxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0268
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>HYDROGEN PEROXIDE</b> (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	2.65 mL in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0268-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/30/2015	
2	NDC:0363-0268-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/30/2015	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	04/30/2015	

**Labeler** - Walgreens (008965063)

Revised: 10/2023

Walgreens