## ECOLAB - iodine solution Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

## FOR COMMERCIAL USE ONLY KEEP OUT OF REACH OF CHILDREN

#### **CAUTION**

Not for internal use. May cause eye irritation. If swallowed, may cause irritation, nausea, stomach distress.

#### PRECAUTIONARY STATEMENTS

No protective equipment is necessary under normal use conditions. If splashing may occur, eye protection is

recommended.

Consult your Ecolab Representative for specific use instructions and recommended dispensing equipment.

#### **FIRST AID**

**If in Eyes:** Immediately flush eyes with plenty of cool, running water. Remove contact lenses; then continue

flushing for at least 15 minutes, holding eyelids apart.

**If Swallowed:** Rinse mouth; then immediately drink 1 or 2 large glasses of water. DO NOT induce vomiting.

Never give anything by mouth to an unconscious person.

IF IRRITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAN.

FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026.

FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-651- 222-5352 (IN THE USA).

#### **DIRECTIONS FOR USE**

**IMPORTANT:** Do not mix 1% *Iodine with 10% Emollients* with water, any other teat dips, or other products unless

specified in product use instructions. If transferred from this container to any other, make sure that the other

container is thoroughly pre-cleaned and bears the proper container labeling for *1% Iodine with 10% Emollients*.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or

return any unused product to the original container.

**Before Milking:** Wash teats thoroughly just prior to next milking with appropriate udder wash solution or premilking

teat dip or teat spray to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

**Pre-Milk Dipping:** Fill teat dip cup with *1% Iodine with 10% Emollients*. Do not dilute. Before each cow is milked,

dip each teat full-length into the teat dip cup containing the product. Wipe teats dry after dipping, using singleservice

towels to avoid contamination of milk.

**Post-Milk Dipping:** Immediately after each milking, use *1% Iodine with 10% Emollients* at full-strength. Dip each

teat full-length into the teat dip cup containing the product. Allow to air dry. Do not wipe. Always use fresh, fullstrength

1% *Iodine with 10% Emollients*. Do not turn cows out in freezing weather until product is completely dry.

**Expanded Usage:** When freshening cows, begin dipping teats twice daily for about 10 days before calving.

**PRECAUTION:**1% *Iodine with 10% Emollients* is not intended to cure or help the healing of chapped or irritated

teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or

chapping, have the condition examined and, if necessary, treated by a veterinarian.

### **Principal Display Panel and Representative Label**

ECOLAB 51433006

1% IODINE WITH 10% EMOLLIENTS TEAT DIP

Sanitizing Teat Dip

An Aid in Reducing the Spread of Organisms Which May Cause Mastitis

**ACTIVE INGREDIENT:** 

Iodine......1.0%

(Contains a 10% emollient system.)

Ecolab Food and Beverage Division Ecolab Inc., 370 Wabasha Street N.

St. Paul, Minnesota 55102-1390 U.S.A.

© 2002 Ecolab Inc. Made in U.S.A. 890154/5300/0802

All Rights Reserved





# 1% IODINE WITH 10% EMOLLIENTS TEAT DIP

## Sanitizing Teat Dip

An Aid in Reducing the Spread of Organisms Which May Cause Mastitis

ACTIVE INGREDIENT:

#### FOR COMMERCIAL USE ONLY KEEP OUT OF REACH OF CHILDREN CAUTION

#### PRECAUTIONARY STATEMENTS

Consult your Ecolab Representative for specific use instructions and recommended dispensing equipment.

#### FIRST AID

If it is ges: Immediately flush eyes with plenty of cool, running water. Pernove contact lenses; then continue flushing for at least 15 minutes, helding eyelids apart.

If Swallowed: Pluse mouth, then immediately drink 1 or 2 large glasses of water. DO NOT induce vomitting. Never give arrithing by mouth for an unconscious person.

IF IPPITATION OR DISCOMFORT PERSISTS, CALL A PHYSICIAM.

FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-809-328-0026. FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-651-222-5352 (IN THE USA).

Ecolab Food & Beverage Division Ecolab Inc., 370 Wabasha Street N. St. Paul, Minnesota 55102-1390 U.S.A. © 2002 Ecolab Inc. Made in U.S.A. 890 All Rights Reserved.

DIRECTIONS FOR USE
IMPORTANT: Do not mix 1% lodine with 10% Emollients with water, any other teat dips, or other products unless specified in product use instructions. It transferred from this container to any other, make sure that the other outsianer is thoroughly pre-cleaned and bears the proper container tabeling for 1% lodine with 10% Emollients. It product in dip cup becomes visibly dirty, discard contents and replanish with undiluted product. Do not reuse or nature new unner of product to the operations.

return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-

milking teat dip or teat spray to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Pre-Milk Dipping: Fill teat dip cup with 1% lodine with 10% Emoilients. Do not dilute. Before each cow is milked, dip each teat full-length into the teat dip cup containing the product. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, use 1% lodine with 10% Emollients at full-strength. Dip each teat full-length into the teat dip cup containing the product. Allow to air dry. Do not wipe. Always use fresh, full-strength 1% lodine with 10% Emollients. Do not turn cows out in freezing weather until product is completely dry. Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: 1% lodine with 10% Emollients is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Formula ingredients contain no Phosphorus



#### **ECOLAB**

iodine solution

Prod	net I	nform	nation
PIOU			IAIIOII

OTC ANIMAL DRUG LABEL NDC:47593-396 Product Type Item Code (Source)

TOPICAL Route of Administration **DEA Schedule** 

#### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
IODINE (IODINE)	IODINE	10.65 mg in 1 mL

#### **Inactive Ingredients**

Ingredient Name					Strength			
Gl	LYCERIN							
sc	RBITOL							
Packaging								
#	Item Code	Package Description	Market	ting Start Date	Ma	arketing End Date		
1	NDC:47593-396-35	2000000 mL in 1 CONTAINER						
Marketing Information								
M	larketing Category	Category Application Number or Monograph Citation		Marketing Start Date		Marketing End Date		
un	approved drug other			10/27/2002				
	·							

## **Labeler -** Ecolab Inc. (006154611)

Revised: 11/2012 Ecolab Inc.