

**BERKLEY JENSEN ANTISEPTIC- hydrogen peroxide liquid**  
**TSM ITHALAT IHRACAT SANAYI VE DIS TICARET LIMITED SIRKETI**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Berkley Jensen 3% Hydrogen Peroxide**

***Drug Facts***

**Active ingredient**

Hydrogen peroxide 3%

**Purpose**

first aid antiseptic / oral debriding agent

**Uses** \*First aid to help prevent the risk of infection in minor cuts, scrapes, and burns.  
\*Aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth.

***Warnings***

**For external use only.**

**Ask a doctor before use if you have** deep or puncture wounds, animal bites, or serious burns.

**Stop use and ask a doctor if** \*swelling, rash, or fever develops. \*the condition persists or gets worse. \*sore mouth symptoms do not improve in 7 days. \*irritation, pain or redness persists or worsens.

**Keep out of reach of children.** If swallowed, get medical help or contact poison control center right away.

***stop use***

**Stop use and ask a doctor if** \*swelling, rash, or fever develops. \*the condition persists or gets worse. \*sore mouth symptoms do not improve in 7 days. \*irritation, pain or redness persists or worsens.

***Ask doctor***

**Ask a doctor before use if you have** deep or puncture wounds, animal bites, or serious burns.

**Do not use**

**Do not use** \*in the eyes or apply over large areas of the body. \*longer than one week.

**Directions For use as a first aid antiseptic:**


- Clean affected area.
- apply small amount of product on affected area 1-3 times a day.
- may be covered with a sterile bandage.
- **For use as an oral debriding agent (oral rinse):**
- adults and children 2 years of age and over
- mix with an equal amount of water.
- swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
- use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor.
- **children under 12 years** should be supervised in the use of this product.
- **children under 2 years** of age: consult a dentist or doctor.

**Other information**

- Keep tightly closed and in a dark place at room temperature.
- Do not shake bottle. Hold away from face when opening.

**Inactive ingredient** purified water

**Packaging**



**berkley jensen**

**3%**

**HYDROGEN PEROXIDE**

 First Aid Antiseptic  
 For Treatment of Minor Cuts, Scrapes & Abrasions

**100% MONEY-BACK GUARANTEE**

32 FL OZ (1 QT) 946mL

**Drug Facts**

**Active ingredient** Hydrogen peroxide (stabilized) 3% ..... **Purpose** First aid antiseptic Oral debriding agent

**Uses** ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns ■ aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

**Warnings** For external use only.

**Do not use** ■ the eyes or apply over large areas of the body ■ longer than 1 week

**Ask a doctor before use if you have** deep or puncture wounds, animal bites or serious burns

**Stop use and ask a doctor if** ■ the condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, or redness persists or worsens ■ swelling, rash, or fever develops

**Keep out of reach of children** If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions** **First aid antiseptic** ■ clean the affected area ■ apply a small amount of product on the affected area 1 to 3 times a day ■ may be covered with a sterile bandage ■ if bandaged, let dry first

**Oral debriding agent:** adults, children over 2 years of age: ■ mix with an equal amount of water ■ swish around in the mouth over the affected area for at least 1 minute, then spit out ■ use up to 4 times daily after meals and at bedtime ■ children under 12 years of age should be supervised in the use. ■ children under 2 years of age: consult a dentist, doctor

**Other information** keep tightly closed and at controlled room temperature. Do not shake bottle. Hold away from face when opening.

**Inactive ingredients** purified water

**Questions?** 1-800-934-1204

BJ # 272778



8 88670 11183 3

Distributed by:  
BJ's Wholesale Club,  
25 Research Drive,  
Westborough, MA  
01581  
Questions?  
1-800-934-1204  
**Made in Turkey**

## BERKLEY JENSEN ANTISEPTIC

hydrogen peroxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:76772-028
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYDROGEN PEROXIDE</b> (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	30 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76772-028-95	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/23/2021	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	06/23/2021	

**Labeler** - TSM ITHALAT IHRACAT SANAYI VE DIS TICARET LIMITED SIRKETI (533120570)**Registrant** - TSM ITHALAT IHRACAT SANAYI VE DIS TICARET LIMITED SIRKETI (533120570)**Establishment**

Name	Address	ID/FEI	Business Operations
TSM ITHALAT IHRACAT SANAYI VE DIS TICARET LIMITED SIRKETI		533120570	manufacture(76772-028)

Revised: 6/2021

TSM ITHALAT IHRACAT SANAYI VE DIS TICARET LIMITED SIRKETI