COUGH DM- dextromethorphan hydrobromide suspension Walgreen Company

Walgreen Co. Cough DM Drug Facts

Active ingredient (in each 5 mL)

Dextromethorphan polistirex equivalent to 30 mg dextromethorphan hydrobromide, USP

Purpose

Cough suppressant

Uses

temporarily relieves

- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the impulse to cough to help you get to sleep

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Allergy Alert: Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions.

Ask a doctor before use if you have

- chronic cough that lasts as occurs with smoking, asthma or emphysema
- cough that occurs with too much phlegm (mucus)

Stop use and ask a doctor if

- side effects occur. You may report side effects to FDA at 1-800-FDA-1088.
- cough lasts more than 7 days, cough comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away 1-800-222-1222.

Directions

- shake bottle well before use
- measure only with dosing cup provided. Do not use dosing cup with other products.
- dose as follows or as directed by doctor
- mL = milliliter

adults and children 12 years of age and over	10 mL every 12 hours, not to exceed 20 mL in 24	
	hours	
children 6 to under 12 years of age	5 mL every 12 hours, not to exceed 10 mL in 24 hours	
children 4 to under 6 years of age	2.5 mL every 12 hours, not to exceed 5 mL in 24 hours	
children under 4 years of age	do not use	

Other information

- each 5 mL contains: sodium 5 mg
- store at 20° to 25°C (68° to 77°F)
- dosing cup provided

Inactive ingredients

D&C Red #30 aluminum lake, D&C Yellow #10 aluminum lake, flavor, glycerin, high fructose corn syrup, methylparaben, polysorbate 80, polyvinyl acetate, povidone, propylparaben, purified water, sodium metabisulfite, sodium polystyrene sulfonate, sucrose, tartaric acid, tragacanth gum, triacetin, xanthan gum

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

NEW

Cough DM

Dextromethorphan Polistirex Extended-Release Oral Suspension

Cough Suppressant

Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions

Dosing cup included

Alcohol-free

12 HOUR COUGH RELIEF

ORANGE FLAVORED LIQUID

Compare to Delsym® active ingredient

5 FL OZ (148 mL)

Cough DM

Well at Walgreens

Dextromethorphan Polistirex Extended-Release Oral Suspension / Cough Suppressant

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR NECKBAND IMPRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING.



WALGREENS PHARMACIST RECOMMENDED[‡]

NEW

Cough DM

Dextromethorphan Polistirex Extended-Release Oral Suspension Cough Suppressant

- Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions
- Dosing cup included
- Alcohol-free



HOUR COUGH

ORANGE FLAVORED LIQUID

Compare to Delsym® active ingredient#

ACTUAL SIZE

Wellat Walgreens

VALGREENS PHARMACIST RECOMMENDED[®]

Cough DM

Dextromethorphan Polistirex
Extended-Release Oral Suspension
Cough Suppressant

- Contains no fever reducer or pain reliever
- Dosing cup included
- Alcohol-free
- 12 hour cough relief



5 FL OZ (148 mL)

ORANGE FLAVORED LIQUID

F FL 07 (440 ml)

5 FL UZ (148 ML)


DISTRIBUTED BY: WALGREEN CO. 200WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com © 2013 Walgreen Co.



LOT NO.

EXP.

: 38428 94 61



Drug Facts

Active ingredient (in each 5 mL)

Dextromethorphan polistirex equivalent to 30 mg dextromethorphan hydrobromide, USP......Cough suppressant

Purpose

Uses temporarily relieves

- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the impulse to cough to help you get to sleep

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MADI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Allergy Alert: Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions.

Ask a doctor before use if you have

- chronic cough that lasts as occurs with smoking, asthma or emphysema
- cough that occurs with too much phlegm (mucus)

Stop use and ask a doctor if

- side effects occur. You may report side effects to FDA at 1-800-FDA-1088.
- cough lasts more than 7 days, cough comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away 1-800-222-1222.

Directions = shake bottle well before use

- measure only with dosing cup provided. Do not use dosing cup with other products.
- dose as follows or as directed by doctor
- mL = milliliter

adults and children	10 mL every 12 hours,
12 years of age and over	not to exceed 20 mL in 24 hours
children 6 to under	5 mL every 12 hours,
12 years of age	not to exceed 10 mL in 24 hours
children 4 to under	2.5 mL every 12 hours,
6 years of age	not to exceed 5 mL in 24 hours
children under 4 years of age	do not use

Other Information

- store at 20° to 25°C (68° to 77°F)
- each 5 mL contains; sodium 5 mg
- dosing cup provided

Inactive Ingredients D&C Rod #30 aluminum lake, D&C Yellow #10 aluminum lake, flavor, glycerin, high fructose com syrup, methylparaben, polysorbate 80, polyvinyl acetate, povidone, propylparaben, purified water, sodium metabisulfite, sodium polystyrene sulfonate, sucrose, tartaric acid, tragacanth gum, triacetin, xanihan gum

C Questions or comments? 1-800-719-9260



Support local preventive wellness with Walgreens, With each purchase of Walgreens Brand Health & Wellness Product, 1¢ goes to the Walgreens Way to Well Fund.® up to \$3 million annually. Visit Walgreens.com/waytowell

GLUTEN FREE

- *Walgreens Pharmacist Survey Study,
- This product is not manufactured or distributed by Reckitt Benckiser Inc. distributor of Delsym®.

DOSING

SHAKE WELL BEFORE USE.

Measure only with desing cup provided. Do not use dosing cup with other products. mL = milliliter

Age (yr)	Dose
12 years	10 mL
to adult	EVERY 12 HOURS
6 to	5 mL
under 12	EVERY 12 HOURS
4 to	2.5 mL
under 6	EVERY 12 HOURS
Under 4	Do not use


See back panel for full dosing directions.



DOSING CUP INCLUDED

Learn about teen medicine abuse

www.StopMedicineAbuse.org



COUGH DM

dextromethorphan polistirex suspension

Product Information			
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:0363-0384
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHO RPHAN HYDRO BRO MIDE (DEXTROMETHO RPHAN)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 5 mL	

Inactive Ingredients			
Ingredient Name	Strength		
POLISTIREX			
HIGH FRUCTO SE CORN SYRUP			
GLYCERIN			
METHYLPARABEN			
POLYSORBATE 80			
POVIDONES			
PROPYLPARABEN			
WATER			
SO DIUM METABISULFITE			
SODIUM POLYSTYRENE SULFONATE			
SUCROSE			
TARTARIC ACID			
TRAGACANTH			
TRIACETIN			
XANTHAN GUM			

Product Characteristics			
Color	ORANGE	Score	
Shape		Size	
Flavor	ORANGE	Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0363-0384-21	1 in 1 CARTON			
1		89 mL in 1 BOTTLE			
2	NDC:0363-0384-28	1 in 1 CARTON			
2		148 mL in 1 BOTTLE			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA091135	08/28/2012	

Labeler - Walgreen Company (008965063)

Revised: 11/2013 Walgreen Company