HEALTH MART ADULT TUSSIN- dextromethorphan hbr, guaifenes in solution Strategic Sourcing Services LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

McKesson Adult Tussin Drug Facts

Active ingredients (in each 10 mL)

Dextromethorphan HBr, USP 20 mg Guaifenesin, USP 200 mg

Purposes

Cough suppressant Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

• if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children	10 mL	
12 years and over	every 4 hours	
children under 12 years	do not use	

Other information

- Phenylketonurics: Contains Phenylalanine 30 mg per 10 mL
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

aspartame, benzoic acid, flavor, glycerin, hydroxyethyl cellulose, menthol, polyethylene glycol, purified water

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Robitussin® Sugar-Free Cough + Chest Congestion DM active ingredients

SUGAR-FREE

Adult Tussin

Cough + Chest Congestion DM

Cough Suppressant (Dextromethorphan HBr)

Expectorant (Guaifenesin)

Relieves:

Cough/Mucus

For ages 12 & over


Non-Drowsy

Gluten Free

Alcohol Free

Specially Formulated For Diabetics

4 Fl oz (118 mL)







SUGAR-FREE

Adult

Cough + Chest

Congestion

Cough Suppressant

For ages 12 & over

Specially Formulated For Diabetics

Non-Drowsy Gluten Free **Alcohol Free**

Relieves: Cough/Mucus

(Dextromethorphan HBr)

Expectorant (Guaifenesin)

Tussin

Health Mart. Compare to Robitussin® Sugar-Free Cough + Chest Congestion DM active ingredients* SUGAR-FREE

NDC 62011-0092-1

Adult Tussin

Cough + Chest Congestion

Cough Suppressant (Dextromethorphan HBr) **Expectorant (Guaifenesin)**

Cough/Mucus

For ages 12 & over

Non-Drowsy Gluten Free **Alcohol Free**

Specially Formulated For Diabetics

4 Fl oz (118 mL)

Drug Facts

Active ingredients (in each 10 mL) Dextromethorphan HBr, USP 20 mg......Gueifenesin, USP 200 mg..

.Cough suppressant

Purposes

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phiegm (mucus) and thin bronchial secretions to drain bronchial tube

Warnings

Warnings
Do not use if you are now taking a
prescription monoamine oxidase inhibitor
(MAOI) (certain drugs for depression,
psychiatric, or emotional conditions, or
Parkinson's disease), or for 2 weels after
stopping the MAOI drug. If you do not know
if your prescription drug contains an MAOI,
ask a doctor or pharmaciet before taking
this product. this product.

Ask a doctor before use if you have cough that occurs with too much

phlegm (mucue)
■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

ытопсины, от emptrysema

Stop use and ask a doctor if cough lasts for more than 7 days, comee back, or is accompanied by fewer, rash, or persistent headachs. A persistent cough may be a sign of a serious condition.

if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
 mL = milliliter

this adult product is not intended for use in children under 12 years of age

Drug Facts (continued)

age	dose
adults and children 12 years and over	10 mL every 4 hours
children under 12 years	do not use

- Other information
 Phenylketonurics: Contains
 Phenylalanine 30 mg per 10 mL
 store at 20-25°C (68-77°F). Do not refrigerate
- Inactive ingredients aspartame, benzoic acid, flavor, glycerin, hydrowyethyl cellulose, menthol, polyethylene glycol,
- Questions or comments?

*This product is not manufactured or distributed by Pfizer, distributor of Robitussin[®] Sugar-Free Cough + Chest Congestion DM.

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

Dosage Cup Provided

MSKESSON

Another Quality Product Distributed by McKesson 6555 State Highway 161, Irving, TX 75039 Money Back Guarantee



www.StopMedicineAbuse.org





HEALTH MART ADULT TUSSIN

dextromethorphan hbr, guaifenesin solution

Product Information

HUMAN OTC DRUG NDC:62011-0092 Product Type Item Code (Source)

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

Inactive Ingredients		
Ingredient Name	Strength	
ASPARTAME (UNII: Z0H242BBR1)		
BENZOIC ACID (UNII: 8 SKN0 B0 MIM)		
GLYCERIN (UNII: PDC6A3C0OX)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
WATER (UNII: 059QF0KO0R)		
MENTHOL, UNSPECIFIED FORM (UNII: L7T10 EIP3A)		

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0092-1	1 in 1 CARTON	0 1/11/20 12	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:62011-0092-2	1 in 1 CARTON	08/21/2013	
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	0 1/11/20 12	

Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 5/2020 Strategic Sourcing Services LLC