

**PAIN AND FEVER CHILDRENS- acetaminophen tablet, chewable
DOLGENCORP, LLC**

Dollar General 44-449 Childrens Pain and Fever

Active ingredient (in each chewable tablet)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - sore throat
 - flu
 - toothache
 - the common cold
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.

Weight (lb)	Age (yr)	Dose (chewable tablets)*
Under 24	Under	Ask a doctor

Outer 24	2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

*or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- see end flap for expiration date and lot number

Inactive ingredients

citric acid, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, ethylcellulose, FD&C blue #1 aluminum lake, flavors, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

Questions or comments?

1-888-309-9030

Principal display panel

DG™ health

Compare to
active ingredient of
Children's Tylenol®**

For Ages 2 to 11 Years

Children's

Pain & Fever

Chewables

Acetaminophen 160 mg
chewable tablets

Pain Reliever/Fever Reducer

Aspirin free
Ibuprofen free

Chew or crush tablets completely
before swallowing.

Grape Flavor

Actual Tablet Size

24 Chewable Tablets

**TAMPER EVIDENT: DO NOT
USE IF PACKAGE IS OPENED
OR IF BLISTER UNIT IS TORN,
BROKEN OR SHOWS ANY
SIGNS OF TAMPERING**

**This product is not manufactured or distributed by
Johnson & Johnson Corporation, owner of the
registered trademark Children's Tylenol®.
50844 REV1018A44908

DISTRIBUTED BY
DOLGENCORP, LLC
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072

100%
Satisfaction
Guaranteed!
(888)-309-9030

0.4724

Directions ■ This product does not contain directions or complete warnings for adult use

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. From a medical attention is critical for adults as well as for children. Even if you do not notice any signs or symptoms.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

When using this product do not exceed recommended dosage.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if your child has liver disease.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

Drug Facts (continued)

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER OR BROKEN PACKAGE IS OPENED OR BLISTER IS TORN OR
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Drug Facts (continued)

Weight (lb) Age (yr) Dose (chewable tablets)*

Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

* or as directed by a doctor

Warnings

Liver warning: This product contains acetaminophen.

Temporarily reduces fever

- headache ■ sore throat ■ flu
- toothache ■ the common cold

Temporarily relieves minor aches and pains due to:

Acetaminophen 160 mg.....Pain reliever/fever reducer

Uses

Temporarily relieves minor aches and pains due to:

Acetaminophen 160 mg.....Pain reliever/fever reducer

Active ingredient
(in each chewable tablet)

Purpose

COMPLETE PRODUCT INFORMATION

Drug Facts (continued)

Severe liver damage may occur if your child takes more than 5 doses in 24 hours, which is the maximum daily amount.

■ with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness ■ skin rash ■ hives ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

B-0315-449-08-CP
REV1018A44908

For Ages 2 to 11 Years
**Children's
Pain & Fever
Chewables**

Compare to active ingredient of Children's Tylenol

For Ages 2 to 11 Years

Children's Pain & Fever Chewables

Acetaminophen 160 mg chewable tablets

Pain Reliever/Fever Reducer


Aspirin free
Ibuprofen free

24 Chewable Tablets

Chew or crush tablets completely before swallowing.



Grape Flavor
Actual Tablet Size



TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

NO PRINT/VARNISH AREA
LOT NO. & EXP. DATE

Questions or comments? 1-888-309-9030

Inactive ingredients citric acid, croscarmellose, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrate, ethylcellulose, FD&C blue #1, polyethylene, stearic acid, sucralose

■ avoid high humidity
■ see end flap for expiration date and lot number

Drug Facts (continued)

100% Satisfaction Guaranteed! (888) 309-9030

GOODLETTSVILLE, TN 37072

DOLGENCORP, LLC
100 MISSION RIDGE
DISTRIBUTED BY
50844 REV1018A44908

registered trademark Children's Tylenol[®],
This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the

PAIN AND FEVER CHILDRENS

acetaminophen tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-948
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	purple	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	GRAPE	Imprint Code	44;449
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-948-08	4 in 1 CARTON	02/01/2018	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/01/2018	

Labeler - DOLGENCORP, LLC (068331990)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(55910-948)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55910-948) , pack(55910-948)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(55910-948)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(55910-948)

Revised: 5/2024

DOLGENCORP, LLC