BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE- liquid bandage liquid

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)

Dollar General Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%

Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic

Topical analgesic

Uses

first aid to prevent bacteria contamination in minor cuts and scrapes

Warnings

For external use only.

Flammable:

do not use while smoking or near heat or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor
- on infected areas or wounds that are draining
- with other first aid products such as lotions and creams
- over sutures
- on mucous membranes

Ask a doctor before use if you have

- deep puncture wounds
- deep cuts
- animal bites
- serious bleeding
- diabetes
- poor circulation
- serious burns

When using this product

do not sotre at temperaure above 120 °F

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Stop use and ask a doctor if

- conditions persists or gets worse
- infection occurs

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- Clean affected area
- apply a small amount on the area 1-3 times daily
- let dry
- a second coating may be applied for extra protection
- to remove, apply more Liquid Bandage and quickly wipe off
- finger nail polish remover may dissolve Liquid Bandage

Other information

- cap bottle tightly
- store at room temperature away from heat
- may temporarily sting upon application
- do not allow to come in contact with floors, countertops, or other finished surfaces will stain

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD slcohol 40

Questions

Call 1-866-964-0939

Principal Display Panel

DG health

Topical Analgesic and Antiseptic

Liquid Bandage

For Small Cuts & Wounds

- Antiseptic formula dries quickly to form an invisible protective cover that is flexible
- Helps prevent infection





Compare to the active ingredient of New-Skin®*

Topical Analgesic and Antiseptic

iquid Bandag

For Small Cuts & Wounds

- Antiseptic formula dries quickly to form an invisible protective cover that is flexible
- Helps prevent infection

NET 0.3 FL OZ (9 mL)

Topical Analgesic and Antiseptic

iquid Bandage.

For Small Cuts & Wounds

53-033DG

DG health

Compare to the active ingredient of New-Skin®*

Topical Analgesic and Antiseptic Liquid Bandage

For Small Cuts NET 0.3 FL OZ (9 mL)

DISTRIBUTED BY DOLGENCORP, LLC 100 MISSION RIDGE, GOODLETTSVILLE, TN 37072 MADE IN USA WITH U.S. AND IMPORTED PARTS

*This product is not manufactured or distributed by Moberg Pharma North America LLC, owner of the registered trademark New-Skin®.

■ qeeb cnrs

100% Satisfaction Guaranteed! (888) 309-9030



Gnestions? Call 1-888-309-9030

Inactive ingredients acetone, amyl acetate, castor oil, ethyl acetate,

58° to 77°F) **a** may temporarily sting upon application iduid Bandage and quickly wipe off ■ to remove, apply more (4°17 of °88) ■ store between 20° to 25°C Other information = cap bottle tightly

■ children under 2 years of age: consult a doctor may be applied for extra protection Directions • for adults and children 2 years of age and older • clean affected area • a second coaling • and years or age and older • a second coaling • and early a real at the clean of the area to a second coaling • and of the clean of the coaling • and of the coaling • and of the coaling • and of the clean of the coaling • and of the clean of the clean

Keep out of reach of children. If swallowed, get medical help or call a Poison ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ infection occurs Stop use and ask a doctor if a condition persists or gets worse

When using this product a avoid contact with eyes suuna snouəs ■ animal bites

Ask a doctor before use if you have

deep or puncture wounds

Do not use in the eyes over large areas of the body

For external use only. Flammable: Keep away from fire or flame. Warnings

■ for the temporary relief of pain

first aid to prevent bacterial contamination in minor cuts, scrapes and burns

oiseglana laoiqoT. Dyclonine hydrochloride 0.75% Purpose

Active ingredients Drug Facts

Topical Analgesic Liquid Bandage



Dyclonine Hydrochloride 0.75% Purpose: First aid antiseptic contamination in minor cuts, scrapes, and burns. For the and topical analgesic Uses: First aid to prevent bacterial Active ingredients: Benzethonium Chloride 0.2% and emporary relief of pain.

Warnings: For external use only. Flammable: Keep away from fire or flame. Do not use in eyes, over large areas of the body, and longer than 1 week unless directed by a doctor.

Topical Analgesic and Antiseptic Antiseptic formula dries quickly to form an invisible protective cover that is flexible • Helps prevent infection

DG health

NET 0.3 FL 0Z (9 mL)

Stop use and ask a doctor if condition persists or gets worse, symptoms persist for more than 7 days or clear up and occur Keep out of reach of children. If swallowed, get medical help **Ask a doctor before use if you have** deep or puncture wounds, deep cuts, animal bites and serious burns. When using this product avoid contact with eyes. again within a few days, and infection occurs.

extra protection. Children under 2 years of age: consult a doctor. Clean affected area. Apply a small amount on the area 1 to 3 Other information: Cap bottle tightly. Store between 20° to **Directions:** For adults and children 2 years of age and older times daily and let dry. A second coating may be applied for or call a Poison Control Center right away

25°C (68° to 77°F). May temporarily sting upon application. To remove, apply more Liquid Bandage and quickly wipe off. *Inactive ingredients*: acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

100 MISSION RIDGE, GOODLETTSVILLE, TN 3707 MADE IN USA WITH U.S. AND IMPORTED PARTS DISTRIBUTED BY DOLGENCORP, LL 00 MISSION RIDGE, GOODLET Questions? Call 1-888-309-9030

50-033DG

BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE

liquid bandage liquid

Product Information

NDC:55910-144 **Product Type** HUMAN OTC DRUG Item Code (Source)

TOPICAL Route of Administration

Active Ingredient/Active Moiety

_		
Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZ ETHONIUM CHLORIDE	0.2 mg in 9 mL
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q30O)	DYCLONINE HYDROCHLORIDE	0.75 mg in 9 mL

mactive mgreatenes				
Ingredient Name	Strength			
ACETONE (UNII: 1364PS73AF)				
AMYL ACETATE (UNII: 92Q24NH7AS)				
CASTOR OIL (UNII: D5340Y2I9G)				
ETHYL ACETATE (UNII: 7684508NMZ)				
PYROXYLIN (UNII: KYR8BR2X6O)				
ALCOHOL (UNII: 3K9958V90M)				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:55910- 144-03	1 in 1 CARTON	07/09/2021				
1		9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product					

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M003	07/09/2021			

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 1/2024 Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)