#### HUSH ANESTHETIC- lidocaine spray HUSH Anesthetic

-----

# **Hush Spray**

## **Active Ingredients**

Lidocaine HCL 4% w/w

## Purpose

Pain Relieving Liquid

## Uses

For temporary relief of pain and itching associated with minor cuts or minor skin irritations.

## Warnings

For external use only • Avoid contact with eyes

Keep out of reach of children

Stop use and ask a doctor if condition worsens or if symptoms persist for more than 7 days or clear up and occur again with a few days.

Do not use in large quantities, particularly over raw surfaces or blistered areas.

#### Directions

Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age; consult a physician.

# **Other Information**

Protect this product from excessive heat and direct sun.

#### Inactive ingredients

Acrylates/c10-30 Alkyl Acrylate Crosspolymer, Aloe Barbadensis Leaf Extract, Aqua (Deionized Water), Calendula Officinale Extract, Capyrlyl Glycol, Chamomile (Chamomile Recutita) Extract, Comfrey (Symphytum Officinale) Extract, Disodium EDTA, Glycerin, Green Tea (Camellia Sinensis) Extract, Menthol, Methylisothiazolinone, Propylene Glycol, SD Alcohol 40B, Triethanolamine

# **Questions or Comments?**

Call 305-231-7229 or visit www.hushanesthetic.com



4oz | 113 ml



Hush

4oz | 113 ml

Active Ingredients Lidocaine HCL 4.0% w/w	Active ingredients External Analgesic
Uses For temporary relief of pain minor cuts or minor skin irritation	
Warnings For external use only Do not use in large quantities, pa bistered eres. Stop use and ask doctor iff - com parsize for more then 7 days or d tew days, Decontinue use, Keep out of reach of children - I medical help or contact a Poison	rticularly over raw surfaces or dition worsens, or if symptoms lear up and occur again within a f product is swallowed, get
Directions For adults and children Apply to affected area not more under two years of age: consult a	then 3 to 4 times daily. Children
Other information: Protect this p direct sun.	roduct from excessive heat and
itactive ingredients: Water (Aqu Alse Barbadensis Loef Extract, Pr (Symphytum Officinale) Extract, O Flower Extract, Calendula Officina (Carnella Sinensis) Lost Extract Treithensamme, Methylisothiazoli Acrylate/CIO-30 Allof Acrylate Cr	opylene Glycol, Glycerin, Comfrey Charnomile (Anthemis Nobilis) Ilis Flower Extract, Green Tea Ienthol, Disodium EDTA, none, Caprylyl Glycol,
Guestions or Commentat: Call 305- or visit hushtattoos.com	231-7229
Distributed by Hush Anesthetic	enebyfre 🗰
Drug Facts	

Uses For temporary relief of pain and itching associated with minor cuts or minor skin irritations. Warnings For external use only / Avoid contact with eyes Do not use in large quantities, particularly over raw surfaces or bistered ereas. Stop use and ask doctor if - condition worsens, or if symptoms persist for more then 7 days or clear up and occur again within a few days, Discontinue use. Keep out of neach of children - If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions For adults and children two years of age or older: Apply to affected area not more then 3 to 4 times daily. Children under two years of age: consult a physician.

Other information: Protect this product from excessive heat and direct sun.

Bactive ingredients: Water (Aqua), SD Alcohol 40-B, Alse Barbadensis Leaf Extract, Propylene Glycol, Glycerin, Commey (Symphytum Officinale) Extract, Chamomile (Anthemis Noblik) Flower Extract, Calandula Officinale Flower Extract, Green Tea (Cornella Sinersis) Leaf Extract, Menthol Discolum: EDTA, Triettensolamme, Methylashiazelonona, Caenyhl Glycol Acrylate/cI0-30 Alkyl Acrylate Crosspolymer.

Guestions or Commental?: Call 305-231-7229 or visit hushtattoos.com

Distributed by Hush Anesthetic





HUSH ANESTHETIC						
lidocaine spray						
<b>Product Information</b>						
Product Type	HUMAN OTC DRUG	Item Code	e (Source)	NDC:	49947-001	
Route of Administration	TOPICAL					
Active Ingredient/Active Moiety						
Ingredi	ent Name		Basis of Streng	Jth	Strength	
LIDOCAINE (UNII: 98PI200987) (LID	OCAINE - UNII:98PI200987)		LIDOCAINE		40 mg in 1 g	

In	active Ingr	edients			
		Ingredient Name			Strength
w	ATER (UNII: 059	QF0KO0R)			
AL	COHOL (UNII: 3	K9958V90M)			
AL	OE VERA LEAF	(UNII: ZY81Z83H0X)			
PR	OPYLENE GLY	COL (UNII: 6DC9Q167V3)			
TR	OLAMINE (UNII	9O3K93S3TK)			
GL	YCERIN (UNII: F	DC6A3C0OX)			
M	ENTHOL (UNII: L	7T10EIP3A)			
С۲	IAMAEMELUM	NOBILE FLOWER (UNII: 02T154T6OG)			
CA	LENDULA OFF	ICINALIS FLOWER (UNII: P0M7O4Y7YD)			
GF	REEN TEA LEAF	(UNII: W2ZU1RY8B0)			
СС	OMFREY ROOT	(UNII: M9VVZ08EKQ)			
	<b>RBOMER INTE</b> 2584PQMO)	RPOLYMER TYPE B (ALLYL PENTAERYTHRI	FOL CROSSLI	NKED) (UNII:	
ED	ETATE DISODI	UM ANHYDROUS (UNII: 8NLQ36F6MM)			
CA	PRYLYL GLYCO	<b>)L</b> (UNII: 00YIU5438U)			
M	THYLISOTHIA	ZOLINONE (UNII: 229D0E1QFA)			
Pa	ackaging				
#	ltem Code	Package Description	Ма	rketing Start Date	Marketing End Date
1	NDC:49947-	113.4 g in 1 BOTTLE, SPRAY; Type 0: Not a	12/01	/2012	

12/01/2012

12/01/2012

Marketing Start

Date

**Combination Product** 

56.7 g in 1 BOTTLE, SPRAY; Type 0: Not a

**Application Number or Monograph** 

Citation

Labeler - HUSH Anesthetic (012011309)

**Marketing Information** 

Revised: 1/2023

**2** NDC:49947-001-02

Marketing

Category

OTC Monograph Drug M017

HUSH Anesthetic

Marketing End

Date