SIGNATURE CARE OMEPRAZOLE- omeprazole tablet, orally disintegrating, delayed release Safeway

Better Living Brands LLC Omeprazole Delayed Release Orally Disintegrating Tablets 20 mg Drug Facts

Active ingredient (in each tablet)

Omeprazole 20 mg

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs <u>2 or more</u> days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: do not use if you are allergic to omeprazole

Do not use if you have

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness**, **sweating or dizziness**
- chest or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months

- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- take 1 tablet before eating in the morning
- do not crush or chew tablets
- place the tablet on tongue; tablet disintegrates, with or without water. The tablets can also be swallowed whole with water.
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- do not take this medicine with alcohol

Repeated 14-Day Course (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F); keep product out of high heat and moisture

Inactive ingredients

amino methacrylate copolymer, ascorbic acid, cetyl alcohol, colloidal silicon dioxide, crospovidone, ferric oxide, flavor, hypromellose, hypromellose phthalate, maize maltodextrin, mannitol, microcrystalline cellulose, propylene glycol, silicon dioxide, sodium stearate, sodium stearyl fumarate, sorbitol, sucralose, sugar spheres, talc, titanium dioxide, triethyl citrate

Questions or comments?

1-800-719-9260: weekdays 7:30 AM to 5:00 PM EST

Package/Label Principal Display Panel

Compare to Prilosec OTC®

Quality Guaranteed

 $MELTech \ ^{^{TM}}$

Melts In Your Mouth

24 HR

Omeprazole

DELAYED RELEASE ORALLY DISINTEGRATING TABLETS 20 mg

Acid Reducer

Melts in your mouth

Treats Frequent Heartburn!

Dissolves without water

STRAWBERRY Flavor

Actual Size

14 TABLETS

One 14-day course of treatment

May take 1 to 4 days for full effect





Scan here for more information

This product is not manufactured or distributed by Procter & Gamble, distributor of Prilosec OTC.

Safety Feature -Do not use if printed tablet blister unit is open or tom.



Compare to Prilosec OTC®*

NDC 21130-128-74



24 HR

Omeprazole

DELAYED RELEASE ORALLY DISINTEGRATING TABLETS 20 mg Acid Reducer

Melts in your mouth





14 TABLETS One 14-day course of treatment
May take 1 to 4 days for full effect

Drug Facts

Active ingredient (in each tablet) Ome prazole 20 mg......

Acid reducer

Use ■ treats frequenthearthum (occurs 2 or more days a week)

Treats **Frequent** Heartburn!

■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

1Y974 LJ

Q

Al leng yall ert: donot us eif youare allergic to om eprazole

Do not u se if you have:

- trouble orpain swallowing food, vom itin gwith blood, or blood yor black stools
- heartburn with light head ed ness, sweating ord izziness
- chest or shoulder pain with shortness of breath; sweating; pain spreading toarms, reck or shoulders; or lightheadedness

■ frequent che st pain

The sem ay be signs of a serious condition. Se eyour doc to r.

Ask a doctor beforeuse if you have

- had he artburn over 3 months. This may be a sign of a more serious condition.
- frequent whe ezing, panicularly with heartburn
- unexplained weight loss
- nause aor wo miting ■stomach pain

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop us ean dask a doctor if:

- your heartburn continues or wors ens
- you need totake this product for morethan 14 days
- you reed to take more than 1 course of treatment every 4 months
- you get darrhea
- you de ve lop a rash or joint pain

If pregnant or breast-feeding, aska health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continue d)

Directions ■ for a dults 18 years of age and older

- ■this product is to be use donce aday (e very 24 hours), e very day for 14days
- ■itm aytake 1 to4 days forfull effect; som epecple get complete reliefof symptoms within 24 hours

14-Day Course of Treatment

- take 1 tablet before eating in the morning
- do not cru sh or ch ew tablets
- place the tablet on tongue, tablet disintegrates, with or withoutwater. The table ts can also be swallowed whole with water.
- takee very day for 14 days
- donottake morethan 1 tableta day
- don otuse form ore than 14days unless directed by your doctor
- donottake this medic ine with alcohol

Repeated 14-Day Course(if needed)

- you may repeat a 14-day cours e every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- ■children under 18 years of age; ask a doctor before use. He artburn in children may some times be caused by a serious condition.

Other information read the directions and warnings before use ■ke ep the carton. It contains important information.

■s breat 20-25°C (68-77°F); keep product out of high heat and moisture

In a ctive in gredie nts aminom ethacrylate copolym er, a scorbic acid, ce tyl alcohol, colloid al silicon dioxide, cros povidone, ferric oxide, flavor, hypromellos e, hypromellos e phthalate, maize maltodextrin, marnitol, mic rocrystalline cellulose, propylene glyc ol, silic on dioxide, so dium ste ara te, sodium stearyl furnarate, sorbitol, suc ralose, sugar spheres, talc, titanium dioxide.trie fivl citrate

Questions or comments ?1-800-719-9260: weekdays 7:30AM to 5:00 PM EST

QUALITY & SATISFACTION 100% GUARANTEED OR YOUR MONEY BACK.

DISTRIBUTED BY: BETTER LIVING BPANDS LLC PO. BOX 99, PLEASANTON, CA 94566-0009



■ If overweight, lose weight ■ Quit smoking

■ Eat slowly and avoid big meals

chocolate, catteine, alcohol and certain fruits and vegetables Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, ■ Raise the head of your bed

■ Do not eat before bedtime

■ Do not lie flat or bend over after eating

■ Do not wear tight-fitting dothing around the stomach Tips for Managing Heartburn



omeprazole tablet, orally disintegrating, delayed release

-	1 .	T C	. •
Pro	duct	Intori	mation
1 1 0	шись		Hauvii

HUMAN OTC DRUG NDC:21130-128 Product Type Item Code (Source)

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OMEPRAZOLE (UNII: KG604840X9) (OMEPRAZOLE - UNII: KG604840X9)	OMEPRAZOLE	20 mg

Inactive Ingredients Ingredient Name Strength

DIMETHYLAMINO ETHYL METHACRYLATE - BUTYL METHACRYLATE - METHYL METHACRYLATE COPOLYMER (UNII: 905HNO1SIH) ASCORBIC ACID (UNII: PQ6CK8PD0R)

CETYL ALCOHOL (UNII: 936JST6JCN)

SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)

CROSPOVIDO NE (15 MPA.S AT 5%) (UNII: 68401960 MK)

FERRIC OXIDE RED (UNII: 1K09F3G675)

HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)

MANNITOL (UNII: 30WL53L36A)

MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U)

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

SODIUM STEARATE (UNII: QU7E2XA9TG)

SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)

SORBITOL (UNII: 506T60A25R)

SUCRALOSE (UNII: 96K6UQ3ZD4)

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)

TRIETHYL CITRATE (UNII: 8Z96QXD6UM)

Product Characteristics			
Color	RED (reddish)	Score	no score
Shape	ROUND	Size	9 mm
Flavor	STRAWBERRY	Imprint Code	20
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-128-55	3 in 1 CARTON	07/11/2018	
1		14 in 1 CARTON		
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:21130-128-74	14 in 1 CARTON	07/02/2020	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA209400	07/11/2018	

Labeler - Safeway (009137209)

Revised: 7/2020 Safeway