

**OXYGEN - oxygen gas**  
**Fox Welding Supply Inc**

-----  
**Oxygen Label**

OXYGEN REFRIGERATED LIQUID, USP UN 1073  
(CRYOGENIC LIQUID) Produced by Air Liquefaction  
ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

**WARNING**

**WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE.  
VIGOROUSLY ACCELERATED COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID  
OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.**

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX only.

**WARNING: Uninterrupted use of high concentrations of oxygen over long duration, without monitoring its effects on oxygen content in arterial blood, may be harmful. Use only with pressure reducing equipment, and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Keep oil, grease and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Use in accordance with Material Safety Data Sheet.**

**DO NOT REMOVE THIS PRODUCT LABEL.**

**FIRST AID**

**IN CASE OF FROSTBITE, obtain medical treatment immediately.**

**PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION**

**Company Name:**

**Lot Number:**

**Contents:**

**Expiration Date:**

**WARNING: Caution Federal Law Prohibits Dispensing without Prescription.**



## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:50975-011
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
oxygen (UNII: S88TT14065) (oxygen - UNII:S88TT14065)	oxygen	990 mL in 1 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50975-011-01	99 L in 1 CYLINDER		
2	NDC:50975-011-02	141 L in 1 CYLINDER		
3	NDC:50975-011-03	234 L in 1 CYLINDER		
4	NDC:50975-011-04	387 L in 1 CYLINDER		

5	NDC:50975-011-05	643 L in 1 CYLINDER		
6	NDC:50975-011-06	2540 L in 1 CYLINDER		
7	NDC:50975-011-07	7100 L in 1 CYLINDER		
8	NDC:50975-011-08	9401 L in 1 CYLINDER		
9	NDC:50975-011-09	181850 L in 1 DEWAR		
10	NDC:50975-011-10	125783 L in 1 DEWAR		
11	NDC:50975-011-11	129379 L in 1 DEWAR		
12	NDC:50975-011-12	35962 L in 1 DEWAR		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205865	01/01/1960	

**Labeler** - Fox Welding Supply Inc (023385834)

### Establishment

Name	Address	ID/FEI	Business Operations
Fox Welding Supply Inc		023385834	manufacture(50975-011)

Revised: 4/2014

Fox Welding Supply Inc