

MENSTRUAL COMPLETE- menstrual complete tablet, coated
Healthlife of USA

Maximum Strength Menstrual Complete / Buscapina

Acetaminophen 500mg, Caffeine 60mg, Pyrilamine Maleate 15mg

Drug Facts

Maximum Strength Menstrual Complete / Buscapina

Purpose

Pain Reliever, Diuretic, Antihistamine, Multi-Symptom Relief

Active ingredients (in each Caplet)

Acetaminophen 500mg

Caffeine 60mg

Pyrilamine maleate 15mg

Uses

- For the temporary relief of these symptoms associated with menstrual periods
- Cramps
- Bloating
- Water- weight gain
- Headache
- Backache
- Muscle aches
- Fatigue

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 6 tablets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Allergy warning: Acetaminophen may cause severe skin or severe allergic reactions.

Symptoms may include:

- skin reddening

- blisters
- rash
- hives
- facial swelling
- asthma (wheezing)
- shock

If a skin or general allergic reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- Liver disease
- Glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- Taking the blood thinning drug warfarin
- Taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms appear
- redness or swelling is present
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- Do not exceed recommended dosage.
- Adults and children 12 years and over: Take 2 tablets with water. Repeat every 6 hours, as needed. Do not exceed 6 tablets per day
- Children under 12 years: Consult a doctor

Other Information

- Store at room temperature
- TAMPER EVIDENT; DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Inactive ingredients

- Colloidal silicon dioxide
- Hypromellose
- Magnesium stearate
- Microcrystalline cellulose
- Polyethylene glycol
- Polyvinyl pyrrolidone
- Pregelatinized starch
- Titanium dioxide
- Talc

Questions or comments?

Call toll free 1-844-832-1138 Monday through Friday 9AM - 5PM or www.healthlifeofusa.com

Maximum Strength Menstrual Complete

Acetaminophen 500mg

Caffeine 60mg

Pyrilamine maleate 15mg

20 Caplets

Compare to Midol® Complete active ingredient

Distributed by:

Healthlife of USA LLC

Rahway

NJ 07065

www.healthlifeofusa.com

20 CAPLETS

Maximum Strength

Menstrual Complete

Acetaminophen 500 mg
Pain Reliever
Caffeine 60 mg / Diuretic
Pyrilamine Maleate 15 mg
Antihistamine

Compare to Midol® Complete active ingredients

Drug Facts

Active ingredient (in each caplet)	Purpose
Acetaminophen 500mg.....	Pain reliever/Fever reduce
Caffeine 60 mg.....	Diuretic
Pyrilamine maleate 15 mg.....	Antihistamine

Uses:

- for the temporary relief of these symptoms associated with menstrual periods: ■ cramps
- bloating ■ water-weight gain ■ headache
- backache ■ muscle aches ■ fatigue

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 6 tablets in 24 hours, which is the maximum daily amount for this product

- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy warning: acetaminophen may cause severe skin or severe allergic reactions. Symptoms may include:

- skin reddening ■ blisters ■ rash ■ hives ■ facial swelling
- asthma (wheezing) ■ shock. If a skin or general allergic reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you have ever had an allergic reaction to this product or any of its ingredients

DRUG FACTS CONTINUED on back of the label ►

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete.

Distributed By:
Healthlife of USA LLC
Rahway, NJ 07065 USA
www.healthlifeofusa.com

0 69517 13020 4

Lot No.
Exp. Date:

Drug Facts (Continued)

Ask a doctor before use if you have

- liver disease ■ glaucoma ■ difficulty in urination due to enlargement of the prostate gland ■ a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin ■ taking sedatives or tranquilizers

When using this product ■ you may get drowsy

- avoid alcoholic drinks ■ excitability may occur, especially in children ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if ■ new symptoms appear ■ redness or swelling is present ■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts for more than 3 days

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not exceed recommended dosage. ■ adults and children 12 years and over: take 2 tablets with water. Repeat every 6 hours, as needed do not exceed 6 tablets per day
- children under 12 years: consult a doctor

Other Information

- store at room temperature

Inactive Ingredients: May Contain:
colloidal silicon dioxide, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl pyrrolidone, pregelatinized starch, titanium dioxide, talc

Questions or comments? Call 1-844-832-1138
8AM - 5PM Monday - Friday


Buscapina

Acetaminophen 500mg

Caffeine 60mg

**Pyrilamine maleate 15mg
24 Caplets**

**Distributed By:
OPMX
San Diego, CA, 92154**



MENSTRUAL COMPLETE

menstrual complete tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69517-130
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TALC (UNII: 7SEV7J4R1U)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE (UNII: FZ989GH94E)	

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE	Size	17mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69517-130-20	1 in 1 CARTON	05/31/2017	
1		20 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69517-130-24	24 in 1 BOTTLE; Type 0: Not a Combination Product	12/28/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug	M013	05/31/2017	
--------------------	------	------------	--

Labeler - Healthlife of USA (079656178)

Establishment

Name	Address	ID/FEI	Business Operations
Elysium Pharmaceuticals Limited		915664486	manufacture(69517-130)

Revised: 10/2023 Healthlife of USA