CALCIUM GLUCONATE- calcium gluconate injection, solution Vedco

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

CALCIUM GLUCONATE 23% SOLUTION

ACTIVE INGREDIENTS:

Each 100 mL contains:

Electrolytes per 1000 mL:

Calcium 1,069 mEq

Hypertonic pH 2.5-4.5

INACTIVE INGREDIENTS

Water for Injection qs

Boric Acid 3.5 grams

INDICATIONS

To be used as an aid in treatment of parturient paresis (milk fever) in cattle

DOSAGE AND ADMINISTRATION:

Cattle: 200 to 500 mL.

Administer intravnously or intraperitoneally.

Solution should be warmed to body temperature and administered slowly. This product is sterile in unopened container. It contains no preservative. Use entire content when first opened. It should be handled under aseptic conditions. If there is no apparent improvement in animal's conditionwithin 24 hours, consult a veterinarian.

STORAGE

Store at 15°C to 30°C (59°F - 86°F).

IKEEP OUT OF REACH OF CHILDREN
FOR ANIMAL USE ONLY
TAKE TIME OBSERVE LABEL DIRECTIONS



Termnally Sterilized
Distributed By
VEDCO, INC.
St. Joseph, MO 64507

Made in El Salvador

PRINCIPAL DISPLAY PANEL

NDC 50989-882-16

ULTIGIENETM TERMINALLY STERILIZED

CALCIUM GLUCONATE 23% SOLUTION

NET CONTENTS: 500 mL (16.9 f. oz.)

VEDCO

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

INDICATIONS: To be used as an aid in the treatment of parturient paresis (milk fever) in cattle.

DOSAGE AND ADMINISTRATION:

Cattle: 250 to 500 mL.
Administer intravenously

intraperitoneally. Solution should be warmed to body temperature and administered slowly. This product is sterile in unopened container. It contains no preservative. Use entire contents when first opened. It should be handled under aseptic conditions. If there is no apparent


improvement in the animal's condition within 24 hours, consult a veterinarian.



TAKE TIME OBSERVE LABEL DIRECTIONS

Terminally Sterilized

Distributed By VEDCO, INC St. Joseph, MO 64507 Made in El Salvador



Each 100 mL CONTAINS: ACTIVE INGREDIENTS

Calcium Gluconate (provides 2.14 grams Calcium) 23 grams

INACTIVE INGREDIENTS

Hypertonic pH 2.5-4.5

Store between 15°C and 30°C (59°F-86°F).

CALCIUM GLUCONATE

calcium gluconate injection, solution

Product Information

 Product Type
 OTC ANIMAL DRUG
 Item Code (Source)
 NDC:50989-882

 Route of Administration
 INTRAVENOUS, INTRAPERITONEAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

CALCIUM GLUCONATE (UNII: SQE6VB453K) (CALCIUM CATION - UNII:2M83C4R6ZB) | CALCIUM GLUCONATE | 23 g in 100 mL

Inactive Ingredients					
Ingredient Name	Strength				
WATER (UNII: 059QF0KO0R)					
BORIC ACID (UNII: R57ZHV85D4)	3.5 g in 100 mL				

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:50989-882-16	500 mL in 1 BOTTLE, PLASTIC				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved drug other		08/22/2019			

Labeler - Vedco (021634266)

Registrant - Vedco (021634266)

Revised: 8/2019 Vedco