

CVS PHARMACY GLYCERIN LAXATIVE- glycerin suppository
CVS Pharmacy

CVS Pharmacy® Glycerin Suppositories 50 ct

Active Ingredient

Active Ingredient (in each suppository)	Purpose
Glycerin, USP 2 grams	Laxative

Uses

relieves occasional constipation (irregularity)
generally produces bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

Do not use

Do not use laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

Ask a doctor before use if you have

- abdominal pain - nausea - vomiting - noticed a sudden change in bowel habits that lasts over 2 weeks

When using this product

When using this product you may have rectal discomfort or a burning sensation

Stop use and ask a doctor if

Stop use and ask a doctor if

- you have rectal bleeding
- you fail to have a bowel movement after use of a laxative

These could be signs of a serious condition.

If pregnant or breast-feeding,

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over by doctor 1 suppository per day or as directed

children 2 to under 6 years use CVS/pharmacy(TM) Child

Suppositories

children under 2 years ask a doctor

insert 1 suppository well up into the rectum and retain fo 15 minutes

it need not melt to produce laxative action

Other information

keep tightly closed - avoid excessive heat

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Product Label

CVS pharmacy Compare to active ingredient in Fleet® Glycerin Suppositories*

GLYCERIN SUPPOSITORIES LAXATIVE

For fast, gentle relief of occasional constipation

50 ADULT SUPPOSITORIES

Drug Facts							
Active ingredient (in each suppository) Glycerin USP 2 grams	Purpose Laxative						
Uses <ul style="list-style-type: none"> relieves occasional constipation (irregularity) temporarily restores bowel movement to its normal state 							
Warnings For rectal use only Do not use unless you have used for longer than 1 week unless directed by a doctor. Ask a doctor before use if you have: <ul style="list-style-type: none"> abdominal pain • nausea • vomiting had a sudden change in bowel habits that lasts over 2 weeks When using this product you may have rectal discomfort as a normal reaction. Stop use and ask a doctor if: <ul style="list-style-type: none"> you have rectal bleeding you fail to have a bowel movement after use of a laxative These could be signs of a serious condition.							
Directions <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Adults and children 15 years and over</td> <td style="width: 50%;">1 suppository per day as directed by a doctor</td> </tr> <tr> <td>Children 6 to 14 years</td> <td>use CVS Pharmacy® (Fleet) Suppositories</td> </tr> <tr> <td>Children under 6 years</td> <td>ask a doctor</td> </tr> </table> <ul style="list-style-type: none"> insert 1 suppository well up into the rectum and retain for 15 minutes 1 dose not used to produce routine action 		Adults and children 15 years and over	1 suppository per day as directed by a doctor	Children 6 to 14 years	use CVS Pharmacy® (Fleet) Suppositories	Children under 6 years	ask a doctor
Adults and children 15 years and over	1 suppository per day as directed by a doctor						
Children 6 to 14 years	use CVS Pharmacy® (Fleet) Suppositories						
Children under 6 years	ask a doctor						
Other information <ul style="list-style-type: none"> keep tightly closed • avoid excessive heat 							
Inactive ingredients purified water, sodium hydroxide, stearic acid <small>*The CVS Pharmacy® product is not manufactured or distributed by G.D. Searle Co., Inc., owner of the registered trademark Fleet®.</small>							

CVS Quality Wholesale Bulk Guarantee

Distributed by: CVS Pharmacy, Inc., One CVS Drive, Woonsocket, RI 02896 © 2013 CVS Pharmacy 1 800-shop-CVS Y-14285
 Made in the U.S.A.

TAMPER EVIDENT - Do not use if inner seal is impaired or "SEALED FOR YOUR PROTECTION" is broken or missing.

3047709
 B 150428 829432

Net Content: 100g (3.52 oz)

CVS PHARMACY GLYCERIN LAXATIVE

glycerin suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-109
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2 g

Inactive Ingredients

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM HYDROXIDE (UNII: 55X04QC321)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	white (CLEAR)	Score	
Shape	BULLET	Size	32mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-109-50	50 in 1 JAR; Type 0: Not a Combination Product	09/18/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	09/18/2014	

Labeler - CVS Pharmacy (062312574)

Registrant - Unipack LLC (116015769)

Establishment

Name	Address	ID/FEI	Business Operations
Unipack LLC		009248480	manufacture(59779-109)

Revised: 1/2024

CVS Pharmacy