EPSOM SALT- magnesium sulfate granule Chain Drug Consortium, LLC

Drug Facts

Active ingredient

Magnesium sulfate USP 100%

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet
- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug.

When using this product

do not use more than directed

Stop use and ask a doctor if

- you have rectal bleeding or failure to have a bowel movement after use. This may indicate a serious condition.
- you need to use a laxative for more than 1 week

If pregnancy or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

• do not exceed more than 2 doses per day; if necessary repeat dosage in 4 hours

age	dose	
adults and children 12 years and	2-4 level teaspoons dissolved in a full glass (8oz) of	
older	water	
children 6 to 11 years	1-2 level teaspoons in a full glass (8oz) of water	

Not recommended for children under 6 years of age.

Inactive Ingredients

None

Other information

• each teaspoon contains: magnesium 495 mg

Questions or comments?

For laxative or soak, call 1-877-753-3935 Monday- Friday 9AM-5PM EST

Principal Display Panel

Multi-Purpose

EPSOM SALTS

Magnesium Sulfate USP

Saline Laxative

Soaking aid for minor discomfort and tired feet

Saline laxative for short-term relief of constipation

NET WT OZ (lb) kg

TAMPER EVIDENT: DO NOT USE IF HEAT SEALED POUCH IS IMPROPERLY SEALED.

Distributed By:

Pharmacy Value Alliance, LLC

407 East Lancaster Avenue,

Wayne, PA 19087

Package Label

RESEALABLE POUCH

TAMPER EVIDENT: DO NOT USE IF HEAT SEALED POUCH IS IMPROPERLY SEALED.



Multi-Purpose

Epsom Salt

Magnesium Sulfate USP Saline laxative

Soaking aid for minor discomfort and tired feet

Saline laxative for the short-term relief of constipation

NET WT. 96 oz (6 lb) / 2.72 kg



■ generally produces bowel movement in 1/2 to 6 hours

relieves occasional constipation (irregularity)

RESEALABLE POUCH

is useful every season of the year. Epsom Salt is a trusted remedy that

in a warm bath: Simply dissolve two cups of epsom salt **BEAT WINTER BLUES**

· for a calm and refreshing soak

· to warm and relax your muscles

Just dissolve two cups of epsom salt in warm bath water, Itimes leading to overexertion. A MINERAL SPRING SPA Springtime is your fresh start to working out, often

settle in, and experience the relief and relaxation.

and bee stings. a wet dressing to relieve mild sunburn, mosquito bites, to make a compress. Apply with a washcloth as STARS SUMMER SALTS

The most of the most o Mix 1 cup of epsom salt in 1 quart of cold water

By dissolving two cups of epsom salt in a warm bath, имития отиі халая

this product, please return it to the store where purchased for a full refund.


If for any reason you are not satisfied with

feel refreshed and rejuvenated

Vayne, PA 19087

Distributed By:

407 East Lancaster Avenue, Pharmacy Value Alliance, LLC



รอรก Purpose Active ingredient Drug Facts

Ask a doctor before use if you have Warnings

■ kidney disease

a magnesium restricted diet

stomach pain, nausea or vomiting

Ask a doctor or pharmacist before use if you are presently taking a ■ noticed a sudden change in bowel habits that lasts more than 2 weeks

brescription drug.

do not use more than directed When using this product

■ you have rectal bleeding or failure to have a bowel movement after use. Stop use and ask a doctor if

■ you need to use a laxative for more than 1 week This may indicate a serious condition.

contact a Poison Control Center (1-800-222-1222) right away. Keep out of reach of children. In case of overdose, get medical help or If pregnant or breast-feeding, ask a health professional before use.

in 4 hours ■ do not exceed more than 2 doses per day; if necessary repeat dosage

	Acitomacini acdio
lot recommended for children under 6 years of age.	
1-2 level teaspoons dissolved in a full glass (8 co) of water	children 6 to 1 years
2-4 level teaspoons dissolved in a full glass (8 oz) of water	adults and children 12 years and older
esop	9ôe

each teaspoon contains: magnesium 495 mg nonemnoum Jamo

Inactive ingredient none

For laxative or soak, call 1-877-753-3935 Monday-Friday 9AM-5PM EST Questions or comments?

For external use

As a sosking solution: Pour 2 cups of epsom salt under warm, running bath water. Soak for 15 minutes, three times a week, to aid minor sprains and bruises.

Dissolve 1 cup of epsom salt in 1 quart of water. Using a towel, apply solution to the sifected area for 15-30 minutes to help reduce swelling. Repeat as needed. As a warm compress:

unless advised by a doctor. infection, discontinue use and consult a doctor. Do not use if pregnant or diabetic, Where prompt relief is not obtained or where there is evidence of irritation or Warning:

contact a Poison Control Center (1-800-222-1222) immediately. KEEP OUT OF REACH OF CHILDREN. In case of overdose, get medical help or

gently to free granules. Some settling of content may occur during shipment. If caking occurs, tap pouch Store in cool dry place out of direct sunlight. Package sold by weight not volume.



TEAR ALONG DOTTED LINE. PRESS ZIPPER TO RESEAL.

PREMIER VALUE Multi-Purpose Epsom Salt

EPSOM SALT

magnesium sulfate granule

_			
Prod	luct	Inform	ation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:68016-732

Route of Administration ORAL, TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB) (MAGNESIUM CATION - UNII: T6V3LHY838)

MAGNESIUM SULFATE, UNS PECIFIED

1 g in 1 g

Packaging

П	i decagning				
	# Ite	em Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC 06	:68016-732-	2720 g in 1 POUCH; Type 0: Not a Combination Product	08/31/2017	
	2 NDC 01	:68016-732-	454 g in 1 POUCH; Type 0: Not a Combination Product	08/31/2017	
	3 NDC 04	:68016-732-	1814 g in 1 POUCH; Type 0: Not a Combination Product	08/31/2017	

Marketing Information

Harketing information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	08/31/2017		

Labeler - Chain Drug Consortium, LLC (101668460)

Revised: 2/2024 Chain Drug Consortium, LLC