

**CLEAR REFLECTION COMPLEXION- salicylic acid
RENU LABORATORIES, INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Clear Reflection Complexion KIT

Active Ingredient:

Salicylic Acid 0.5 percent

PART 1 - CLEAR REFLECTION FOAMING CLEANSER

Salicylic Acid

0.5 percent

PART 2 - CLEAR REFLECTION COMPLEXION ACNE TREATMENT SERUM

2 percent Salicylic Acid

PART 3 - CLEAR REFLECTION COMPLEXION Pore Refining Toner

Active Ingredient

Salicylic Acid

PART 4 - CLEAR REFLECTION COMPLEXION Topical Rehydrating Emulsion

Active Ingredient

Salicylic Acid

Warnings

For external use only

PART 1 CLEANSER WARNING

For external use only.

PART 2 - ACNE TREATMENT SERUM *Warnings:*

For external use only.

PART 3 - CLEAR REFLECTION COMPLEXION Pore Refining Toner

For external use only.

PART 4

For external use only

Do not use this medication if you have very sensitive skin or if you are sensitive to salicylic acid.

PART 1 CLEANSER

Do not use this medication if you have very sensitive skin or if you are sensitive to salicylic acid.

PART 2 - ACNE TREATMENT SERUM

Do not use this medication if you have very sensitive skin or if you are sensitive to salicylic acid.

PART 3 - CLEAR REFLECTION COMPLEXION Pore Refining Toner

Do not use this medication if you have very sensitive skin or if you are sensitive to salicylic acid.

PART 4 - Clear Reflection COMPLEXION Topical Rehydrating Emulsion

Do not use this medication if you have very sensitive skin or if you are sensitive to salicylic acid.

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- avoid contact with eyes.
- If contact occurs, rinse thoroughly with water.

PART 2 - ACNE TREATMENT SERUM

Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time

- avoid contact with eyes
- If contact occurs, rinse thoroughly with water.

PART 3 - Pore Refining Toner

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time
- avoid contact with eyes
- if contact occurs, rinse thoroughly with water.

PART 4 - Topical Rehydrating Emulsion

PART 1

When using this product

skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs only use one topical acne medication at a time

avoid contact with eyes

if contact occurs rinse thoroughly with water

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

PART 3 - Pore Refining Toner

Keep out of reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

Part 4 - Topical Rehydrating Emulsion

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

PART 1

Keep out of reach of children

If swallowed get medical help or contact a Poison Control Center right away

PART 2

Keep out of reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

Directions

PART 1 - FOAMING CLEANSER - DIRECTIONS

Use in the morning and evening. Wet face. Gently massage 1-2 pumps of foaming cleanser all over face, avoiding eye area.

PART 3 - Pore Refining Toner

Directions

In the evening, apply toner to dry face with cotton pad to gently lift away dirt and impurities. Avoid the eye area. This product contains alcohol that can be drying to the skin. Those with drier skin may opt to use this product every other day to prevent excess drying.

PART 4 - Topical Rehydrating Emulsion

Recommended use is at nighttime after cleansing skin with Clear Reflection Complexion Foaming Cleanser.

PART 2

Directions

In the morning, after cleansing face, apply serum evenly and make sure all problem areas are treated. Mild tingling may occur. If bothersome dryness or peeling occurs, reduce application to once every other day.

Inactive Ingredients

Aqua (Water), Decyl Glucoside, Sodium C14-16 Olefin Sulfonate, Glycerin, Sodium Cocoyl Isethionate, Butylene Glycol, PEG-7 Glyceryl Cocoate, Sodium PCA, Disodium EDTA, PEG-5m, Caprylyl Glycol, Cinnamal, Dihydroeugenol, Ethylhexylglycerin, Hexylene Glycol, Phenoxyethanol, Sodium Hydroxide.

PART 1 - FOAMING CLEANSER INACTIVES

Aqua (Water), Decyl Glucoside, Sodium C14-16 Olefin Sulfonate, Glycerin, Sodium Cocoyl Isethionate, Butylene Glycol, PEG-7 Glyceryl Cocoate, Sodium PCA, Disodium EDTA, PEG-5M, Caprylyl Glycol, Cinnamal, Dihydroeugenol, Ethylhexylglycerin, Hexylene Glycol, Phenoxyethanol, Sodium Hydroxide.

PART 2 - ACNE TREATMENT SERUM

Cyclopentasiloxane, Dimethiconol, Isopropyl Alcohol, Octyldodecanol, Helianthus Annuus (Sunflower) Seed Oil, Dimethicone, Dihydroeugenol, Isoeugenyl Acetate, Cinnamal, Ethyl Vanillin.

PART 3 - Pore Refining Toner

Isopropyl Alcohol, Aqua (Water), Hamamelis Virginiana (Witch Hazel), Glycerin, Butylene Glycol, Sodium PCA, Benzoic Acid, Camphor, Citric Acid, Dihydroeugenol, Isoeugenyl Acetate, Peppermint Oil, Cinnamal, Yellow 5 (CI 19140), Blue 1 (CI 42090).

PART 4 - Topical Rehydrating Emulsion

Inactive Ingredients:

Aqua (Water), Stearic Acid, Propylene Glycol, Sodium Hydroxide, Citric Acid, Glycol Stearate, Squalane, Steareth-2, Steareth-21, PPG-12/SMDI Copolymer, Dihydroeugenol, Glyceryl Stearate, PEG-100 Stearate, Cetareth-20, Cetearyl Alcohol, Bisabolol, Polyacrylamide, C13-14 Isoparaffin, Laureth-7, Caprylyl Glycol, Carbomer, Cinnamal, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Hexylene Glycol, Hydroxypropyl Starch Phosphate, Isoeugenyl Acetate, Niacinamide, Phenoxyethanol, Polysorbate 20, Potassium Lactate.

PURPOSE

Acne Treatment

PART 2 - Acne Treatment Serum

Purpose: Acne Treatment

PART 4

Purpose

Acne Treatment

PART 3

Purpose

Acne Treatment

PART 1

Acne Treatment

see individual parts

PART 1

FOAMING CLEANSER

Use cleanser morning and evening

PART 2

ACNE TREATMENT SERUM

Recommended use is in the morning after cleansing and before applying any makeup.

part 3

Pore Refining Toner

For regular and oil-prone skin use at least 3 times a week in the evening after cleansing skin.

PART 4


Topical Rehydrating Emulsion

Recommended use is at nighttime after cleansing

Call Customer Service at 1 800 990 6552 or contact customerservice@dermamedics.com

Size: (L) 7.7" (W) 7.2" (D) 2.1"

MAIL



ART FOR ENTIRE 4 PART KIT

PART 1 - CLEAR REFLECTION COMPLEXION FOAMING CLEANSER

Clear Reflection

COMPLEXION



Morning & Night Use

Foaming Cleanser

with 0.5% Salicylic Acid

Acne Treatment

This Foaming Cleanser with salicylic acid is a gentle, soap free, pH balanced cleanser that will deep clean without drying the skin out. It can penetrate into pores to treat existing acne and to prevent future breakouts for blemish-free clear skin. Use cleanser morning and evening.

Active Ingredient: Salicylic Acid 0.5%

Purpose: Acne Treatment

Warnings: For external use only.

Do not use this medication if you have very sensitive skin or if you are sensitive to salicylic acid.

When using this product: • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • avoid contact with eyes. • if contact occurs, rinse thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: Use in the morning and evening. Wet face. Gently massage 1-2 pumps of foaming cleanser all over face, avoiding eye area. Allow cleanser to sit on face for one minute before rinsing thoroughly. Pat dry.

Inactive Ingredients: Aqua (Water), Decyl Glucoside, Sodium C14-18 Olefin Sulfonate, Glycerin, Sodium Cocoyl Isethionate, Butylene Glycol, PEG-7 Glyceryl Cocoate, Sodium PCA, Disodium EDTA, PEG-2M, Caprylyl Glycol, Cinnamal, Dihydroeugenol, Ethylhexylglycerin, Hexylene Glycol, Phenoxethanol, Sodium Hydroxide.

Not tested on animals. Non-GMO.

4 FL OZ (120ml)

Made in USA for DermaMedics LLC, Oklahoma City

www.dermamedics.com

PART 2 - ACNE TREATMENT SERUM

Clear Reflection

COMPLEXION



Morning Use

Acne Treatment
Serum

with 2% Salicylic Acid

Acne Treatment

Acne Treatment Serum treats acne inside a blocked pore. Clears blemishes, reduces acne severity and prevents new blemishes from forming.

Recommended use is in the morning after cleansing and before applying any makeup.

Active Ingredient: Salicylic Acid 2% Purpose: Acne Treatment

Warnings: For external use only.

Do not use this medication if you have very sensitive skin or if you are sensitive to salicylic acid.

When using this product: • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • avoid contact with eyes. • If contact occurs, rinse thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: In the morning, after cleansing face, apply serum evenly and make sure all problem areas are treated. Mild tingling may occur. If bothersome dryness or peeling occurs, reduce application to once every other day.

Inactive Ingredients: Cyclopentasiloxane, Dimethiconol, Isopropyl Alcohol, Octyldodecanol, Helianthus Annuus (Sunflower) Seed Oil, Dimethicone, Dihydroeugenol, Isoeugenyl Acetate, Cinnamal, Ethyl Vanillin.

Not tested on animals. Non-GMO.

1.8 FL OZ (52ml)

Made in USA for DermaMedics LLC, Oklahoma City

www.dermamedics.com

PART 4 - CLEAR REFLECTION TOPICAL REHYDRATING EMULSION

PART 4 - CLEAR REFLECTION TOPICAL REHYDRATING EMULSION

Clear Reflection

COMPLEXION

 Night Use

**Topical Rehydrating
Emulsion**

with 2% Salicylic Acid

Acne Treatment

Topical Rehydrating Lotion is designed to work rapidly to treat existing acne and to prevent future breakouts for blemish-free skin.

Recommended use is at nighttime after cleansing skin with Clear Reflection Complexion Foaming Cleanser.

Active Ingredient: Salicylic Acid 2% **Purpose:** Acne Treatment

Warnings: For external use only.

Do not use this medication if you have very sensitive skin or if you are sensitive to salicylic acid.

When using this product: • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • avoid contact with eyes. • If contact occurs, rinse thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: In the evening after cleansing, apply a thin layer of lotion evenly over affected areas.

Inactive Ingredients: Aqua (Water), Stearic Acid, Propylene Glycol, Sodium Hydroxide, Citric Acid, Glycol Stearate, Squalane, Steareth-2, Steareth-21, PPG-12/SMDI Copolymer, Dihydroeugenol, Glyceryl Stearate, PEG-100 Stearate, Ceteareth-20, Cetearyl Alcohol, Bisabolol, Polyacrylamide, C13-14 Isoparaffin, Laureth-7, Caprylyl Glycol, Carbomer, Cinnamal, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Hexylene Glycol, Hydroxypropyl Starch Phosphate, Isoeugenyl Acetate, Niacinamide, Phenoxyethanol, Polysorbate 20, Potassium Lactate.

Not tested on animals. Non-GMO.

1.9 FL OZ (55ml)

Made in USA for DermaMedics LLC, Oklahoma City

www.dermamedics.com

PART 3

Clear Reflection COMPLEXION

 Night Use

Pore Refining Toner

with 0.5% Salicylic Acid

Acne Treatment

Pore Refining Toner with salicylic acid is designed to pull excess oils and impurities from clogged pores. The toner will treat existing acne and help prevent future breakouts. Because the product contains alcohol, it is not recommended for extremely dry skin. For regular and oil-prone skin use at least 3 times a week in the evening after cleansing skin.

Active Ingredient: Salicylic Acid 0.5% Purpose: Acne Treatment

Warnings: For external use only.

Do not use this medication if you have very sensitive skin or if you are sensitive to salicylic acid.

When using this product: • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • avoid contact with eyes. • if contact occurs, rinse thoroughly with water.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: In the evening, apply toner to dry face with cotton pad to gently lift away dirt and impurities. Avoid the eye area. This product contains alcohol that can be drying to the skin. Those with drier skin may opt to use this product every other day to prevent excess drying.

Inactive Ingredients: Isopropyl Alcohol, Aqua (Water), Hamamelis Virginiana (Witch Hazel) Water, Glycerin, Butylene Glycol, Sodium PCA, Alcohol (Ethanol), Benzoic Acid, Camphor, Citric Acid, Dihydroeugenol, Isoeugenyl Acetate, Mentha Piperita (Peppermint) Oil, Cinnamal, Yellow 5 (CI 19140), Blue 1 (CI 42090).

Not tested on animals. Non-GMO.

4 FL OZ (120ml)

Made in USA for DermaMedics LLC, Oklahoma City

www.dermamedics.com

CLEAR REFLECTION COMPLEXION

salicylic acid kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76348-710
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76348-710-01	1 in 1 BOX; Type 0: Not a Combination Product	07/01/2021	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	0 BOTTLE, PLASTIC	1 g in 112
Part 2	0 BOTTLE, PUMP	1.1 g in 53
Part 3	0 BOTTLE, PUMP	1 g in 112
Part 4	0 BOTTLE, PUMP	1 g in 52

Part 1 of 4

CLEAR REFLECTION COMPLEXION PORE REFINING TONER

salicylic acid toner liquid

Product Information

Item Code (Source)	NDC:76348-693
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.56 g in 112 g

Inactive Ingredients

Ingredient Name	Strength
DIHYDROEUGENOL (UNII: A3XE712277)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
WITCH HAZEL (UNII: 101I4J0U34)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
WATER (UNII: 059QF0KO0R)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
ISOEUGENYL ACETATE (UNII: 9DF21GI8W6)	
CINNAMALDEHYDE (UNII: SR60A3XG0F)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76348-693-04	112 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	07/01/2021	

Part 2 of 4

CLEAR REFLECTION COMPLEXION REHYDRATING EMULSION

salicylic acid emulsion emulsion

Product Information

Item Code (Source) NDC:76348-694

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	1 g in 53 g

Inactive Ingredients

Ingredient Name	Strength
GLYCOL STEARATE (UNII: 0324G66D0E)	
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)	
STEARETH-21 (UNII: 53J3F32P58)	
HYDROXYPROPYL CORN AMYLOPECTIN, PHOSPHATE CROSSLINKED (4000 MPA.S AT 5%) (UNII: GSS77345H7)	
CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIHYDROEUGENOL (UNII: A3XE712277)	
ISOEUGENYL ACETATE (UNII: 9DF21GI8W6)	
CINNAMALDEHYDE (UNII: SR60A3XG0F)	
DIMETHICONE 500 (UNII: 5L1VVC3K8O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
SQUALANE (UNII: GW89575KF9)	
STEARETH-2 (UNII: V56DFE46J5)	
PPG-12/SMDI COPOLYMER (UNII: 1BK9DDD24E)	
POTASSIUM LACTATE, DL- (UNII: 276897E67U)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
EDETC ACID (UNII: 9G34HU7RV0)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYETHYLENE GLYCOL 4500 (UNII: TVH7653921)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76348-694-55	53 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	07/01/2021	

Part 3 of 4

CLEAR REFLECTION COMPLEXION FOAMING CLEANSER

salicylic acid soap

Product Information	
Item Code (Source)	NDC:76348-691
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.56 g in 112 g

Inactive Ingredients	
Ingredient Name	Strength
DIHYDROEUGENOL (UNII: A3XE712277)	
CINNAMALDEHYDE (UNII: SR60A3XG0F)	
WATER (UNII: 059QF0KO0R)	
SODIUM C14-16 OLEFIN SULFONATE (UNII: O9W3D3YF5U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERIN (UNII: PDC6A3C0OX)	
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)	
SODIUM COCOYL ISETHIONATE (UNII: 518XTE8493)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
POLYETHYLENE OXIDE 200000 (UNII: 11628IH700)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76348-691-01	112 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	08/19/2021	

Part 4 of 4

CLEAR REFLECTION COMPLEXION SERUM

salicylic acid 0.5% serum liquid

Product Information

Item Code (Source)	NDC:76348-692
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	1 g in 50 g

Inactive Ingredients

Ingredient Name	Strength
ETHYL VANILLIN (UNII: YC9ST449YJ)	
ISOEUGENYL ACETATE (UNII: 9DF21GI8W6)	
CINNAMALDEHYDE (UNII: SR60A3XG0F)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE 12500 (UNII: D1R3R4B8M8)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
DIHYDROEUGENOL (UNII: A3XE712277)	
DIMETHICONOL (50000 CST) (UNII: R2285D73YT)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
OCTYLDODECANOL (UNII: 461N1O614Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76348-	52 g in 1 BOTTLE, PUMP; Type 0: Not a		

692-02	Combination Product		
--------	---------------------	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	07/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	07/01/2021	

Labeler - RENU LABORATORIES, INC. (945739449)

Establishment

Name	Address	ID/FEI	Business Operations
RENU LABORATORIES, INC.		945739449	manufacture(76348-710)

Revised: 8/2021

RENU LABORATORIES, INC.