DG HEALTH ANTI DIARRHEAL- loperamide hydrochloride tablet, film coated Dolgencorp, LLC

Dolgencorp, LLC Anti-Diarrheal Drug Facts

Active ingredient (in each caplet)

Loperamide HCl 2 mg

Purpose

Anti-diarrheal

Uses

controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

Do not use

if you have bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease

Ask a doctor or pharmacist before use if you are

taking antibiotics

When using this product

• tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- find right dose on chart. If possible, use weight to dose; otherwise, use age.

adults and children 12 years	2 caplets after the first loose stool; 1 caplet after each subsequent loose
and over	stool; but no more than 4 caplets in 24 hours
children 9-11 years (60-95	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose
lbs)	stool; but no more than 3 caplets in 24 hours
children 6-8 years (48-59	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose
lbs)	stool; but no more than 2 caplets in 24 hours
children under 6 years (up to 47 lbs)	ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- · do not use if printed foil under cap is broken or missing
- see end panel for lot number and expiration date

Inactive ingredients

anhydrous lactose, carnauba wax, D&C yellow no. 10 aluminum lake, FD&C blue no. 1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch

Questions or comments?

1-888-309-9030

Principal Display Panel

Loperamide Hydrochloride Tablets, 2 mg

Anti-Diarrheal

Compare to active ingredient if Imodium® A-D

Controls the Symptoms of Diarrhea

Actual Size

*Each Caplet (capsule-shaped tablet) Contains 2 mg Loperamide Hydrochloride



Loperamide Hydrochloride Tablets, 2 mg

Anti-Diarrheal

**This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Imodium® A-D.



Loperamide Hydrochloride Tablets, 2 mg

Anti-Diarrheal

Compare to active ingredient of Imodium® A-D**

 Controls the Symptoms of Diarrhea







*Each Caplet (capsule-shaped tablet) Contains 2 mg Loperamide Hydrochloride

Drug Facts

Active ingredient (in each caplet)

Purpose

Loperamide HCl 2 mg......Anti-diarrheal

Use controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl

Do not use if you have bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease

Ask a doctor or pharmacist before use if you are taking antibiotics

When using this product

tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison








EXP.

: 22423 VT CL







Drug Facts (continued)

Directions

- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- find right dose on chart. If possible, use weight to dose; otherwise, use age.

adults and children 12 years and over	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9-11 years (60-95 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours
children 6-8 years (48-59 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours
children under 6 years (up to 47 lbs)	ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- do not use if printed foil under cap is broken or missing
- see end panel for lot number and expiration date

Inactive ingredients anhydrous lactose, carnauba wax, D&C yellow no. 10 aluminum lake, FD&C blue no. 1 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, pregelatinized starch

Drug Facts (continued)


(Questions or comments? 1-888-309-9030

DISTRIBUTED BY DOLGENCORP, LLC 100 MISSION RIDGE, GOODLETTSVILLE, TN 37072 USA — 100% — Quality Guaranteed (888) 309-9030

ACTUAL SIZE







DG HEALTH ANTI DIARRHEAL

loperamide hydrochloride tablet, film coated

_		-			_	•			
P	rn	а	114	rt.	In	tω	rma	ati	nη
1	ΙU	u	u	L		LUI		auı	UII

Product TypeHUMAN OTC DRUG LABELItem Code (Source)NDC:55910-224Route of AdministrationORALDEA Schedule

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthLOPERAMIDE HYDROCHLORIDE (LOPERAMIDE)LOPERAMIDE HYDROCHLORIDE2 mg

Inactive Ingredients

indexite ingredients				
Ingredient Name	Strength			
ANHYDROUS LACTOSE				
CARNAUBA WAX				
HYPROMELLOSES				
MAGNESIUM STEARATE				
CELLULO SE, MICRO CRYSTALLINE				
POLYETHYLENE GLYCOLS				

Product Characteristics

Color	GREEN	Score	2 pieces
Shape	CAPSULE	Size	10 mm
Flavor		Imprint Code	L2
Contains			

Packaging

1 deling in 5						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:55910-224-67	1 in 1 CARTON				
1		48 in 1 BOTTLE				
2	NDC:55910-224-23	1 in 1 CARTON				
2		72 in 1 BOTTLE				

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
ANDA	ANDA075232	12/28/2009				

Labeler - Dolgencorp, LLC (068331990)

Revised: 10/2012 Dolgencorp, LLC