

REGIONAL ALLERGIES SOUTHWESTERN U.S.- adenosinum cyclophosphoricum, adrenalinum, adrenocorticotrophin, allium cepa, asarum canadense, cortisone aceticum, eupatorium aromaticum, euphrasia officinalis, fraxinus americana, galphimia glauca, helianthus annuus, histaminum hydrochloricum, juniperus virginiana, kali muriaticum, mucosa nasalis suis, natrum muriaticum, plantago major, rna, rumex crispus, sabadilla, senecio jacobaea liquid King Bio Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Regional Allergies Southwestern U.S.

Drug Facts

HPUS active ingredients: Adenosinum cyclophosphoricum, Adrenalinum, Adrenocorticotrophin (30X), Allium cepa, Asarum canadense, Cortisone aceticum, Eupatorium aromaticum, Euphrasia officinalis, Fraxinus americana, Galphimia glauca, Helianthus annuus, Histaminum hydrochloricum, Juniperus virginiana, Kali muriaticum, Mucosa nasalis suis, Natrum muriaticum, Plantago major, RNA, Rumex crispus, Sabadilla, Senecio jacobaea. Equal volumes of each ingredient in 12X, 30X, and 1LM potencies.

Uses for temporary relief of allergy symptoms commonly experienced in OK, TX: ■ itchy, watery eyes ■ runny nose ■ sneezing ■ sore throat ■ sinus congestion ■ cough ■ stuffy nose ■ fatigue ■ itchy, irritated skin ■ hoarseness ■ headache.
† as per various homeopathic materia medicas. Claims based on traditional homeopathic practice, not accepted medical evidence. These uses have not been evaluated by the FDA, and product has not been clinically tested..

Warnings Stop use and consult a physician if symptoms worsen or persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately

Directions

■ Initially, depress pump until primed.

■ Spray one dose directly into mouth.

■ Adults: 3 sprays 3 times per day.

■ Children ages 6-12: 2 sprays 3 times per day.

■ Consult a physician for use in children under 6 years of age.

■ Use additionally as needed, up to 6 times per day

Other information: Tamper resistant for your protection. Use only if safety seal is intact.

Inactive Ingredients:

Bio-Energetically Enhanced™ pure water, citrus extract* (ascorbic acid, citric acid, citrus aurantium amara fruit extract, citrus aurantium sinensis peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid), Honeysuckle (Lonicera japonica), polylysine, Shagbark Hickory (Carya ovata) Bark Extract, steviol (Steviol

glycosides).

Drug Facts

HPUS active ingredients


Purpose

Equal volumes of each HPUS** ingredient in 12X, 30X, and 1LM potencies unless otherwise noted.

Adenosinum cyclophosphoricum.....headache, runny nose
Adrenalinum hay fever, stuffed sinuses, lung congestion
Adrenocorticotrophin (30X)congestion, cough
Allium cepa.....hay fever, sinus headache, sneezing
Asarum canadensehead congestion, runny nose
Cortisone aceticum.....allergic reaction, irritability
Eupatorium aromaticum headache, restlessness
Euphrasia officinalis.....itchy skin around eyes and nose
Fraxinus americana..... nervousness, hot flushes
Galphimia glauca..... puffy eyelids, hay fever
Helianthus annuus.....mucous cough, hoarse, dry throat
Histaminum hydrochloricum.....coughing, itching throat
Juniperus virginiana eye twitching
Kali muriaticum.....hoarseness, stuffy nose
Mucosa nasalis suissinus headache, nasal congestion
Natrum muriaticum.....watery eyes, sneezing
Plantago major.....eye, ear and face tenderness
RNA.....allergic reactions
Rumex crispus..... throat with much mucus, dry cough
Sabadilla.....sore throat, runny nose, sneezing
Senecio jacobaea.....fatigue, headaches, foggy mind
**“HPUS” indicates the active ingredients are in the official Homeopathic Pharmacopeia of the United States.

Questions? Call 866.298.2740
King Bio, Inc. • 3 Westside Drive
Asheville, NC 28806 USA
FDA Reg. #1053442

For latest product information
and instructions, visit
www.DrKings.com



REGIONAL ALLERGIES SOUTHWESTERN U.S.

adenosinum cyclophosphoricum, adrenalinum, adrenocorticotrophin, allium cepa, asarum canadense, cortisone aceticum, eupatorium aromaticum, euphrasia officinalis, fraxinus americana, galphimia glauca, helianthus annuus, histaminum hydrochloricum, juniperus virginiana, kali muriaticum, mucosa nasalis suis, natrum muriaticum, plantago major, rna, rumex crispus, sabadilla, senecio jacobaea liquid

| Product Information | | | |
|--|----------------------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:57955-0761 |
| Route of Administration | ORAL | | |
| Active Ingredient/Active Moiety | | | |
| Ingredient Name | Basis of Strength | Strength | |
| ADENOSINE CYCLIC PHOSPHATE (UNII: E0399OZS9N) (ADENOSINE CYCLIC PHOSPHATE - UNII:E0399OZS9N) | ADENOSINE CYCLIC PHOSPHATE | 12 [hp_X] in 59 mL | |
| EPINEPHRINE (UNII: YKH83404BH) (EPINEPHRINE - UNII:YKH83404BH) | EPINEPHRINE | 12 [hp_X] in 59 mL | |
| CORTICOTROPIN (UNII: K0U68Q2TXA) (CORTICOTROPIN - UNII:K0U68Q2TXA) | CORTICOTROPIN | 30 [hp_X] in 59 mL | |
| ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H) | ONION | 12 [hp_X] in 59 mL | |
| ASARUM CANADENSE ROOT (UNII: E20407TQYK) (ASARUM CANADENSE ROOT - UNII:E20407TQYK) | ASARUM CANADENSE ROOT | 12 [hp_X] in 59 mL | |
| CORTISONE ACETATE (UNII: 883WKN7W8X) (CORTISONE - UNII:V27W9254FZ) | CORTISONE ACETATE | 12 [hp_X] in 59 mL | |
| AGERATINA AROMATICA ROOT (UNII: P363RWH4NW) (AGERATINA AROMATICA ROOT - UNII:P363RWH4NW) | AGERATINA AROMATICA ROOT | 12 [hp_X] in 59 mL | |
| EUPHRASIA STRICTA (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL) | EUPHRASIA STRICTA | 12 [hp_X] in 59 mL | |

| | | |
|---|---------------------------------|--------------------|
| FRAXINUS AMERICANA BARK (UNII: 0B24UR101S) (FRAXINUS AMERICANA BARK - UNII:0B24UR101S) | FRAXINUS AMERICANA BARK | 12 [hp_X] in 59 mL |
| GALPHIMIA GLAUCA FLOWERING TOP (UNII: 93PH5Q8M7E) (GALPHIMIA GLAUCA FLOWERING TOP - UNII:93PH5Q8M7E) | GALPHIMIA GLAUCA FLOWERING TOP | 12 [hp_X] in 59 mL |
| HELIANTHUS ANNUUS FLOWERING TOP (UNII: BKJ0J3D1BP) (HELIANTHUS ANNUUS FLOWERING TOP - UNII:BKJ0J3D1BP) | HELIANTHUS ANNUUS FLOWERING TOP | 12 [hp_X] in 59 mL |
| HISTAMINE DIHYDROCHLORIDE (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N813) | HISTAMINE DIHYDROCHLORIDE | 12 [hp_X] in 59 mL |
| JUNIPERUS VIRGINIANA TWIG (UNII: 532BCG080L) (JUNIPERUS VIRGINIANA TWIG - UNII:532BCG080L) | JUNIPERUS VIRGINIANA TWIG | 12 [hp_X] in 59 mL |
| POTASSIUM CHLORIDE (UNII: 660YQ98H10) (POTASSIUM CATION - UNII:295053K152) | POTASSIUM CATION | 12 [hp_X] in 59 mL |
| SUS SCROFA NASAL MUCOSA (UNII: ID3Z1X61WY) (SUS SCROFA NASAL MUCOSA - UNII:ID3Z1X61WY) | SUS SCROFA NASAL MUCOSA | 12 [hp_X] in 59 mL |
| SODIUM CHLORIDE (UNII: 451W471Q8X) (CHLORIDE ION - UNII:Q32ZN48698) | SODIUM CHLORIDE | 12 [hp_X] in 59 mL |
| PLANTAGO MAJOR (UNII: W2469WNO6U) (PLANTAGO MAJOR - UNII:W2469WNO6U) | PLANTAGO MAJOR | 12 [hp_X] in 59 mL |
| SACCHAROMYCES CEREVISIAE RNA (UNII: J17GBZ5VGX) (SACCHAROMYCES CEREVISIAE RNA - UNII:J17GBZ5VGX) | SACCHAROMYCES CEREVISIAE RNA | 12 [hp_X] in 59 mL |
| RUMEX CRISPUS ROOT (UNII: 9N1RM2S62C) (RUMEX CRISPUS ROOT - UNII:9N1RM2S62C) | RUMEX CRISPUS ROOT | 12 [hp_X] in 59 mL |
| SCHOENOCALON OFFICINALE SEED (UNII: 6NAF168910) (SCHOENOCALON OFFICINALE SEED - UNII:6NAF168910) | SCHOENOCALON OFFICINALE SEED | 12 [hp_X] in 59 mL |
| JACOBAEA VULGARIS (UNII: 31M5728913) (JACOBAEA VULGARIS - UNII:31M5728913) | JACOBAEA VULGARIS | 12 [hp_X] in 59 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| WATER (UNII: 059QF0K00R) | |
| CARYA OVATA BARK (UNII: X765CF609L) | |
| CITRUS BIOFLAVONOIDS (UNII: BD70459150) | |
| LONICERA JAPONICA FLOWER (UNII: 4465L2WS4Y) | |
| POLYEPSILON-LYSINE (4000 MW) (UNII: WB0M8X4TWR) | |
| REBAUDIOSIDE A (UNII: B3FUD0528F) | |

Product Characteristics

| | | | |
|-----------------|--|---------------------|--|
| Color | | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:57955-0761-2 | 1 in 1 CARTON | 04/10/2018 | |
| 1 | | 59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product | | |



Regional Allergies
Southwestern U.S.

Drug Facts (continued)

Directions

- Initially, depress pump until primed.
- Spray one dose directly into mouth.
- Adults: 3 sprays 3 times per day.
- Children ages 6-12: 2 sprays 3 times per day.

Consult a physician for use in children under 6 years of age.

Use additionally as needed, up to 6 times per day.

Other information

Tamper resistant for your protection. Use only if safety seal is intact.

Inactive ingredients

Bio-Energetically Enhanced™ pure water, citrus extract* (ascorbic acid, citric acid, citrus aurantium amara fruit extract, citrus aurantium serratus peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid), Honeysuckle (Lonicera japonica), polylysine, Shagbark Hickory (Carya ovata) Bark Extract, steviol (Steviol glycosides)

*Organic ingredient

Keep carton for complete drug facts and product information.

Questions? Call 888.298.2740

King Bio, Inc. - 3 Westside Drive Asheville, NC 28808 USA

FDA Reg. #1053442

For latest product information and instructions, visit www.DrKings.com

kingbio

NDC# 57955-0761-2
HOMEOPATHIC



Regional Allergies
Southwestern U.S.

For the temporary relief of:

Congestion & Sneezing

Headache & Fatigue

Itchy, Watery Eyes



Oral Spray
Pure Water Base

2 fl oz (59 mL)

Gluten Free • Less Than 1% Alcohol

Frank King, ND, DC, has facilitated optimal health empowerment for 40+ years. To help maximize your success, see Dr. King's tips and techniques: DrKings.com

Dr. King's Allergy Solutions

This product addresses symptoms from the allergens of regionally specific trees, flowers, grasses, and molds in OK and TX.

The Dr. King's Difference

Dr. King has formulated more than 500 safe, natural medicines for people and pets.

- Advanced Formulas
- Triple Potency Strength
- Broad Spectrum Relief
- Bio-Energetically Enhanced
- Pure Water Base
- Naturally Preserved

Homeopathic medicines* has no known negative side effects and no known drug interactions.

*These products according to Homeopathic Pharmacopoeia of the United States (HPUS) standards.

Drug Facts

Active ingredients Equal volumes of each HPUS** ingredient in 12X, 30X, and 1LM potencies unless otherwise noted.

| | |
|---------------------------|---|
| Adrenalinum | headache, runny nose |
| Adrenalinum | hay fever, stuffed sinuses, lung congestion |
| Adrenocorticotropin (30X) | congestion, cough |
| Allium cepa | hay fever, sinus headache, sneezing |
| Asarum canadense | head congestion, runny nose |
| Corticose acetum | allergic reaction, irritability |
| Eupatorium aromaticum | headache, restlessness |
| Euphrasia officinalis | itchy skin around eyes and nose |
| Froaxinus americana | nervousness, hot flashes |
| Galphimia glauca | puffy eyelids, hay fever |
| Helianthus annuus | mucous cough, hoarse, dry throat |
| Histaminum hydrochloricum | coughing, itching throat |
| Kali muriaticum | hoarseness, stuffy nose |
| Mucosa nasalis salis | sinus headache, nasal congestion |
| Natrum muriaticum | watery eyes, sneezing |
| Plantago major | eye, ear and face tenderness |
| RNA | allergic reactions |
| Rumex crispus | throat with much mucus, dry cough |
| Sabadilla | sore throat, runny nose, sneezing |
| Senecio jacobaea | fatigue, headaches, foggy mind |

HPUS indicates the active ingredients are in the official Homeopathic Pharmacopoeia of the United States.

Uses for temporary relief of allergy symptoms commonly experienced in OK, TX: ■ itchy, watery eyes ■ runny nose ■ sneezing ■ sore throat ■ sinus congestion ■ cough ■ stuffy nose ■ fatigue ■ itchy, irritated skin ■ hoarseness ■ headache

† as per various homeopathic materia medica. Claims based on traditional homeopathic practices, not accepted medical evidence. These uses have not been evaluated by the FDA, and product has not been clinically tested.

Warnings

- Stop use and consult a physician if symptoms worsen or persist for more than 7 days.
- If pregnant or breast-feeding, ask a healthcare professional before use.
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

| Marketing Information | | | |
|------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | 04/10/2018 | |

Labeler - King Bio Inc. (617901350)

Registrant - King Bio Inc. (617901350)

| Establishment | | | |
|---------------|---------|-----------|---|
| Name | Address | ID/FEI | Business Operations |
| King Bio Inc. | | 617901350 | manufacture(57955-0761) , api manufacture(57955-0761) |

Revised: 7/2020

King Bio Inc.