INFLUENZINUM- influenza a virus a/victoria/2570/2019 ivr-215 (h1n1) hemagglutinin antigen (formaldehyde inactivated), influenza a virus a/tasmania/503/2020 ivr-221 (h3n2) hemagglutinin antigen (formaldehyde inactivated), influenza b virus b/washington/02/2019 hemagglutinin antigen (formaldehyde inactivated), influenza b virus b/phuket/3073/2013 hemagglutinin antigen (formaldehyde inactivated) pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### **INFLUENZINUM 200CK**

**INFLUENZINUM 200CK HPUS\*\*** 

(\*\* contains 0.443 mg of the active ingredient per pellet)

INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED

INFLUENZA A VIRUS A/TASMANIA/503/2020 IVR-221 (H3N2) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED

INFLUENZA B VIRUS B/WASHINGTON/02/2019 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)

INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)

After effects of flu or flu-like symptoms\*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Made in France

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073

# Influenzinum 200 ck HPUS NDC 0220-2724-41

BOIRON

HOMEOPATHIC MEDICINE

Made in France

After effects of flu or flu-like symptoms.\*



Lot:

Exp:

3 06960 90931 6

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

# **Drug Facts**

Active ingredient\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.


Directions: Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a

Influenzinum 200 ck

day until symptoms are relieved or as directed by a doctor.

Other information: 

Do not use if pellet dispenser seal is broken.



#### **INFLUENZINUM**

influenza a virus a/victoria/2570/2019 ivr-215 (h1n1) hemagglutinin antigen (formaldehyde inactivated), influenza a virus a/tasmania/503/2020 ivr-221 (h3n2) hemagglutinin antigen (formaldehyde inactivated), influenza b virus b/washington/02/2019 hemagglutinin antigen (formaldehyde inactivated), influenza b virus b/phuket/3073/2013 hemagglutinin antigen (formaldehyde inactivated) pellet

#### **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-2724
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
INFLUENZA A VIRUS A/TASMANIA/503/2020 IVR-221 (H3N2) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: CYN792B8TR) (INFLUENZA A VIRUS A/TASMANIA/503/2020 IVR-221 (H3N2) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:CYN792B8TR)	INFLUENZA A VIRUS A/TASMANIA/503/2020 IVR-221 (H3N2) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)	200 [kp_C] in 200 [kp_C]		
INFLUENZA B VIRUS B/WASHINGTON/02/2019 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: 1G2CU2LIB5) (INFLUENZA B VIRUS B/WASHINGTON/02/2019 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:1G2CU2LIB5)	INFLUENZA B VIRUS B/WASHINGTON/02/2019 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)	200 [kp_C] in 200 [kp_C]		
INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: 9HB0XUS9TM) (INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:9HB0XUS9TM)	INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)	200 [kp_C] in 200 [kp_C]		
INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: ERB9SJ9VMQ) (INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:ERB9SJ9VMQ)	INFLUENZ A A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)	200 [kp_C] in 200 [kp_C]		

Inactive Ingredients		
Ingredient Name	Strength	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)		
SUCROSE (UNII: C151H8M554)		

Product Characteristics			
Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:0220- 2724-41	200 [kp_C] in 1 TUBE; Type 0: Not a Combination Product	10/01/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/01/2021	

### **Labeler -** Boiron (282560473)

## Registrant - Boiron, Inc. (014892269)

Establishment			
Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-2724)

Revised: 8/2021 Boiron