

**CLEARASIL RAPID RESCUE SPOT TREATMENT- benzoyl peroxide cream
RB Health (US) LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Clearasil® Rapid Rescue Spot Treatment Cream

Drug Facts

Active ingredient

Benzoyl peroxide 10%

Purpose

Acne medication

Use

for the treatment of acne

Warnings

For external use only

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- **avoid unnecessary sun exposure and use a sunscreen**
- avoid contact with the eyes, lips and mouth
- avoid contact with hair and dyed fabrics, including carpet and clothing, which may be bleached by this product
- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if irritation becomes severe

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other information

- **keep outer box for full product information**
- keep tightly closed
- store at controlled room temperature 68-77 °F (20-25 °C)

Inactive ingredients

Water, Gluconolactone, Glyceryl Stearate, PEG-40 Stearate, Glycerin, PEG-100 Stearate, Cetyl Alcohol, Dimethicone, Magnesium Aluminum Silicate, Xanthan Gum, Benzyl Alcohol, Ammonium Hydroxide, Arginine, Benzoic Acid, Sorbic Acid, Titanium Dioxide

Questions?

1-866-25-CLEAR (1-866-252-5327).

You may also report side effects to this phone number.

Distributed by:
RB Health (US),
Parsippany, NJ
07054-0224

PRINCIPAL DISPLAY PANEL - 28 g Tube Carton

Clearasil®

**RAPID RESCUE
SPOT TREATMENT
CREAM**

*Benzoyl Peroxide
Acne Medication*

**VISIBLE
RESULTS
AS FAST AS
4 HOURS**

**MAXIMUM
STRENGTH**

*STARTS TO WORK
INSTANTLY*

Net wt. 1 oz (28 g)

Clearasil

Clearasil

CLEARASIL® RAPID RESCUE SPOT TREATMENT CREAM

When treating pimples, faster is better. Spot Treatment Cream visibly reduces redness and pimple size in as fast as 4 hours! Dermatologist tested, it starts to work instantly, opens up blocked pores and delivers maximum strength active deep into the pores. Apply on the spot as and when needed.

Drug Facts

Active ingredient	Purpose
Benzoyl peroxide 10%.....	Acne medication

Use for the treatment of acne

Warnings

For external use only

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips and mouth
- avoid contact with hair and dyed fabrics, including carpet and clothing, which may be bleached by this product
- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if irritation becomes severe

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center immediately.

Drug Facts (continued)

Directions

- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

Other information

- keep outer box for full product information
- keep tightly closed
- store at controlled room temperature 68-77 °F (20-25 °C)

Inactive ingredients

water, gluconolactone, glyceryl stearate, PEG-40 stearate, glycerin, PEG-100 stearate, cetyl alcohol, dimethicone, magnesium aluminum silicate, xanthan gum, benzyl alcohol, ammonium hydroxide, arginine, benzoic acid, sorbic acid, titanium dioxide

Questions?

1-866-25-CLEAR
(1-866-252-5327).

You may also report side effects to this phone number.

RAPID RESCUE SPOT TREATMENT CREAM

Benzoyl Peroxide
Acne Medication

VISIBLE RESULTS
AS FAST AS
4 HOURS

MAXIMUM STRENGTH

STARTS TO WORK INSTANTLY




HEALTH • HYGIENE • HOME

Distributed by:
RB Health (US),
Parsippany, NJ
07054-0224

© 2018 RB Health
Patents:
www.rb.com/patents

8354054 120718

www.clearasil.us



8 39977 00909 5



CLEARASIL RAPID RESCUE SPOT TREATMENT

benzoyl peroxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63824-433
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Benzoyl Peroxide (UNII: W9WZ N9A0GM) (Benzoyl Peroxide - UNII:W9WZ N9A0GM)	Benzoyl Peroxide	10 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Gluconolactone (UNII: WQ29KQ9POT)	
Glyceryl Monostearate (UNII: 230OU9XXE4)	
PEG-40 Stearate (UNII: ECU18C66Q7)	
Glycerin (UNII: PDC6A3C0OX)	
PEG-100 Stearate (UNII: YD01N1999R)	
Cetyl Alcohol (UNII: 936JST6JCN)	
Dimethicone (UNII: 92RU3N3Y1O)	
Magnesium Aluminum Silicate (UNII: 6M3P64V0NC)	
Xanthan Gum (UNII: TTV12P4NEE)	
Benzyl Alcohol (UNII: LKG8494WBH)	
Ammonia (UNII: 5138Q19F1X)	
Arginine (UNII: 94ZLA3W45F)	
Benzoic Acid (UNII: 8SKN0B0MIM)	
Sorbic Acid (UNII: X045WJ989B)	
Titanium Dioxide (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-433-01	1 in 1 CARTON	12/06/2017	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333D	12/06/2017	

Labeler - RB Health (US) LLC (081049410)

Revised: 1/2022

RB Health (US) LLC