

UMBRELLA- octinoxate titanium dioxide lotion

CA-BOTANA INTERNATIONAL

Umbrella Sunscreen

Warning and Precautions Section

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a poison control center right away.

DOSAGE & ADMINISTRATION SECTION

Helps prevent sunburn. If used as directed with other sun protection measured decreases the risk of skin cancer and early skin aging caused by the sun. Apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. Reapply: at least 2 hours. Children under 6 months: Ask a doctor. Sun protection measurements. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m - 2 p.m. Wear long-sleeve shirts, pants, hats, and sunglasses. Protect this product from excessive heat and direct sun

INACTIVE INGREDIENT SECTION

ALOE VERA LEAF

ALUMINUM STARCH OCTENYLSUCCINATE

ASCORBIC ACID

ASCORBYL PALMITATE

BORON NITRIDE

CAMELLIA SINENSIS FLOWER

CAPRYLIC/CAPRIC MONO/DIGLYCERIDES

STEARYL ALCOHOL

CETYL ALCOHOL

CETEARYL ESONONANOATE

CITRIC ACID MONOHYDRATE

CITRUS AURANTIUM FLOWER OIL

COCO-CAPRYLATE

ETHYLHEXYLGLYCERIN

GLYCERIN
SUNFLOWER OIL
NEACEN
PANTHENOL
PHENOXYETHANOL
EGG PHOSPHOLIPIDS
POTASSIUM SORBATE
PROPANEDIOL
ROSMARINUS OFFICINALIS FLOWERING TOP OIL
PEG-9 DIGLYCIDYL ETHER/SODIUM HYALURONATE CROSSPOLYMER
SORBITAN STEARATE
TOCOPHEROL
GRAPE SEED OIL
XANTHAN GUM
WATER

OTC - ACTIVE INGREDIENT SECTION

OCTINOXATE
TITANIUM DIOXIDE

OTC - PURPOSE SECTION

keep out of reach of children section

For external use only.

Avoid contact with eyes.

Keep out of reach of children.

Do not apply to open wounds.

STOP USE AND ask a doctor if condition worsens or
symptoms persist for more than seven days, discontinue
use of the product.

For external use only. Do not use on damaged or broken skin. When using this product
keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a
poison control center right away.

Helps prevent sunburn. If used as directed with other sun protection measured decreases the risk of skin cancer and early skin aging caused by the sun. Apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. Reapply: at least 2 hours. Children under 6 months: Ask a doctor. Sun protection measurements. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m - 2 p.m. Wear long-sleeve shirts, pants, hats, and sunglasses. Protect this product from excessive heat and direct sun



DOCTOR D.
SCHWAB®

UMBRELLA SUNSCREEN

BROAD SPECTRUM

SPF 30

ENVIRONMENTAL PROTECTION

CRÈME SOLAIRE HYDRATANTE
HUMECTANTE PROTECCIÓN SOLAR



SUN

2 oz / 56.7 g



Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 4%	Sunscreen
Octinoxate 4%	Sunscreen

Uses • helps prevent sunburn • **Warnings** • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs. • **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months: Ask a doctor • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients: Aloe barbadensis leaf extract, Aluminum starch octenylsuccinate, Ascorbic acid, Ascorbyl palmitate, Boron nitride, Camellia sinensis (White Tea) extract, Caprylic/Capric triglyceride, Stearyl alcohol (and) Ceteareth-20, Cetearyl isononanoate, Cetyl alcohol, Citric acid, Citrus aurantium dulcis (Orange) oil, Coco caprylate, Ethylhexylglycerin, Glycerine, Helianthus annuus (Sunflower) seed oil, Niacinamide, Panthenol, Phenylethanol, Phospholipids, Potassium sorbate, Propanediol (Zemea), Rosmarinus officinalis leaf extract CO2, Sodium hyaluronate, Sorbitan monostearate, Tetrasodium EDTA, Tocopherol, Vitis vinifera (Grape) seed extract, Xanthan gum, Water (Aqua).

Other Information • protect this product from excessive heat and direct sun.

REF #001 NDC # 35 992 007 01

DOCTOR D. SCHWAB®
Manufactured by CA BOTANA
San Diego, CA 92101, USA
Made in USA

www.DoctorSchwabCA.com

octinoxate titanium dioxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:35192-007
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name		Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE 2.268 g in 56.7 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE 2.268 g in 56.7 g

Inactive Ingredients	
Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
CAMELLIA SINENSIS FLOWER (UNII: 9I2BJY2J17)	
CAPRYLIC/CAPRIC MONO/DIGLYCERIDES (UNII: U72Q2I8C85)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CETEARYL ISONONANOATE (UNII: P5O01U99NI)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CITRUS AURANTIUM FLOWER OIL (UNII: D4BGE91OXH)	
COCO-CAPRYLATE (UNII: 4828G836N6)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C0OX)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NIACIN (UNII: 2679MF687A)	
PANTHENOL (UNII: WW9CM0O67Z)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPANEDIOL (UNII: 5965N8W85T)	
ROSMARINUS OFFICINALIS FLOWERING TOP OIL (UNII: OXN0D3N28L)	
PEG-9 DIGLYCIDYL ETHER/SODIUM HYALURONATE CROSSPOLYMER (UNII: 788QAG3W8A)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
TOCOPHEROL (UNII: R0ZB2556P8)	
GRAPE SEED OIL (UNII: 930MLC8XGG)	
XANTHAN GUM (UNII: TTV12P4NEE)	
WATER (UNII: 059QF0KO0R)	

Packaging			
		Marketing Start	Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:35192-007-01	56.7 g in 1 TUBE; Type 0: Not a Combination Product	08/01/2013	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M020	08/01/2013	

Labeler - CA-BOTANA INTERNATIONAL (106276728)

Registrant - RODOLFO UGELSTAD (106276728)

Establishment

Name	Address	ID/FEI	Business Operations
CA-BOTANA INTERNATIONAL		106276728	manufacture(35192-007)

Revised: 10/2023

CA-BOTANA INTERNATIONAL