

**ARNICARE ARTHRITIS- arnica montana, benzoic acid, bryonia alba root, matricaria recutita, solanum dulcamara top, potassium iodide, pulsatilla vulgaris, rhododendron aureum leaf, toxicodendron pubescens leaf tablet
Laboratoires Boiron**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Arnicare Arthritis

Active ingredients** (in each tablet)

Arnica Montana 3C HPUS (0.28 mg)

Benzoicum acidum 6C HPUS (0.28 mg)

Bryonia alba 6C HPUS (0.28 mg)

Chamomilla 12C HPUS (0.28 mg)

Dulcamara 6C HPUS (0.28 mg)

Kali iodatum 12C HPUS (0.28 mg)

Pulsatilla 3C HPUS (0.28 mg)

Rhododendron chrysanthum 12C HPUS (0.28 mg)

Rhus toxicodendron 6C HPUS (0.28 mg)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Arnica Montana 3C HPUS (0.28 mg) ...Relieves joint pain from trauma or overexertion

Benzoicum acidum 6C HPUS (0.28 mg) ...Relieves pain in the wrists

Bryonia alba 6C HPUS (0.28 mg) ...Relieves joint pain worsened by movement or the slightest touch

Chamomilla 12C HPUS (0.28 mg) ...Relieves sensitivity to pain, tingling and numbing pain

Dulcamara 6C HPUS (0.28 mg) ...Relieves joint pain triggered or worsened by damp weather

Kali iodatum 12C HPUS (0.28 mg) ...Relieves joint and muscle pain worsened at night

Pulsatilla 3C HPUS (0.28 mg) ...Relieves finger joint pain worsened by heat and slow motion

Rhododendron chrysanthum 12C HPUS (0.28 mg) ...Relieves rheumatic pain worsened by dry heat

Rhus toxicodendron 6C HPUS (0.28 mg) ...Relieves joint pain improved by motion and worsened by humidity

Uses*

Temporary relieves minor aches and pains associated with arthritis

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen, new symptoms occur, or if redness or swelling is present. These could be signs of a serious condition.

If pregnant or breastfeeding, ask a health professional before us.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Adults 18 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue and repeat, if needed, every 15 minutes for 3 more doses. Then, dissolve 2 tablets under the tongue every hour until symptoms improve.

Children under 18 years of age: Ask a doctor.

croscarmellose sodium, lactose, magnesium stearate

do not use if glued carton end flaps are open or if the blister seal is broken

store below 86°F (30°C)

No Known Drug Interactions

Non-Drowsy

No Acetaminophen

No Ibuprofen

Meltaway Tablets Require No Food or Water

Arthritis Pain Relief*

Joint Pain Stiffness*

Gentle on the Stomach

NSAID-Free

60 Meltaway Tablets unflavored

120 Meltaway Tablets unflavored

*CLAIMS BASE ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details

Questions or Comments?

Arnicare.com

BoironUSA.com

Info@boiron.com

1-800-BOIRON-1
(1-800-264-7661)

Made in France

Distributed by Boiron, Inc.

Newtown Square, PA 19073



Adults 18 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue and repeat, if needed, every 15 minutes for 3 more doses. Then, dissolve 2 tablets under the tongue every hour until symptoms improve.
Children under 18 years of age: Ask a doctor.



<p>Drug Facts</p> <p>Active ingredients* (in each tablet) Purpose†</p> <p>Arnica montana 3C HPUS (0.28 mg) Relieves joint pain from trauma or overexertion</p> <p>Berberis aquifolium 6C HPUS (0.28 mg) Relieves pain in the wrists</p> <p>Bryonia 6C HPUS (0.28 mg) Relieves joint pain worsened by movement or the slightest touch</p> <p>Chamomilla 12C HPUS (0.28 mg) Relieves sensitivity to pain, tingling and numbing pain</p> <p>Dulcamara 6C HPUS (0.28 mg) Relieves joint pain triggered or worsened by damp weather</p> <p>Kalmegk 12C HPUS (0.28 mg) Relieves joint and muscle pain worsened at night</p> <p>Pulsatilla 3C HPUS (0.28 mg) Relieves finger joint pain worsened by heat and slow motion</p> <p>Rhododendron chrysanthum 12C HPUS (0.28 mg) Relieves rheumatic pain worsened by dry heat</p> <p>Rhus toxica 6C HPUS (0.28 mg) Relieves joint pain improved by motion and worsened by humidity</p> <p><i>The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.</i></p> <p>Uses temporarily relieves minor aches and pains associated with arthritis.</p> <p>Warnings Stop use and ask a doctor if symptoms persist for more than 7 days or worsen, new symptoms occur, or if redness or swelling is present. These could be signs of a serious condition. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Directions ■ Adults 18 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue and repeat, if needed, every 15 minutes for 3 more doses. Then, dissolve 2 tablets under the tongue every hour until symptoms improve. ■ Children under 18 years of age: Ask a doctor.</p> <p>Other information ■ do not use if glued carton end flaps are open or if the blister seal is broken ■ store below 86°F (30°C)</p> <p>*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED. †C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.</p>	<p>Drug Facts (continued)</p> <p>Inactive ingredients croscarmellose sodium, lactose, magnesium stearate</p> <p>Questions or comments? Arnicare.com BoironUSA.com Info@Boiron.com 1-800-BOIRON-1 (1-800-264-7661)</p> <ul style="list-style-type: none"> ⊖ No Known Drug Interactions ⊖ Non-Drowsy ⊖ No Acetaminophen ⊖ No Ibuprofen ⊖ Meltaway Tablets Require No Food or Water <p>Made in France Distributed by Boiron Inc. Newtown Square, PA 19073</p>	<p style="text-align: right;">NDC 0220-9044-29</p> <p>ARTHRTIS PAIN RELIEF* Joint Pain Stiffness†</p> <p>Help Your Body the Natural Way</p> <p>Arnicare® — ARTHRITIS MELTAWAY TABLETS</p> <p>HOMEOPATHIC MEDICINE</p> <ul style="list-style-type: none"> ■ Gentle on the Stomach ■ NSAID-Free <p>BOIRON® World Leader in Homeopathic Medicines</p> <p>120 MELTAWAY TABLETS Unflavored</p>
---	--	---

Drug Facts

Active ingredients (in each tablet) **Purpose**
 Arnica montana 3C HPUS (0.28 mg) Relieves joint pain from trauma or overexertion
 Benzoic acidum 6C HPUS (0.28 mg) Relieves pain in the wrists
 Bryonia 6C HPUS (0.28 mg) Relieves joint pain worsened by movement or the slightest touch
 Chamomilla 12C HPUS (0.28 mg) Relieves sensitivity to pain, tingling and numbing pain
 Dulcamara 6C HPUS (0.28 mg) Relieves joint pain triggered or worsened by damp weather
 Kali iodatum 12C HPUS (0.28 mg) Relieves joint and muscle pain worsened at night
 Pulsatilla 3C HPUS (0.28 mg) Relieves finger joint pain worsened by heat and slow motion
 Rhododendron chrysanthum 12C HPUS (0.28 mg) Relieves rheumatic pain worsened by dry heat
 Rhus tox 6C HPUS (0.28 mg) Relieves joint pain improved by motion and worsened by humidity

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses temporarily relieves minor aches and pains associated with arthritis

Warnings
Stop use and ask a doctor if symptoms persist for more than 7 days or worsen, new symptoms occur, or if redness or swelling is present. These could be signs of a serious condition.
If pregnant or breastfeeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ Adults 18 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue and repeat, if needed, every 15 minutes for 3 more doses. Then, dissolve 2 tablets under the tongue every hour until symptoms improve.
 ■ Children under 18 years of age: Ask a doctor.

Other information
 ■ do not use if glued carton end flaps are open or if the blister seal is broken
 ■ store below 86°F (30°C)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
 *C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Drug Facts (continued)
Inactive ingredients
 croscarmellose sodium, lactose, magnesium stearate

Questions or comments?
 Arnicare.com
 BoironUSA.com
 Info@Boiron.com
 1-800-BOIRON-1
 (1-800-264-7661)

- ⊖ No Known Drug Interactions
- ⊖ Non-Drowsy
- ⊖ No Acetaminophen
- ⊖ No Ibuprofen
- ⊖ Meltaway Tablets Require No Food or Water

Made in France
 Distributed by Boiron Inc.
 Newtown Square, PA 19073

NDC 0220-9044-04

ARTHRITIS PAIN RELIEF*
 Joint Pain Stiffness*

Help Your Body the Natural Way

Arnicare®
—ARTHRITIS
 MELTAWAY TABLETS
 HOMEOPATHIC MEDICINE

- Gentle on the Stomach
- NSAID-Free

BOIRON®
 World Leader in Homeopathic Medicines

60
 MELTAWAY TABLETS
 Unflavored

Drug Facts

Active ingredients **Purpose**
 Arnica montana 3C HPUS Relieves joint pain from trauma or overexertion
 Benzoicum acidum 6C HPUS Relieves pain in the wrists
 Bryonia 6C HPUS Relieves joint pain worsened by movement or the slightest touch
 Chamomilla 12C HPUS Relieves sensitivity to pain, tingling and numbing pain
 Dulcamara 6C HPUS Relieves joint pains triggered or worsened by damp weather
 Kali iodatum 12C HPUS Relieves joint and muscle pains worsened at night
 Pulsatilla 3C HPUS Relieves finger joint pain worsened by heat and slow motion
 Rhododendron chrysanthum 12C HPUS Relieves rheumatic pain worsened by dry heat
 Rhus tox 6C HPUS Relieves joint pains improved by motion and worsened by humidity

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses temporarily relieves minor aches and pains associated with arthritis

Warnings
Ask a doctor before use in children under 18 years of age.
Stop use and ask a doctor if symptoms persist for more than 7 days or worsen, if new symptoms occur, or if redness or swelling is present because these could be signs of a serious illness.
If pregnant or breastfeeding, ask a health professional before use.
Keep out of reach of children.

Directions ■ Adults 18 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue and repeat, if needed, every 15 minutes for 3 more doses. Then, dissolve 2 tablets under the tongue every hour until symptoms improve.
 ■ Children under 18 years of age: Ask a doctor.

Other information ■ do not use if glued carton end flaps are open or if the blister seal is broken ■ store at 68-77°F (20-25°C)

*These "Uses" have not been evaluated by the Food and Drug Administration. *C, K, CK, and X are homeopathic dilutions; see www.boironusa.com for details.

ARTHRITIS PAIN
Arnicare®
—Arthritis

Drug Facts (continued)
Inactive ingredients
 croscarmellose sodium, lactose, magnesium stearate

Questions or comments?
 www.arnicare.com
 www.boironusa.com
 info@boiron.com
 1-800-BOIRON-1
 (1-800-264-7661)
 Distributed by Boiron Inc.
 8 Campus Boulevard
 Newtown Square, PA 19073-9287

Made in France

06969 04404 9

NDC 0220-9044-04

ARTHRITIS PAIN*
 Joint Pain Rheumatic Pain*

Arnicare®
—Arthritis
 HOMEOPATHIC MEDICINE

- Non-Drowsy
- No Drug Interactions

WORKS naturally WITH YOUR BODY

BOIRON®
 World Leader in Homeopathic Medicines

60
 QUICK-DISSOLVING TABLETS

ARTHRITIS PAIN
Arnicare®
—Arthritis

The Boiron Promise
 At Boiron, we believe there's a better way to feel good. A better way that works naturally with your body. Since 1932, the Boiron family has been committed to providing safe, natural medicines. As world leader in homeopathic medicines, our passion is your total health. Our promise is your total satisfaction. Please visit boironusa.com/promise for details.

please recycle

ARNICARE ARTHRITIS			
arnica montana, benzoic acid, bryonia alba root, matricaria recutita, solanum dulcamara top, potassium iodide, pulsatilla vulgaris, rhododendron aureum leaf, toxicodendron pubescens leaf tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-9044
Route of Administration	ORAL		
Active Ingredient/Active Moiety			

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	3 [hp_C]
BENZOIC ACID (UNII: 8SKN0B0MIM) (BENZOIC ACID - UNII:8SKN0B0MIM)	BENZOIC ACID	6 [hp_C]
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	6 [hp_C]
MATRICARIA RECUTITA (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)	MATRICARIA RECUTITA	12 [hp_C]
SOLANUM DULCAMARA TOP (UNII: KPS1B1162N) (SOLANUM DULCAMARA TOP - UNII:KPS1B1162N)	SOLANUM DULCAMARA TOP	6 [hp_C]
POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	12 [hp_C]
PULSATILLA VULGARIS (UNII: I76KB35JEV) (PULSATILLA VULGARIS - UNII:I76KB35JEV)	PULSATILLA VULGARIS	3 [hp_C]
RHODODENDRON AUREUM LEAF (UNII: IV92NQJ73U) (RHODODENDRON AUREUM LEAF - UNII:IV92NQJ73U)	RHODODENDRON AUREUM LEAF	12 [hp_C]
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	6 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND (BOIRON)	Size	9mm
Flavor		Imprint Code	;
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-9044-04	60 in 1 BOX; Type 0: Not a Combination Product	11/23/2007	
2	NDC:0220-9044-29	120 in 1 BOX; Type 0: Not a Combination Product	04/09/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		11/23/2007	

Labeler - Laboratoires Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-9044)

Revised: 2/2023

Laboratoires Boiron