

UREA- urea lotion
Bantry Pharma, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Urea Lotion 40%


Rx Only

FOR EXTERNAL USE ONLY. NOT FOR OPHTHALMIC USE.

DESCRIPTION:

This product is a keratolytic emollient which is a gentle, yet potent, tissue softener for nails and/or skin. Each gram contains 400 mg of urea in a vehicle consisting of: carbomer, cetyl alcohol, glyceryl stearate, mineral oil, petrolatum, propylene glycol, sodium hydroxide, water and xanthan gum.

Urea is a diamide of carbonic acid with the following chemical structure:



CLINICAL PHARMACOLOGY:

Urea gently dissolves the intercellular matrix which results in loosening the horny layer of skin and shedding scaly skin at regular intervals, thereby softening hyperkeratotic areas of the skin.

Pharmacokinetics: The mechanism of action of topically applied urea is not yet known.

INDICATIONS:

For debridement and promotion of normal healing of hyperkeratotic surface lesions, particularly where healing is retarded by local infection, necrotic tissue, fibrinous or purulent debris or eschar. Urea is useful for the treatment of hyperkeratotic conditions such as dry, rough skin, dermatitis, psoriasis, xerosis, ichthyosis, eczema, keratosis pilaris, keratosis palmaris, keratoderma, corns and calluses, as well as damaged, ingrown and devitalized nails.

CONTRAINDICATIONS:

This product is contraindicated in persons with known or suspected hypersensitivity to any of the ingredients of the product.

WARNINGS: KEEP OUT OF REACH OF CHILDREN.

PRECAUTIONS:

FOR EXTERNAL USE ONLY. NOT FOR OPHTHALMIC USE.

General: This product is to be used as directed by a physician and should not be used to treat any condition other than that for which it was prescribed. If redness or irritation occurs, discontinue use and consult a physician.

Information for Patients: Patients should discontinue the use of this product if the condition becomes worse or if a rash develops in the area being treated or elsewhere. Avoid contact with eyes, lips and mucous membranes.

Carcinogenesis, Mutagenesis and Impairment of Fertility: Long-term animal studies for carcinogenic potential have not been performed on this product to date. Studies on reproduction and fertility also have not been performed.

Pregnancy: *Category C.* Animal reproduction studies have not been conducted with this product. It is also not known whether this product can affect reproduction capacity or cause fetal harm when administered to a pregnant woman. This product should be used by a pregnant woman only if clearly needed or when potential benefits outweigh potential hazards to the fetus.

Nursing Mothers: It is not known whether this drug is excreted in human milk. Because many drugs are excreted in human milk, caution should be exercised when this product is administered to a nursing woman.

ADVERSE REACTIONS:

Transient stinging, burning, itching or irritation may occur and normally disappear upon discontinuing the use of this product.

DOSAGE AND ADMINISTRATION:

Apply to affected skin twice per day, or as directed by a physician. Rub in until completely absorbed. Apply to diseased or damaged nail(s) twice per day, or as directed by a physician.

STORAGE:

Store at 20°C to 25°C (68°F to 77°F), excursions permitted between 15°C to 30°C (between 59°F to 86°F). Brief exposure to temperatures up to 40°C (104°F) may be tolerated provided the mean kinetic temperature does not exceed 25°C (77°F); however, such exposure should be minimized.

NOTICE: Protect from freezing and excessive heat. The product may tend to darken in color on storage. The discoloration does not impair the efficacy or safety of the product. Keep bottle tightly closed.

HOW SUPPLIED:

This product is supplied in the following size(s):

8 oz. (226.8 g) bottles, NDC 81542-201-08

To report a serious adverse event or obtain product information, call 1-855-899-4237.

Manufactured for:

Bantry Pharma, LLC

1000 N. West Street, Suite 1200

Wilmington, DE 19801

2100565 [00] Rev. 09/2021

NDC 81542-201-08	Rx Only	DESCRIPTION: This product is a keratolytic emollient which is a gentle, yet potent, tissue softener for nails and/or skin. Each gram contains 400 mg of urea in a vehicle consisting of: carbomer, cetyl alcohol, glyceryl stearate, mineral oil, petrolatum, propylene glycol, sodium hydroxide, water and xanthan gum.
Urea Lotion		INDICATIONS: For debridement and promotion of normal healing of hyperkeratotic surface lesions, particularly where healing is retarded by local infection, necrotic tissue, fibrinous or purulent debris or eschar. Urea is useful for the treatment of hyperkeratotic conditions such as dry, rough skin, dermatitis, psoriasis, xerosis, ichthyosis, eczema, keratosis pilaris, keratosis palmaris, keratoderma, corns and calluses, as well as damaged, ingrown and devitalized nails.
40%		CONTRAINDICATIONS: This product is contraindicated in persons with known or suspected hypersensitivity to any of the ingredients of the product.
Net Wt. 8 oz. (226.8 g)		DOSAGE AND ADMINISTRATION: Apply to affected skin twice per day, or as directed by a physician. Rub in until completely absorbed. Apply to diseased or damaged nail(s) twice per day, or as directed by a physician. See package insert for full prescribing information.
		WARNING: KEEP OUT OF REACH OF CHILDREN.
		PRECAUTIONS: FOR EXTERNAL USE ONLY. NOT FOR OPHTHALMIC USE. Avoid contact with eyes, lips and mucous membranes.
		STORAGE: Store at 20°C to 25°C (68°F to 77°F), excursions permitted between 15°C to 30°C (between 59°F to 86°F). Protect from freezing and excessive heat.
		To report a serious adverse event or obtain product information, call 1-855-899-4237.
		Manufactured for: Bantry Pharma, LLC 1000 N. West Street, Suite 1200 Wilmington, DE 19801
		2100564 [00] Rev. 09/2021
		 3 81542 20108 8

UREA

urea lotion

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:81542-201
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
UREA (UNII: 8W8T17847W) (UREA - UNII:8W8T17847W)	UREA	400 mg in 1 g

Product Characteristics

Color	white (White to off white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81542-201-08	226.8 g in 1 BOTTLE; Type 0: Not a Combination Product	09/07/2021	06/30/2025

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/07/2021	06/30/2025

Labeler - Bantry Pharma, LLC (117871480)

Revised: 9/2023

Bantry Pharma, LLC