ASPIRE SCRUB SO CLEAN- salicylic acid lotion RNA PHARMA, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

ACTIVE INGREDIENTS Salicylic Acid 0.5%

PURPOSE

... Acne treatment

USS

• Acne breatment to help clear up and prevent new acne blemishes, blackheads, and whiteheads

WARNINGS:

· For external use only.

When using this product:

 Avoid contact with eyes. If contact occurs, flush thoroughly with water.
Skin irritation. and dryness is more likely to occur if you use another topical acne medication at and digitals and the same time. If irritation occurs, only use one topical acne medication at a time,

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

DIRECTIONS:

• Wet face. Apply to hands, add water and work product into a lather. Massage. lace gently. Rinse well. • Because excessive drying of the skin may occur, start with every other day, then gradually increase if needed or as directed by a doctor. • Sensitivity test: We recommend a patch test before adding a new product to your skin care routine. Apply a small amount of product to freshly deansed skin such as the underside of your wrist, jaw/neck line or behind the ear. Leave for 24 hours and check for any adverse reaction.

INACTIVE INGREDIENTS: WATER, SODIUM COCOAMPHOACETATE, COCAMIDOPROPYL HYDROXYSULTANE INDROGENATED CASTOR OIL, DISODIUM LAURETH SULFOSUCCINATE, ACRYLATES COPOLYMER, CITRIC ADD ORIZA SATIVA (RICE) BRAN WAX, GLYCERIN, PANTHENOL, ALOE BARBADENSIS LEAF JUICE, CHAMOMILIA RECUTITA (MATRICARIA) FLOWER EXTRACT, CUCUMIS SATIVUS (CUCUMBER) FRUIT EXTRACT, GLYCIRRHIZA GLARRA (LICORICE) ROOT EXTRACT, BISABOLOL, SORBITOL, SODIUM BENZOATE, POTASSIUM SORBATE, PROPILENE GLYCOL, DISODIUM EDTA, FRAGRANCE, CHROMIUM HYDROXIDE GREEN. R08-20

QUESTIONS/COMMENTS: 1-866-984-1433



DRUG FACTS

ACTIVE INGREDIENTS Salicylic Acid 0.5%

PURPOSE

... Acne treatment

USS

• Acne breatment to help clear up and prevent new acne blemishes, blackheads, and whiteheads

WARNINGS:

· For external use only.

When using this product:

 Avoid contact with eyes. If contact occurs, flush thoroughly with water.
Skin irritation. and dryness is more likely to occur if you use another topical acne medication at and digitals and the same time. If irritation occurs, only use one topical acne medication at a time,

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

DIRECTIONS:

• Wet face. Apply to hands, add water and work product into a lather. Massage. lace gently. Rinse well. • Because excessive drying of the skin may occur, start with every other day, then gradually increase if needed or as directed by a doctor. • Sensitivity test: We recommend a patch test before adding a new product to your skin care routine. Apply a small amount of product to freshly deansed skin such as the underside of your wrist, jaw/neck line or behind the ear. Leave for 24 hours and check for any adverse reaction.

INACTIVE INGREDIENTS: WATER, SODIUM COCOAMPHOACETATE, COCAMIDOPROPYL HYDROXYSULTANE INDROGENATED CASTOR OIL, DISODIUM LAURETH SULFOSUCCINATE, ACRYLATES COPOLYMER, CITRIC ADD ORIZA SATIVA (RICE) BRAN WAX, GLYCERIN, PANTHENOL, ALOE BARBADENSIS LEAF JUICE, CHAMOMILIA RECUTITA (MATRICARIA) FLOWER EXTRACT, CUCUMIS SATIVUS (CUCUMBER) FRUIT EXTRACT, GLYCIRRHIZA GLARRA (LICORICE) ROOT EXTRACT, BISABOLOL, SORBITOL, SODIUM BENZOATE, POTASSIUM SORBATE, PROPILENE GLYCOL, DISODIUM EDTA, FRAGRANCE, CHROMIUM HYDROXIDE GREEN. R08-20

QUESTIONS/COMMENTS: 1-866-984-1433



DRUG FACTS

ACTIVE INGREDIENTS Salicylic Acid 0.5%

PURPOSE

... Acne treatment

USS

• Acne breatment to help clear up and prevent new acne blemishes, blackheads, and whiteheads

WARNINGS:

· For external use only.

When using this product:

 Avoid contact with eyes. If contact occurs, flush thoroughly with water.
Skin irritation. and dryness is more likely to occur if you use another topical acne medication at and digitals and the same time. If irritation occurs, only use one topical acne medication at a time,

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

DIRECTIONS:

• Wet face. Apply to hands, add water and work product into a lather. Massage. lace gently. Rinse well. • Because excessive drying of the skin may occur, start with every other day, then gradually increase if needed or as directed by a doctor. • Sensitivity test: We recommend a patch test before adding a new product to your skin care routine. Apply a small amount of product to freshly deansed skin such as the underside of your wrist, jaw/neck line or behind the ear. Leave for 24 hours and check for any adverse reaction.

INACTIVE INGREDIENTS: WATER, SODIUM COCOAMPHOACETATE, COCAMIDOPROPYL HYDROXYSULTANE INDROGENATED CASTOR OIL, DISODIUM LAURETH SULFOSUCCINATE, ACRYLATES COPOLYMER, CITRIC ADD ORIZA SATIVA (RICE) BRAN WAX, GLYCERIN, PANTHENOL, ALOE BARBADENSIS LEAF JUICE, CHAMOMILIA RECUTITA (MATRICARIA) FLOWER EXTRACT, CUCUMIS SATIVUS (CUCUMBER) FRUIT EXTRACT, GLYCIRRHIZA GLARRA (LICORICE) ROOT EXTRACT, BISABOLOL, SORBITOL, SODIUM BENZOATE, POTASSIUM SORBATE, PROPILENE GLYCOL, DISODIUM EDTA, FRAGRANCE, CHROMIUM HYDROXIDE GREEN. R08-20

QUESTIONS/COMMENTS: 1-866-984-1433



DRUG FACTS

ACTIVE INGREDIENTS Salicylic Acid 0.5%

PURPOSE

... Acne treatment

USS

• Acne breatment to help clear up and prevent new acne blemishes, blackheads, and whiteheads

WARNINGS:

· For external use only.

When using this product:

 Avoid contact with eyes. If contact occurs, flush thoroughly with water.
Skin irritation. and dryness is more likely to occur if you use another topical acne medication at and digitals and the same time. If irritation occurs, only use one topical acne medication at a time,

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

DIRECTIONS:

• Wet face. Apply to hands, add water and work product into a lather. Massage. lace gently. Rinse well. • Because excessive drying of the skin may occur, start with every other day, then gradually increase if needed or as directed by a doctor. • Sensitivity test: We recommend a patch test before adding a new product to your skin care routine. Apply a small amount of product to freshly deansed skin such as the underside of your wrist, jaw/neck line or behind the ear. Leave for 24 hours and check for any adverse reaction.

INACTIVE INGREDIENTS: WATER, SODIUM COCOAMPHOACETATE, COCAMIDOPROPYL HYDROXYSULTANE INDROGENATED CASTOR OIL, DISODIUM LAURETH SULFOSUCCINATE, ACRYLATES COPOLYMER, CITRIC ADD ORIZA SATIVA (RICE) BRAN WAX, GLYCERIN, PANTHENOL, ALOE BARBADENSIS LEAF JUICE, CHAMOMILIA RECUTITA (MATRICARIA) FLOWER EXTRACT, CUCUMIS SATIVUS (CUCUMBER) FRUIT EXTRACT, GLYCIRRHIZA GLARRA (LICORICE) ROOT EXTRACT, BISABOLOL, SORBITOL, SODIUM BENZOATE, POTASSIUM SORBATE, PROPILENE GLYCOL, DISODIUM EDTA, FRAGRANCE, CHROMIUM HYDROXIDE GREEN. R08-20

QUESTIONS/COMMENTS: 1-866-984-1433



DRUG FACTS

ACTIVE INGREDIENTS Salicylic Acid 0.5%

PURPOSE

... Acne treatment

USS

• Acne breatment to help clear up and prevent new acne blemishes, blackheads, and whiteheads

WARNINGS:

· For external use only.

When using this product:

 Avoid contact with eyes. If contact occurs, flush thoroughly with water.
Skin irritation. and dryness is more likely to occur if you use another topical acne medication at and digitals and the same time. If irritation occurs, only use one topical acne medication at a time,

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

DIRECTIONS:

• Wet face. Apply to hands, add water and work product into a lather. Massage. lace gently. Rinse well. • Because excessive drying of the skin may occur, start with every other day, then gradually increase if needed or as directed by a doctor. • Sensitivity test: We recommend a patch test before adding a new product to your skin care routine. Apply a small amount of product to freshly deansed skin such as the underside of your wrist, jaw/neck line or behind the ear. Leave for 24 hours and check for any adverse reaction.

INACTIVE INGREDIENTS: WATER, SODIUM COCOAMPHOACETATE, COCAMIDOPROPYL HYDROXYSULTANE INDROGENATED CASTOR OIL, DISODIUM LAURETH SULFOSUCCINATE, ACRYLATES COPOLYMER, CITRIC ADD ORIZA SATIVA (RICE) BRAN WAX, GLYCERIN, PANTHENOL, ALOE BARBADENSIS LEAF JUICE, CHAMOMILIA RECUTITA (MATRICARIA) FLOWER EXTRACT, CUCUMIS SATIVUS (CUCUMBER) FRUIT EXTRACT, GLYCIRRHIZA GLARRA (LICORICE) ROOT EXTRACT, BISABOLOL, SORBITOL, SODIUM BENZOATE, POTASSIUM SORBATE, PROPILENE GLYCOL, DISODIUM EDTA, FRAGRANCE, CHROMIUM HYDROXIDE GREEN. R08-20

QUESTIONS/COMMENTS: 1-866-984-1433



DRUG FACTS

ACTIVE INGREDIENTS Salicylic Acid 0.5%

PURPOSE

... Acne treatment

USS

• Acne breatment to help clear up and prevent new acne blemishes, blackheads, and whiteheads

WARNINGS:

· For external use only.

When using this product:

 Avoid contact with eyes. If contact occurs, flush thoroughly with water.
Skin irritation. and dryness is more likely to occur if you use another topical acne medication at and digitals and the same time. If irritation occurs, only use one topical acne medication at a time,

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

DIRECTIONS:

• Wet face. Apply to hands, add water and work product into a lather. Massage. lace gently. Rinse well. • Because excessive drying of the skin may occur, start with every other day, then gradually increase if needed or as directed by a doctor. • Sensitivity test: We recommend a patch test before adding a new product to your skin care routine. Apply a small amount of product to freshly deansed skin such as the underside of your wrist, jaw/neck line or behind the ear. Leave for 24 hours and check for any adverse reaction.

INACTIVE INGREDIENTS: WATER, SODIUM COCOAMPHOACETATE, COCAMIDOPROPYL HYDROXYSULTANE INDROGENATED CASTOR OIL, DISODIUM LAURETH SULFOSUCCINATE, ACRYLATES COPOLYMER, CITRIC ADD ORIZA SATIVA (RICE) BRAN WAX, GLYCERIN, PANTHENOL, ALOE BARBADENSIS LEAF JUICE, CHAMOMILIA RECUTITA (MATRICARIA) FLOWER EXTRACT, CUCUMIS SATIVUS (CUCUMBER) FRUIT EXTRACT, GLYCIRRHIZA GLARRA (LICORICE) ROOT EXTRACT, BISABOLOL, SORBITOL, SODIUM BENZOATE, POTASSIUM SORBATE, PROPILENE GLYCOL, DISODIUM EDTA, FRAGRANCE, CHROMIUM HYDROXIDE GREEN. R08-20

QUESTIONS/COMMENTS: 1-866-984-1433



DRUG FACTS

ACTIVE INGREDIENTS Salicylic Acid 0.5%

PURPOSE

... Acne treatment

USS

• Acne breatment to help clear up and prevent new acne blemishes, blackheads, and whiteheads

WARNINGS:

· For external use only.

When using this product:

 Avoid contact with eyes. If contact occurs, flush thoroughly with water.
Skin irritation. and dryness is more likely to occur if you use another topical acne medication at and digitals and the same time. If irritation occurs, only use one topical acne medication at a time,

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

DIRECTIONS:

• Wet face. Apply to hands, add water and work product into a lather. Massage. lace gently. Rinse well. • Because excessive drying of the skin may occur, start with every other day, then gradually increase if needed or as directed by a doctor. • Sensitivity test: We recommend a patch test before adding a new product to your skin care routine. Apply a small amount of product to freshly deansed skin such as the underside of your wrist, jaw/neck line or behind the ear. Leave for 24 hours and check for any adverse reaction.

INACTIVE INGREDIENTS: WATER, SODIUM COCOAMPHOACETATE, COCAMIDOPROPYL HYDROXYSULTANE INDROGENATED CASTOR OIL, DISODIUM LAURETH SULFOSUCCINATE, ACRYLATES COPOLYMER, CITRIC ADD ORIZA SATIVA (RICE) BRAN WAX, GLYCERIN, PANTHENOL, ALOE BARBADENSIS LEAF JUICE, CHAMOMILIA RECUTITA (MATRICARIA) FLOWER EXTRACT, CUCUMIS SATIVUS (CUCUMBER) FRUIT EXTRACT, GLYCIRRHIZA GLARRA (LICORICE) ROOT EXTRACT, BISABOLOL, SORBITOL, SODIUM BENZOATE, POTASSIUM SORBATE, PROPILENE GLYCOL, DISODIUM EDTA, FRAGRANCE, CHROMIUM HYDROXIDE GREEN. R08-20

QUESTIONS/COMMENTS: 1-866-984-1433



FORMULA 10.0.6°

SCRUB CLEAN ACNE-FIGHTING

SUPER SCRUB

SALICYLIC ACID + LICORICE

THIS SUPER ACNE-FIGHTING SCRUB DELIVERS GLOWING RESULTS! SALICYLIC ACID EXFOLIATES WHILE LICORICE ROOT AND ALOE TAME REDNESS AND RESTORE A CLEARER COMPLEXION. IT'S YOUR GO TO FOR A SCRUB SO CLEAN!

3.4 fl oz (100mL)

ASPIRE SCRUB SO CLEAN

salicylic acid lotion

Product	Intorm	ation
FIUMULL		ation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:60717-310

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) SALICYLIC ACID

ALICYLIC ACID 5 mg in 1 mL

Inactive Ingredients

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)

BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII:

JZ 1374NL9E)

SODIUM COCOAMPHOACETATE (UNII: W7Q5E87674)

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

PANTHENOL (UNII: W/9CM0067Z)

GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)

ALOE VERA LEAF (UNII: ZY81Z83H0X)

DISODIUM LAURETH SULFOSUCCINATE (UNII: D6DH1DTN7E)

CHROMIUM HYDROXIDE GREEN (UNII: RV8FT8XF5R)

RICE BRAN (UNII: R60QEP13IC)

ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)

EDETATE DISODIUM (UNII: 7FLD91C86K)

LEVOMENOL (UNII: 24WE03BX2T) **CHAMOMILE** (UNII: FGL3685T2X)

SORBITOL (UNII: 506T60A25R)

CUCUMBER (UNII: YY7C30VXJT)

GLYCERIN (UNII: PDC6A3C0OX)

HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)

COCAMIDOPROPYL HYDROXYSULTAINE (UNII: 62V75NI93W)

SODIUM BENZOATE (UNII: OJ245FE5EU)

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	

Contains

ng

ш	9 9			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date

OTC monograph fina	l part333D	09/08/2021	
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Marketing Information			
1 NDC:60717-310- 34	100 mL in 1 TUBE; Type 0: Not a Combination Product	09/08/2021	

Labeler - RNA PHARMA, LLC (079103999)

Establishment			
Name	Address	ID/FEI	Business Operations
RNA PHARMA, LLC		079103999	manufacture(60717-310)

Revised: 9/2021 RNA PHARMA, LLC