

NITROUS OXIDE - nitrous oxide gas
Compressed Gases Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

NITROUS OXIDE USP LABEL

NITROUS OXIDE U.S.P. UN 1070 NON-FLAMMABLE-2 OXIDIZER-5.1

ADMINISTRATION OF NITROUS OXIDE MAY BE HAZARDOUS OR CONTRAINDICATED. FOR USE ONLY BY OR UNDER THE SUPERVISION OF A LICENSED PRACTITIONER WHO IS EXPERIENCED IN THE USE AND ADMINISTRATION OF NITROUS OXIDE AND IS FAMILIAR WITH THE INDICATIONS, EFFECTS, DOSAGES, METHODS, METHODS, AND FREQUENCY AND DURATION OF ADMINISTRATION AND WITH THE HAZARDS, CONTRAINDICATIONS AND SIDE EFFECTS AND THE PRECAUTIONS TO BE TAKEN.

CAUTION: Rx ONLY. FEDERAL LAW PROHIBITS DISPENSING WITHOUT A PRESCRIPTION.

GROSS WT _____ LBS _____ OZ

TARE WT _____ LBS _____ OZ

NET WT. _____ LBS _____ OZ

SIZE _____ CONTENTS _____ LITERS _____

7025R1 5/04

NITROUS OXIDE

U.S.P. UN 1070



WARNING: HIGH PRESSURE OXIDIZING LIQUID AND GAS VIGOROUSLY ACCELERATES COMBUSTION CAN CAUSE RAPID SUFFOCATION CAN CAUSE ANESTHETIC EFFECTS MAY CAUSE FROSTBITE

Avoid breathing gas.
Store and use with adequate ventilation. Keep oil and grease away.
Use only with equipment cleaned and designated for Nitrous Oxide service and rated for cylinder pressure.
Do not get liquid in eyes, on skin, or clothing.
Cylinder temperature should not exceed 125° F (52° c). Open valve slowly.
Close valve after each use and when empty. User shall secure cylinder in use and in storage.
Use in upright position. Keep valve protection cap in place when not in use, if so equipped. Use in accordance with MSDS. Return with 25 PSIG.

NOTE: Suck-back into cylinder may cause rupture. Always use a back flow preventive device in the piping.

Gross Wt.	lbs.	oz.
Tare Wt.	lbs.	oz.
Net Wt.	lbs.	oz.
Size Contents	Liters	

WARNING: Administration of NITROUS OXIDE may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of NITROUS OXIDE and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration and with the hazards, contraindications and side effects and the precautions to be taken.

CAUTION: N₂O only. Federal law prohibits dispensing without a prescription.

WARNING: BREATHING PURE NITROUS OXIDE CAN CAUSE DEATH BY RAPID SUFFOCATION.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen, call a physician.
IN CASE OF FROSTBITE, obtain medical treatment immediately.

DO NOT REMOVE THIS PRODUCT LABEL
TO BE REFILLED BY COMPRESSED GASES INC. ONLY

7025R1
5/04

PRODUCT WARNINGS AND PRECAUTIONS

WARNING: HIGH PRESSURE OXIDIZING LIQUID AND GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE. AVOID BREATHING GAS STORE AND USE WITH ADEQUATE VENTILATION. KEEP OIL AND GREASE AWAY. USE ONLY WITH EQUIPMENT CLEANED AND DESIGNATED FOR NITROUS OXIDE SERVICE AND RATED FOR CYLINDER PRESSURE. DO NOT GET LIQUID IN EYES ON SKIN OR CLOTHING. CYLINDER TEMPERATURE SHOULD NOT EXCEED 125 F (52 C) OPEN VALVE SLOWLY. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USER SHALL SECURE CYLINDER IN USE AND IN STORAGE. USE IN UPRIGHT POSITION. KEEP VALVE PROTECTION CAP IN PLACE WHEN NOT IN USE IF SO EQUIPPED. USE IN ACCORDANCE WITH MSDS. RETURN WITH 25 PSIG.

NOTE: SUCK-BACK INTO CYLINDER MAY CAUSE RUPTURE. ALWAYS USE A BACK FLOW

PREVENTATIVE DEVICE IN THE PIPING.

CAUTION: Rx ONLY. FEDERAL LAW PROHIBITS DISPENSING WITHOUT A PRESCRIPTION.

WARNING: BREATHING PURE NITROUS OXIDE CAN CAUSE DEATH BY RAPID SUFFOCATION.

FIRST AID: IF INHALED REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT GIVE OXYGEN. CALL A PHYSICIAN. IN CASE OF FROSTBITE OBTAIN MEDICAL TREATMENT IMMEDIATELY.

DO NOT REMOVE THIS PRODUCT LABEL.

NITROUS OXIDE

nitrous oxide gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:34330-003
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROUS OXIDE (UNII: K50XQU1029) (NITROUS OXIDE - UNII:K50XQU1029)	NITROUS OXIDE	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:34330-003-01	700 L in 1 CYLINDER		
2	NDC:34330-003-02	1989 L in 1 CYLINDER		
3	NDC:34330-003-03	3280 L in 1 CYLINDER		
4	NDC:34330-003-04	6281 L in 1 CYLINDER		
5	NDC:34330-003-05	6896 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1980	

Labeler - Compressed Gases Inc (147470967)

Registrant - Compressed Gases Inc (147470967)

Establishment

Name	Address	ID/FEI	Business Operations
Compressed Gases Inc		147470967	manufacture

