ASPIRIN- aspirin suppository Padagis US LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo Aspirin Suppositories, USP Drug Facts

Active ingredient

Aspirin Suppositories, USP 300 mg (5 grains)

Each suppository contains 300 mg (5 grains) of aspirin.

OR

Aspirin Suppositories, USP 600 mg (10 grains)

Each suppository contains 600 mg (10 grains) of aspirin.

Indications:

For the relief of minor aches, pains and headache and for reduction of fever.

Directions

Remove suppository from plastic packet and insert into the rectum as far as possible. Adult: One suppository every 4 hours for no more than 10 days or as directed by a physician. Children under 12 years of age: Consult a physician.

Caution:

Suppositories sealed in imprinted plastic packet. Do not use if imprinted packet is opened or damaged.

Store in a cool place 8° - 15°C (46° - 59°F) or refrigerate.

Keep this and all drugs out of the reach of children.

In case of accidental ingestion, seek professional assistance or contact a poison control center immediately.

Warnings

CHILDREN AND TEENAGERS WHO HAVE OR ARE RECOVERING FROM CHICKEN POX, FLU SYMPTOMS, OR FLU SHOULD NOT USE THIS PRODUCT. IF NAUSEA, VOMITING, OR FEVER OCCUR, CONSULT A DOCTOR BECAUSE THESE SYMPTOMS COULD BE AN EARLY SIGN OF REYE SYNDROME, A RARE BUT SERIOUS ILLNESS. As with any drug, if you are pregnant or nursing a baby, seek the advice of a health professional before using this product. IT IS ESPECIALLY IMPORTANT NOT TO USE ASPIRIN DURING THE LAST 3 MONTHS OF PREGNANCY UNLESS SPECIFICALLY DIRECTED TO DO SO BY A DOCTOR BECAUSE IT MAY CAUSE PROBLEMS IN THE UNBORN CHILD OR COMPLICATIONS DURING DELIVERY.

ALCOHOL WARNING:

If you consume 3 or more alcoholic drinks every day, ask your doctor whether you should take aspirin or other pain relievers/fever reducers. Aspirin may cause stomach bleeding.

Manufactured by Perrigo®

Minneapolis, MN 55427

Rev 05-19 B

Package/Label Principal Display Panel - 300 mg

NDC 0574-7034-12

Aspirin Suppositories, USP

300 mg (5 grains)

For relief of pain and reduction of fever

UNIT DOSE

12 Suppositories



winedately.

assistance or contact a poison control center In case of accidental ingestion, seek professional Keep this and all drugs cut of the reach of children.

Shore in a cool place 8°-15°C (46°-59°F) or refrigerate. Do not use if imprinted packet is opened or bon od Caution: Supposibries sealed in imprinted plastic packet

Coulon it a physician. directed by a physician. Children under 12 years of a ge: se to avery 4 hours for no more than 10 days or as and ins ert into the rectum as far as possible. Adult: One Directions: Remove suppository from plastic pack et

head ac he and for reduction of fever. Indications: For the relief of minor aches, pains and

Each suppository contains 300 mg (5 grains) of aspirin. As pin Suppositor les, U SP 300 mg (5 grains)

22 03 239 6M 03 11 C2 Her Ma TZARR MM , allo quanniM Pemigo


Warn fast unsel

pribeeld demote eausy cause very cause a mered bleeding. ALCOHOL WARRING: Η γου ασιασιου το ξαιματικά το ποτεαίο ο άτηκε Αιςου το πάρα το το από το το α DORIME D FONERLY.

As with any drug, if you are program to runring a baby, seek the advise of a health professional before using time product. If its ESFE OALLY IMPOFAMIT NOT TO USE AS PIRIO DIAN THE LEST 3 MONTHS OF PREDATORY UNLESS SPECIFICALLY THE CAST 3 MONTHS OF PREDATORY UNLESS SPECIFICALLY PROBLEMS IN THE UNBORN CHILD OA COMPLOATION S PROBLEMS OF THE OA COMPLICATION S PROBLEMS OF THE OA COMPLIANCE OF THE OA COMPLICATION S PROBLEMS OF THE OA COMPLICATION S

SYMPTOM SCOULD BE AN EARLY SI ON OF REYE SYNDROME, A rare but se riousi llness. RECOVERING FROMCHICKEN FOX, FLU SYNFTOMS, OR FLU Should not uset h Sproduct if Neusea, vomming, or Fever roccur, consult a doct or becauset hese

3AA RO 3VAH OHW 2F 30AMEE T ONA N 3RQJIHO : 20NINRAW



Package/Label Principal Display Panel - 600 mg

NDC 0574-7036-12 Aspirin Suppositories, USP 600 mg (10 grains) For relief of pain and reduction of fever UNIT DOSE 12 Suppositories



weisien asse bince or contact a por son control center In case of a coide n'alinge stion, seek protess on al Keep this and all drugs out of there ach of children.

Store in a cool place 8°-15°C (46°-59°F) or refrigerate. De gemeb nobiene qo si textae qbietnin qini ti es u ton od Ca ubi on: Su ppo sit ories seale din imprint ed plastic pack et

Consult a physic in n suppository every 4 hours for no more than 10 days or as directed by a physician. Childre nu nder 12 years of a ge an d in seriin to the rectum as tar as possible. Adult 0 ne Directions. Remove su pp ceriory from plastic pa cleat

he ada che a nd for reduction of tever. Indications: For the relief of minor a ches, pairs and

. iniqesto (ania g or) g m 00.8 a n a nos yo fa ini .

(s nisrg of) pm 000 92U , senots oppus in it as

TSA22 Milling Milling B 6 15 0 MPH Z) THE SZE GEE OZ

Perrigo. Ve berub shine M

ereyday, sak yuurdocht wheeler you shoud takesspirin orolen areydaysak yuurdocht wheeler kepirin may cause stomsch bleeding. ACOLAL WARNAGE TO E SAURA UN TO HOOLA

D RE CRED TO DO SO 8Y ADOCTOR BEC AUSE IT MAY CAUSE Problem sin the unborn child or complications ouring delive ry. As with an ydrug, if you are pregna mto rrursing a baby, seek Mae avvose of a canfin professional barcou ser As Rinn OURING ITIS EDS ED ALLY IM PORTANT NOT TO USE AS REALIN OURING THE LUE 1 3 MOOTHSOF PREGNANCY UNLESS SPECIFICATION AT THE LUE 1 3 MOOTHSOF PREGNANCY UNLESS SPECIFICATION AT THE LUE 1 3 MOOTHSOF PREGNANCY OF A SPECIFICATION OF A SPECIFICAT

ARARE BUT S FROUS ILLNESS.

RECOVERING FROM CHCKEN FOX, FLU SY NP TOMS, OR FLU Sholl on thu use the frought if malsely Samp toms collarge in early sign of refe syndrome. Samp toms collarge in early sign of refe syndrome. 3 RA RO 3 VAH OHW 2R 3D A VEET ON A VEROLIKD : SON INFLAW



 Easy-open plastic packets Tapered shape for easy insertion



ASPIRIN aspirin suppository								
Product Information								
Product Type	HUMAN OTC DRUG	Item Cod	e (Source)	NDC:0574-7034				
Route of Administration	RECTAL							
Active Ingredient/Active Moiety								
Ingredient Name			Basis of Strength Stre					

	CO5Y76E) (ASPI	RIN - UNII:R16CO5Y76E)		ASPIRIN	300 mg
nactive Ingre	diants				
	ulents	Ingredient Nam	•		Strength
INDROGENATED P		OIL (UNII: FM8D1RE2VP)			Strength
Product Chara	cteristics				
Color		WHITE Score			
Shape		Size			
Flavor		II	mprint Co	ode	
Contains					
Packaging					
# Item Code	Pac	kage Description		Marketing Start Date	Marketing End Date
1 NDC:0574-7034- 12	12 in 1 CARTO	Ν	0	9/01/1990	
1	1 in 1 PACKET Product	; Type 0: Not a Combina	ation		
Markating	nformati	ion			
-				· · · · · · ·	· · · · · · · ·
Marketing Category	Applicat	ion tion Number or Mor Citation	nograph	Marketing Start Date	Marketing End Date
Marketing Category OTC monograph not	Applicat	tion Number or Mor	nograph		-
Marketing Category DTC monograph not	Applicat	tion Number or Mor	nograph	Date	-
Marketing Category OTC monograph not inal	part343	tion Number or Mor	nograph	Date	-
Marketing Category DTC monograph not inal	part343	tion Number or Mor	nograph	Date	-
Marketing Category OTC monograph not Final	part343	tion Number or Mor	nograph	Date	-
	part343	tion Number or Mor		Date	-
Marketing Category OTC monograph not final ASPIRIN aspirin supposito Product Inform	Applicat part343 ry mation	tion Number or Mor Citation		Date 09/01/1990	Date
Marketing Category OTC monograph not inal ASPIRIN spirin supposito Product Inform Product Type Route of Adminis	Applicat part343 ry mation stration	tion Number or Mor Citation		Date 09/01/1990	Date
Marketing Category OTC monograph not inal ASPIRIN spirin supposito Product Inform Product Type Route of Adminis	Application	tion Number or Mor Citation		Date 09/01/1990	Date NDC:0574-7036
Marketing Category OTC monograph not inal ASPIRIN spirin supposito Product Inforn Product Type Route of Adminis Active Ingredie	Application part343	tion Number or Mor Citation HUMAN OTC DRUG RECTAL Moiety ent Name		Date 09/01/1990 Code (Source) Basis of Stre	NDC:0574-7036
Marketing Category OTC monograph not inal ASPIRIN spirin supposito Product Inforn Product Type Route of Adminis Active Ingredie	Application part343	tion Number or Mor Citation		Date 09/01/1990	Date
Marketing Category OTC monograph not final ASPIRIN aspirin supposito Product Inforn Product Type Route of Adminis Active Ingredie	Application stration ent/Active Ingredie CO5Y76E) (AS PIF	tion Number or Mor Citation HUMAN OTC DRUG RECTAL Moiety ent Name		Date 09/01/1990 Code (Source) Basis of Stre	NDC:0574-7036

		DIL (UNII: FM8D1RE2V	P)					
	UNII: ETJ7Z6XBI	J4)						
Product Chara	cteristics							
Color		WHITE						
Shape			Score Size					
Flavor			Imprint Code					
Contains								
Packaging								
# Item Code	Package Description		n	Marketing Start Date	Marketing End Date			
1 NDC:0574-7036- 12	12 in 1 CARTON			9/01/1990	08/31/2021			
1	1 in 1 PACKET; Type 0: Not a Combination Product							
Marketing I	nformati	on						
Marketing Category	Applicat	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date			
OTC monograph not	part343			09/01/1990				
final	purcono							

Labeler - Padagis US LLC (967694121)

Revised: 2/2022

Padagis US LLC