

GOOD NEIGHBOR PHARMACY FIRST AID- benzocaine, triclosan aerosol, spray
AmerisourceBergen Drug Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Good Neighbor Pharmacy First Aid Spray

Drug Facts

Active ingredients

Benzocaine 20.00%

Triclosan 0.13%

Purpose

Pain relieving spray

First aid antiseptic

Uses

- for temporary relief of pain and itching of minor cuts, scrapes and minor burns
- first aid to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only.

Flammable: Do not use while smoking or near heat or flame

Do not use

- in the eyes
- over large areas of the body

When using this product

- keep out of eyes
- use only as directed.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask doctor if

- Condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days
- needed for longer than 1 week

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center.

Directions

- shake well
- adults and children 2 years of age and older: clean the affected area. Spray small amount of this product on the area, not more than 1 to 3 times daily.
- if bandaged let dry first
- children under 2 years of age: consult a doctor
- to apply to face, spray into palm of hand and gently apply

Inactive ingredients

SD alcohol 40, Propylene Glycol, Diisopropyl Adipate, Tocopheryl Acetate.

* This product is not manufactured or distributed by Schering-Plough Healthcare Products, Inc., owner of the Solarcaine® trademark.

Distributed by AmerisourceBergen

1300 Morris Drive, Chesterbrook, PA 19087

Visit us at www.goodneighborpharmacy.com

Drug Facts	
Active ingredients	Purpose
Benzocaine 20.00%.....	Pain relieving spray
Triclosan 0.13%.....	First aid antiseptic
Uses • for temporary relief of pain and itching of minor cuts, scrapes and minor burns • first aid to help prevent infection in minor cuts, scrapes and burns	
Warnings For external use only.	
Flammable: Do not use while smoking or near heat or flame	
Do not use • in the eyes • over large areas of the body	
When using this product • keep out of eyes • use only as directed. • do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.	
Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns	
Stop use and ask doctor if • Condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days • needed for longer than 1 week	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center.	
Directions • shake well • adults and children 2 years of age and older: clean the affected area. Spray small amount of this product on the area, not more than 1 to 3 times daily. • if bandaged let dry first • children under 2 years of age: consult a doctor • to apply to face, spray into palm of hand and gently apply	
Inactive ingredients SD Alcohol 40, Propylene Glycol, Diisopropyl Adipate, Tocopheryl Acetate.	

*This product is not manufactured or distributed by Schering-Plough Healthcare Products, Inc., owner of the Solarcaine® trademark.

Distributed By AmerisourceBergen
1300 Morris Drive, Chesterbrook, PA 19087
Visit us at www.goodneighborpharmacy.com



ABC# 144-333



NDC 46122-0115-21



Compare to Solarcaine®
active ingredients*

First Aid Spray

benzocaine 20% - triclosan 0.13%

Medicated

- Instant Cooling Plus Pain & Itch Relief
- For Minor Burns, Cuts, Scrapes & Itching from Insect Bites

net wt.
3 oz (85 g)

GOOD NEIGHBOR PHARMACY FIRST AID

benzocaine, triclosan aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46 122-115
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	20 g in 100 g
TRICLOSAN (UNII: 4NM5039Y5X) (TRICLOSAN - UNII:4NM5039Y5X)	TRICLOSAN	130 mg in 100 g

Inactive Ingredients

Ingredient Name	Strength
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALCOHOL (UNII: 3K9958V90M)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46 122-115-21	85 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	10/28/2011	

Labeler - AmerisourceBergen Drug Corporation (007914906)**Establishment**

Name	Address	ID/FEI	Business Operations
Product Quest Mfg, LLC		927768135	manufacture(46 122-115) , label(46 122-115)

Revised: 4/2015

AmerisourceBergen Drug Corporation