# ACETAMINOPHEN PAIN RELIEVER/FEVER REDUCER- acetaminophen suppository Physicians Total Care, Inc.

-----

# Active ingredient (in each rectal suppository)

Acetaminophen 650 mg

# **Purpose**

Pain reliever/fever reducer

### Uses

temporarily

- reduces fever
- relieves minor aches, pains, and headache

# **Warnings**

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if

- an adult or child 12 years and older takes more than 6 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- an adult takes 3 or more alcoholic drinks every day while using this product

For rectal use only

#### Do not use

- in children under 12 years
- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

## Ask a doctor before use if

- you have liver disease
- you are taking the blood thinning drug warfarin

# Stop use and ask a doctor if

- fever lasts more than 3 days (72 hours), or recurs.
- pain gets worse or lasts more than 10 days.
- new symptoms occur.
- redness or swelling is present in the painful area.

These may be signs of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

If swallowed or in case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical in case of overdose for adults and for children even if you do not notice any signs or symptoms.

### **Directions**

- do not use more than directed
- remove wrapper
- carefully insert suppository well up into the rectum
- adults and children 12 years and older:
- 1 suppository every 4 to 6 hours while symptoms last
- do not exceed 6 suppositories in any 24 hour period
- children under 12 years: ask a doctor

### Other information

- tamper-evident: suppositories are individually wrapped. Do not use if printed wrapper is opened or damaged.
- store at 20°-25°C (68°-77°F) or in a cool place

## **Inactive ingredients**

hydrogenated vegetable oil

## Questions or comments?

1-800-719-9260

#### PRINCIPAL DISPLAY PANEL

Acetaminophen Suppositories USP, 650 mg

NDC 54868-4991-0



Pain Reliever/Fever Reducer

See New Warnings Information

Read and Keep Carton for New Liver Warning

650 mg Each

### ACETAMINOPHEN PAIN RELIEVER/FEVER REDUCER

acetaminophen suppository

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54868-4991(NDC:45802-730)	
Route of Administration	RECTAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	650 mg	

Inactive Ingredients			
Ingredient Name	Strength		
HYDRO GENATED PALM KERNEL O IL (UNII: FM8 D1RE2VP)			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54868-4991-0	2 in 1 CARTON		
1		6 in 1 BLISTER PACK		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA070608	02/03/2004		

# **Labeler** - Physicians Total Care, Inc. (194123980)

Establishment				
Name	Address	ID/FEI	Business Operations	
Physicians Total Care, Inc.		194123980	relabel	

Revised: 4/2011 Physicians Total Care, Inc.