

**ROLAIDS EXTRA STRENGTH FRUIT- calcium carbonate and magnesium hydroxide tablet, chewable**  
**Chattem, Inc.**

-----  
**Roloids Extra Strength Tablets Fruit**

**Extra Strength Antacid Roloids *Assorted Fruit* 10 Chewable Tablets**  
**Drug Facts**

***Active ingredient***

**(in each tablet)**

Calcium carbonate USP 675 mg

Magnesium hydroxide USP 135 mg

***Purpose***

Antacid

***Use***

relieves:

- heartburn
- sour stomach
- acid indigestion

***Warnings***

**Ask a doctor or pharmacist before use if you are**

now taking a prescription drug. Antacids may interact with certain prescription drugs.

**When using this product**

- do not take more than 10 tablets in a 24-hour period
- do not use the maximum dosage for more than 2 weeks

**Keep out of reach of children.**

***Directions***

- chew 2-4 tablets as symptoms occur, or as directed by a doctor

***Other information***

each tablet contains: **calcium 270 mg, magnesium 55 mg**

- contains FD&C yellow no. 5 (tartrazine)

### ***Inactive ingredients***

blue 1 lake, dextrose, flavors, magnesium stearate, red 40 lake, silicon dioxide, stearic acid, sucralose, sucrose, yellow 5 lake, yellow 6 lake (309-060)

Dist. by CHATTEM, INC.  
P.O. Box 2219  
Chattanooga, TN 37409

## **Extra Strength Antacid Roloids Assorted Fruit 96 Chewable Tablets**

### **Drug Facts**

#### ***Active ingredient***

##### **(in each tablet)**

Calcium carbonate USP 675 mg  
Magnesium hydroxide USP 135 mg

#### ***Purpose***

Antacid

#### ***Use***

relieves:

- heartburn
- sour stomach
- acid indigestion

#### ***Warnings***

##### **Ask a doctor or pharmacist before use if you are**

now taking a prescription drug. Antacids may interact with certain prescription drugs.

##### **When using this product**

- do not take more than 10 tablets in a 24-hour period
- do not use the maximum dosage for more than 2 weeks

**Keep out of reach of children.**

#### ***Directions***

- chew 2-4 tablets as symptoms occur, or as directed by a doctor

**Other information**

- each tablet contains: **calcium 270 mg, magnesium 55 mg**
- contains FD&C yellow no. 5 (tartrazine) as a color additive

**Inactive ingredients**

blue 1 lake, dextrose, flavors, magnesium stearate, red 40 lake, silicon dioxide, stearic acid, sucralose, sucrose, yellow 5 lake, yellow 6 lake (309-056)

As a daily source of calcium and magnesium, chew 2 tablets twice daily.

**Supplement Facts**

Serving Size: 2 Tablets, Servings Per Container: 48, Amount Per Serving: Calories 8, Total Carb 2 g (<1% DV\*), Sugars 2 g (†DV), Calcium 540 mg (54% DV), Magnesium 110 mg (29% DV). \*Percent Daily Values (DV) are based on a 2,000 calories diet.

†Daily Value not established.

**Other ingredients**

sucrose, dextrose, stearic acid, magnesium stearate, silicon dioxide, natural and artificial flavors, red 40 lake, yellow 6 lake, yellow 5 lake, blue 1 lake, sucralose

**Extra Strength Antacid Roloids Assorted Fruit 30 Chewable Tablets****Drug Facts****Active ingredient****(in each tablet)**

Calcium carbonate USP 675 mg

Magnesium hydroxide USP 135 mg

**Purpose**

Antacid

**Use**

relieves:

- heartburn
- sour stomach
- acid indigestion

**Warnings**

**Ask a doctor or pharmacist before use if you are**

now taking a prescription drug. Antacids may interact with certain prescription drugs.

**When using this product**

- do not take more than 10 tablets in a 24-hour period
- do not use the maximum dosage for more than 2 weeks

**Keep out of reach of children.**

***Directions***

- chew 2-4 tablets as symptoms occur, or as directed by a doctor

***Other information***

- each tablet contains: **calcium 270 mg, magnesium 55 mg**
- contains FD&C yellow no. 5 (tartrazine) as a color additive

***Inactive ingredients***

blue 1 lake, dextrose, flavors, magnesium stearate, red 40 lake, silicon dioxide, stearic acid, sucralose, sucrose, yellow 5 lake, yellow 6 lake (309-060)

Dist. by CHATTEM, INC.  
P.O. Box 2219  
Chattanooga, TN 37409

**PRINCIPAL DISPLAY PANEL**

**EXTRA STRENGTH ANTACID**

Rolaid<sup>®</sup>

10 Assorted Fruit Chewable Tablets

EXTRA STRENGTH ANTACID

©2013 Chattem, Inc. 0083432-01

# Rolaid's®



Assorted  
**10 Fruit**  
Chewable Tablets



**Drug Facts**

0-41167-10024-0

**Drug Facts (continued)**

**Active ingredients (in each tablet) Purpose**

Calcium carbonate USP 675 mg ..... Antacid  
Magnesium hydroxide USP 135 mg ..... Antacid

**Uses** relieves: ■ heartburn ■ sour stomach  
■ acid indigestion

**Warnings** Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs. **When using this product** ■ do not take more than 10 tablets in a 24-hour period ■ do not use the maximum dosage for more than 2 weeks ▶

**Keep out of reach of children.**

**Directions** ■ chew 2-4 tablets as symptoms occur, or as directed by a doctor

**Other information** each tablet contains:  
**calcium 270 mg, magnesium 55 mg**  
■ contains FD&C yellow no. 5 (tartrazine)

**Inactive ingredients** blue 1 lake, dextrose, flavors, magnesium stearate, red 40 lake, silicon dioxide, stearic acid, sucralose, sucrose, yellow 5 lake, yellow 6 lake (309-060)

Dist. by Chattem, Inc., P.O. Box 2219, Chattanooga, TN 37409

Safety Sealed - Do not use if foil wrapping is damaged

## PRINCIPAL DISPLAY PANEL

### EXTRA STRENGTH

Rolaid's®

ANTACID/ CALCIUM & MAGNESIUM SUPPLEMENT

Goes to Work

INSTANTLY

96 Chewable Tablets

Assorted *Fruit*

**Drug Facts** (continued)

**Directions**  
 ■ chew 2-4 tablets as symptoms occur, or as directed by a doctor

**Other information**  
 ■ each tablet contains: calcium 270 mg, magnesium 55 mg  
 ■ contains FD&C yellow no. 5 (tartrazine) as a color additive

**Inactive ingredients:** dextrose, FD&C blue no. 1, FD&C red no. 40, FD&C yellow no. 5, FD&C yellow no. 6, flavors, magnesium stearate, maltodextrin, silicon dioxide, stearic acid, sucralose, sucrose

357-023

As a daily source of calcium and magnesium, chew 2 tablets twice daily

**Supplement Facts**  
 Serving Size: 2 Tablets, Servings Per Container: 48, Amount Per Serving: Calories 10, Total Carb 2 g (<1% DV)\*, Total Sugars 2 g (†DV), Includes 2 g Added Sugars (4% DV), Calcium 540 mg (40% DV), Magnesium 110 mg (25% DV). \*% Daily Values (DV) are based on a 2,000-calorie diet. †Daily Value not established.

**Other ingredients:** sucrose, dextrose, stearic acid, maltodextrin, magnesium stearate, silicon dioxide, natural and artificial flavors, FD&C red no. 40, FD&C yellow no. 6, FD&C yellow no. 5, FD&C blue no. 1, sucralose

9920-12-19

**EXTRA STRENGTH**

# Rolaid®

**ANTACID/CALCIUM & MAGNESIUM SUPPLEMENT**

*Goes to Work*  
**INSTANTLY**



**96** Chewable Tablets

*Assorted Fruit*  
 Naturally & Artificially Flavored

**Drug Facts**

Active ingredients (in each tablet)	Purposes
Calcium carbonate USP 675 mg.....	Antacid
Magnesium hydroxide USP 135 mg.....	Antacid

**Uses**  
 relieves: ■ heartburn ■ sour stomach ■ acid indigestion  
 ■ upset stomach associated with these symptoms

**Warnings**  
 Ask a doctor or pharmacist before use if you  
 ■ are now taking a prescription drug. Antacids may interact with certain prescription drugs.

**When using this product**  
 ■ do not take more than 10 tablets in a 24-hour period  
 ■ do not use the maximum dosage for more than 2 weeks

**Keep out of reach of children.**

Do not use if inner foil seal on bottle is broken or missing.

**SANOFI** 



0 41167 10021 9

Distributed by  
 Chatterm, Inc., a Sanofi Company  
 P.O. Box 2219  
 Chattanooga, TN 37409  
 ©2019 Chatterm, Inc. 0100705-01

**PRINCIPAL DISPLAY PANEL**

**EXTRA STRENGTH**

Rolaid®

ANTACID

Rapid Relief of:

Heartburn

Acid Indigestion

3 Rolls

30 Chewable Tablets

Assorted Fruit

<b>Drug Facts</b>	
<b>Active ingredients (in each tablet)</b>	<b>Purpose</b>
Calcium carbonate USP 675 mg	Antacid
Magnesium hydroxide USP 135 mg	Antacid
<b>Uses</b> relieves:	
■ heartburn ■ sour stomach ■ acid indigestion	
<b>Warnings</b>	
Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.	
<b>When using this product</b> ■ do not take more than 10 tablets in a 24-hour period	
■ do not use the maximum dosage for more than 2 weeks	
Keep out of reach of children.	
<b>Directions</b> ■ chew 2-4 tablets as symptoms occur, or as directed by a doctor	
<b>Other information</b>	
■ each tablet contains: calcium 270 mg, magnesium 55 mg	
■ contains FD&C yellow no. 5 (tartrazine) as a color additive	
<b>Inactive ingredients</b> blue 1 lake, dextrose, flavors, magnesium stearate, maltodextrin, red 40 lake, silicon dioxide, stearic acid, sucralose, sucrose, yellow 5 lake, yellow 6 lake (333-037)	



Distributed by Chattem, Inc.  
P.O. Box 2219, Chattanooga, TN 37409  
©2016 Chattem, Inc.  
9025-04-16  
0100113-01

## ROLAIDS EXTRA STRENGTH FRUIT

calcium carbonate and magnesium hydroxide tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-1002
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	675 mg
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	135 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>DEXTROSE</b> (UNII: IY9XDZ35W2)	

<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	

### Product Characteristics

<b>Color</b>	red, purple, yellow, orange	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	16mm
<b>Flavor</b>	FRUIT (cherry, grape, lemon, orange)	<b>Imprint Code</b>	R;X
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-1002-3	3 in 1 CELLO PACK	09/01/2013	
1	NDC:41167-1002-4	10 in 1 PACKAGE; Type 0: Not a Combination Product		
2	NDC:41167-1002-1	96 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2013	02/28/2023
3	NDC:41167-1002-2	116 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2013	07/31/2019
4	NDC:41167-1002-0	120 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2013	07/31/2020

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	09/01/2013	

**Labeler** - Chattem, Inc. (003336013)