

ARNICARE- arnica montana gel

Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Arnicare Gel

Active ingredient**

Arnica montana 1X HPUS 7%

The letters HPUS indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Arnica montana 1X HPUS 7% Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses*

temporarily relieves muscle pain and stiffness due to:

- minor injuries
- overexertion
- falls

reduces symptoms of bruising such as:

- pain
- swelling
- discoloration

Warnings

For external use only.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product

avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin

use only as directed

dryness or irritation may occur

do not tightly wrap or bandage the treated area

do not apply heat or ice to treated area immediately before or after use

Stop use and ask a doctor if

- condition persists for more than 3 days or worsens
- symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply a thin layer of Arnicare Gel to the affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

Arnicare Gel Roll-On (2019)- Shake well before each use. With the applicator facing down, lightly squeeze the tube then roll ball against skin to apply a thin layer of the product to affected area. Massage gently into skin 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Roll-on.

Arnicare Gel Roll-On (2023)- Twist roller to the "ON" position and gently squeeze tube to apply a thin layer of product to affected area. Twist roller to the "OFF" position and continue massaging as needed. Repeat 3 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Roll-on Gel.

Alcohol, carbomer, purified water, sodium hydroxide

Other information

do not use if glued carton end flaps are open or if the tube seal is broken

do not use if pouch is torn or open

Arnicare Gel 0.18 oz (5g)- dispose 1 day after opening

Arnicare Gel Roll-On (2019)- dispose of 6 months after opening

Arnicare Gel Roll-On (2023)- dispose of 1 year after opening

0.18 oz (5g)

0.5 oz (14g)

1.5 oz (45g)

2.6 oz (75g)

4.2 oz (120g)

3 oz (90g)

Pain Relief*

Muscle Pain & Stiffness Swelling from Injuries Bruises*

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Questions, Comments?

Distributed by Boiron, Inc., Newtown Square, PA 19073

1-800-BOIRON-1 (1-800-264-7661)

BoironUSA.com

Arnicare.com
Info@Boiron.com
Made in France

NDC 0220-9000-84

PAIN RELIEF

**Muscle Pain & Stiffness
Swelling from Injuries
Bruises**

Arnicare®
ROLL-ON

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Plant-Powered Relief



NET WT.
1.5 oz (45 g)

BOIRON®
World Leader in
Homeopathic Medicines

Drug Facts

Active Ingredient	Purpose
Arnica montana 1X HPUS 7%	Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses

- Temporarily relieves muscle pain and stiffness due to:
..... ■ minor injuries ■ overexertion ■ falls
- reduces symptoms of bruising such as:
..... ■ pain ■ swelling ■ discoloration

Warnings

For external use only. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use

Stop use and ask a doctor if

- condition persists for more than 3 days or worsens
- symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Twist roller to the "ON" position and gently squeeze tube to apply a thin layer of product to affected area. ■ Twist roller to the "OFF" position and continue massaging as needed. ■ Repeat 3 times a day. ■ If heat or ice is applied, wait 5 minutes before applying Arnicare Roll-On Gel.

Other information ■ do not use if glued carton and flaps are open ■ dispose of 1 year after opening

Inactive ingredients
alcohol, carbomer, purified water, sodium hydroxide
Made in France

Distributed by Boiron Inc., Newtown Square, PA 19073
1-800-BOIRON-1 (1-800-264-7661) | Arnicare.com

TUP-104-05/23

HOW TO APPLY

Twist arrow to "ON" and gently squeeze tube to apply



Twist arrow to "OFF" and massage



Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

please recycle



NDC 0220-9000-84

PAIN RELIEF*

Muscle Pain & Stiffness Swelling from Injuries Bruises*

Arnicare®

ROLL-ON

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Plant-Powered Relief



BOIRON®

World Leader in
Homeopathic Medicines

NET WT.
1.5 oz (45 g)

Arnicare®
ROLL-ON



**Cooling
Roller**



**Leak-Free
Design**



**Smooth
Gliding Action**



**Non-Greasy,
Quickly
Absorbed**



**Fragrance
Free**

BOIRON®

The Boiron Promise

Your health deserves
the greatest respect.
That's why we're
committed to your
satisfaction. Please visit
BoironUSA.com/promise
for details.

Drug Facts

Active ingredient**	Purpose*
Arnica montana.....	Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises
1X HPUS 7%	

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain and stiffness due to:
 - minor injuries
 - overexertion
 - falls
- reduces symptoms of bruising such as:
 - pain
 - swelling
 - discoloration

Warnings

For external use only.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use

Stop use and ask a doctor if

- condition persists for more than 3 days or worsens
- symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Twist roller to the "ON" position and gently squeeze tube to apply a thin layer of product to affected area.
- Twist roller to the "OFF" position and continue massaging as needed.
- Repeat 3 times a day.
- If heat or ice is applied, wait 5 minutes before applying Arnicare Roll-On Gel.

Other information

- do not use if glued carton and flaps are open
- dispose of 1 year after opening

Inactive ingredients

alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?

Arnicare.com | BoironUSA.com
Info@Boiron.com | 1-800-BOIRON-4 (1-800-264-7861)

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

NDC 0220-9000-94

PAIN RELIEF*

Muscle Pain & Stiffness
Swelling from Injuries
Bruises*

Arnicare® GEL

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free



Not labeled for individual sale

BOIRON®

World Leader in Homeopathic Medicines

NET WT.
0.18 oz (5 g)

Drug Facts

Active ingredient**
Arnica montana 1X HPUS 7%

Purpose*

Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

Uses*

- temporarily relieves muscle pain and stiffness due to:
 - minor injuries
 - overexertion
 - falls
- reduces symptoms of bruising such as:
 - pain
 - swelling
 - discoloration

Warnings

For external use only. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients. When using this product:

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use. Stop use and ask a doctor if:
 - condition persists for more than 3 days or worsens
 - symptoms clear up and occur again within a few days

 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

Other information ■ do not use if pouch is torn or open
■ dispose of 1 day after opening

Inactive ingredients alcohol, carboxer, purified water, sodium hydroxide

Questions or comments?
Amicare.com • 1-800-264-7661

Made in France
Distributed by Boiron Inc., Newtown Square, PA 19073

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.



ALL1197



Feel Better Faster

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Made in France
Distributed by Boiron Inc., Newtown Square, PA 19073



PAIN RELIEF*

Muscle Pain & Stiffness
Swelling from Injuries • Bruises*

Arnicare® ROLL-ON

HOMEOPATHIC MEDICINE

- Massaging Roller Ball
- Quickly Absorbed
- Fragrance-Free

2 PACK

BOIRON®

World Leader in Homeopathic Medicines

CONTAINS 2
1.5 OZ ROLL-ON
TUBES

NET WT.
3 oz (90 g)

From the French Mountains to You

Boiron Arnicare Roll-On is made with one pure active ingredient: Arnica montana. This wild mountain daisy has been used for centuries to relieve muscle aches and bruises. Our Arnica is sustainably harvested by hand in the mountains of France. Within 48 hours, these freshly picked plants arrive at our laboratories to become one of the most widely used homeopathic medicines around the world.

- Carefully selected
- Laboratory tested
- Unsurpassed quality since 1932

We take care of it, it takes care of you.

HOW TO APPLY



Drug Facts

Active ingredient**
Arnica montana 1X HPUS 7%

Purpose*

Relieves muscle pain and stiffness, swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain and stiffness due to:
 - minor injuries
 - overexertion
 - falls
- reduces symptoms of bruising such as:
 - pain
 - swelling
 - discoloration

Warnings

For external use only.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- condition persists for more than 3 days or worsens
- symptoms clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Shake well before each use. With the applicator facing down, lightly squeeze the tube then roll ball against skin to apply a thin layer of product to affected area. Massage gently into skin 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Roll-On.

Other information

- do not use if glued carton and flaps are open
- dispose of 6 months after opening

Inactive ingredients alcohol, carboxer, purified water, sodium hydroxide

Questions or comments?

Amicare.com
BoironUSA.com
info@Boiron.com
1-800-BOIRON-1 (1-800-264-7661)

*Homeopathic mother tincture made from Arnica montana fresh whole plant.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

NDC 0220-8000-54

PAIN RELIEF

Muscle Pain & Stiffness
Swelling from Injuries • Bruises



Arnicare[®]
GEL

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Fragrance-Free

NET WT.
1.5 oz (45 g)

BOIRON[®]
World Leader in Homeopathic Medicines

Drug Facts

Active ingredient
Arnica montana 1X HPUS 7%

Uses ■ Temporarily relieves muscle pain and stiffness due to:
■ minor injuries ■ overexertion ■ falls
■ reduces symptoms of bruising such as:
■ pain ■ swelling ■ discoloration

Warnings
For external use only. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients. **When using this product** ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed ■ dryness or irritation may occur ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use. **Stop use and ask a doctor if** ■ condition persists for more than 3 days or worsens ■ symptoms clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

Other information do not use if glued carton and flaps are open or if the tube seal is broken

Inactive ingredients alcohol, carbomer, purified water, sodium hydroxide

Made in France
Distributed by Boiron Inc., Newtown Square, PA 19073
1-800-808-0804 (1-800-264-7661)
Arnicare.com

Purpose
Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses ■ Temporarily relieves muscle pain and stiffness due to:
■ minor injuries ■ overexertion ■ falls
■ reduces symptoms of bruising such as:
■ pain ■ swelling ■ discoloration

Warnings
For external use only. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients. **When using this product** ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed ■ dryness or irritation may occur ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use. **Stop use and ask a doctor if** ■ condition persists for more than 3 days or worsens ■ symptoms clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

Other information do not use if glued carton and flaps are open or if the tube seal is broken

Inactive ingredients alcohol, carbomer, purified water, sodium hydroxide

Made in France
Distributed by Boiron Inc., Newtown Square, PA 19073
1-800-808-0804 (1-800-264-7661)
Arnicare.com

TUA-2714

NDC 0220-8000-59

PAIN RELIEF*

Muscle Pain & Stiffness
Swelling from Injuries
Bruises*



Arnicare[®]
GEL

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Fragrance-Free

NET WT.
2.6 oz (75 g)

BOIRON[®]
World Leader in Homeopathic Medicines

Drug Facts

Active ingredient
Arnica montana 1X HPUS 7%

Uses ■ Temporarily relieves muscle pain and stiffness due to:
■ minor injuries ■ overexertion ■ falls
■ reduces symptoms of bruising such as:
■ pain ■ swelling ■ discoloration

Warnings
For external use only. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients. **When using this product** ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed ■ dryness or irritation may occur ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use. **Stop use and ask a doctor if** ■ condition persists for more than 3 days or worsens ■ symptoms clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

Other information do not use if glued carton and flaps are open or if the tube seal is broken

Inactive ingredients alcohol, carbomer, purified water, sodium hydroxide

Made in France
Distributed by Boiron Inc., Newtown Square, PA 19073
1-800-808-0804 (1-800-264-7661)
Arnicare.com

Purpose
Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses ■ Temporarily relieves muscle pain and stiffness due to:
■ minor injuries ■ overexertion ■ falls
■ reduces symptoms of bruising such as:
■ pain ■ swelling ■ discoloration

Warnings
For external use only. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients. **When using this product** ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed ■ dryness or irritation may occur ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use. **Stop use and ask a doctor if** ■ condition persists for more than 3 days or worsens ■ symptoms clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

Other information do not use if glued carton and flaps are open or if the tube seal is broken

Inactive ingredients alcohol, carbomer, purified water, sodium hydroxide

Made in France
Distributed by Boiron Inc., Newtown Square, PA 19073
1-800-808-0804 (1-800-264-7661)
Arnicare.com

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

TUA-1014-01-2021

113

Drug Facts (continued)**Other information**

- do not use if glued carton end flaps are open
- dispose of 6 months after opening

Inactive ingredients

alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?

Arnicare.com | BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1 (1-800-264-7661)

HOW TO APPLY

1
SHAKE



2
LIGHTLY SQUEEZE



3
MASSAGE

Made in France

Distributed by Boiron Inc.,
Newtown Square, PA 19073



NDC 0220-9000-84

PAIN RELIEF*

**Muscle Pain & Stiffness
Swelling from Injuries
Bruises***

Arnicare®
ROLL-ON

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Fragrance-Free
- Arnica Plant-Based Relief



**Massaging
Roller
Ball**

NET WT.
1.5 oz (45 g)

BOIRON®

World Leader in
Homeopathic Medicines

**From
the French
Mountains
to You**

Boiron Arnicare Roll-On is made with one pure active ingredient:

Arnica montana. This wild mountain daisy has been used for centuries to relieve muscle aches and bruises. Our Arnica is sustainably harvested by hand in the mountains of France. Within 48 hours, these freshly picked plants arrive at our laboratories to become one of the most widely used homeopathic medicines around the world.

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Drug Facts**Active ingredient****

Arnica montana
1X HPUS 7%

Purpose*

Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain and stiffness due to:
 - minor injuries
 - overexertion
 - falls
- reduces symptoms of bruising such as:
 - pain
 - swelling
 - discoloration

Warnings

For external use only.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- condition persists for more than 3 days or worsens
- symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Shake well before each use. With the applicator facing down, lightly squeeze the tube then roll ball against skin to apply a thin layer of product to affected area. Massage gently into skin 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Roll-On.

*Homeopathic mother tincture made from Arnica montana fresh whole plant.

**CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/Info for details.

Drug Facts (continued)

Other information do not use if glued carton end flaps are open or if the tube seal is broken

Inactive ingredients

alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?

Arnicare.com | BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1 (1-800-264-7661)

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

♻️ please recycle



NDC 0220-9000-54

PAIN RELIEF*

Muscle Pain & Stiffness
Swelling from Injuries
Bruises†

Arnicare® GEL

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Fragrance-Free



NET WT.
1.5 oz (45 g)

BOIRON®
World Leader in
Homeopathic Medicines

From the French Mountains to You

Boiron Arnicare Gel is made with one pure active ingredient: Arnica montana. This wild mountain daisy has been used for centuries to relieve muscle aches and bruises. Our Arnica is sustainably harvested by hand in the mountains of France. Within 48 hours, these freshly picked plants arrive at our laboratories to become one of the most widely used homeopathic medicines around the world.

- Carefully selected
- Laboratory tested
- Unsurpassed quality since 1932

**We take care of it,
it takes care of you.**

Drug Facts

Active ingredient**	Purpose†
Arnica montana 1X HPUS 7%	Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain and stiffness due to:
 - minor injuries
 - overexertion
 - falls
- reduces symptoms of bruising such as:
 - pain
 - swelling
 - discoloration

Warnings

For external use only.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- condition persists for more than 3 days or worsens
- symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

*Homeopathic mother tincture made from Arnica montana fresh whole plant.

†CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

NDC 0220-9000-54

PAIN RELIEF

Muscle Pain & Stiffness
Swelling from Injuries • Bruises

Arnicare®
GEL

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Fragrance-Free



NET WT.
1.5 oz (45 g)

BOIRON®

World Leader in
Homeopathic Medicines

Drug Facts

Active Ingredient

Arnica montana..... Relieves muscle pain & stiffness, swelling
1X HPUS 7% from injuries, discoloration from bruises

Purpose

Uses ■ temporarily relieves muscle pain and stiffness due to:

- minor injuries ■ overexertion ■ falls
- reduces symptoms of bruising such as:
■ pain ■ swelling ■ discoloration

Warnings

For external use only. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients. **When using this product**

■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ use only as directed ■ dryness or irritation may occur ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if ■ condition persists for more than 3 days or worsens ■ symptoms clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help

or contact a Poison Control Center right away.

Directions Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

Other information do not use if glued carton end flaps are open or if the tube seal is broken

Inactive ingredients alcohol, carbomer, purified water, sodium hydroxide

Made in France

Distributed by Boiron Inc., Newtown Square, PA 19073
1-800-BOIRON-1 (1-800-264-7661)

Arnicare.com

TUA 1 FPM-04-2020

**VALUE
SIZE**

NDC 0220-9000-66

PAIN RELIEF*

Muscle Pain & Stiffness
Swelling from Injuries
Bruises*

Arnicare®
GEL

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Fragrance-Free



NET WT.
4.2 oz (120 g)

BOIRON®

World Leader in
Homeopathic Medicines

Drug Facts

Active ingredient**

Arnica montana 1X HPUS 7% swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Uses

- temporarily relieves muscle pain and stiffness due to:
 - minor injuries
 - overexertion
 - falls
- reduces symptoms of bruising such as:
 - pain
 - swelling
 - discoloration

Warnings

For external use only.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- condition persists for more than 3 days or worsens
- symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

Other information

do not use if glued carton end flaps are open or if the tube seal is broken

Inactive ingredients

alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?

Arnicare.com | BoironUSA.com

Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

Made in France

Distributed by Boiron Inc., Newtown Square, PA 19073

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

TUWJ1FF1-04-2020

MADE FROM FRESH
**Arnica
montana
plants**



The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073



**VALUE
SIZE**

NDC 0220-0000-06

PAIN RELIEF*

**Muscle Pain & Stiffness
Swelling from Injuries
Bruises***

**Arnicare®
GEL**

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Fragrance-Free



NET WT.
4.2 oz (120 g)

BOIRON®
World Leader in
Homeopathic Medicines

From the French Mountains to You

Boiron Arnicare Gel is made with one pure active ingredient: Arnica montana. This wild mountain daisy has been used for centuries to relieve muscle aches and bruises. Our Arnica is sustainably harvested by hand in the mountains of France. Within 48 hours, these freshly picked plants arrive at our laboratories to become one of the most widely used homeopathic medicines around the world.

- Carefully selected
- Laboratory tested
- Unsurpassed quality since 1932

**We take care of it,
it takes care of you.**

Drug Facts

Active ingredient* Arnica montana 1X HPUS 7%
Purpose Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises.
The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain and stiffness due to:
 - minor injuries
 - overexertion
- reduces symptoms of bruising such as:
 - pain
 - swelling
 - discoloration

Warnings

For external use only.

Do not use If you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- condition persists for more than 3 days or worsens
- symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

Other information

do not use if glued cap and tube are open or if the tube seal is broken

Inactive ingredients 4-methyl-2-pyrrolidone, purified water, sodium hydroxide

Questions or comments?

Arnicare.com
BoironUSA.com
info@Boiron.com
1-800-80-BOIRON-1
(1-800-264-7661)

*Homeopathic mother tincture made from Arnica montana fresh whole plant.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Feel Better
Faster!

NDC 0220-8000-59

Muscle Pain & Stiffness
Swelling from Injuries • Bruises*



Arnicare[®]GEL
arnica natural
ACTIVE INGREDIENT†



PAIN RELIEF*

Arnicare[®]GEL

Quickly Absorbed ■ Non-Greasy ■ Fragrance-Free



BOIRON[®]

World Leader in Homeopathic Medicines

HOMEOPATHIC
MEDICINE

NET WT. 2.6 oz (75 g)

From the French Mountains to You

Boiron Arnicare Gel is made with one pure active ingredient: Arnica montana. This wild mountain daisy has been used for centuries to relieve muscle aches and bruises. Our Arnica is sustainably harvested by hand in the mountains of France.

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073



Please recycle

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.



3 06969 00059 5

*Homeopathic medicines (include) made from Arnica montana fresh whole plant.
†CLAMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE.
*Q, K, CK, and X are homeopathic dilutions; see BoironUSA.com for details.

Questions or comments?

BoironUSA.com
1-800-800-0101
(1-800-661-7671)

Inactive ingredients: alcohol, carbon dioxide, purified water, sodium hydroxide

Other information: do not use if glass container and cap are open or if the seal is broken

Directions: Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If red or hot or applied with a bruise before applying Arnicare Gel.

Drug Facts

Active ingredient†

Arnica montana

10.4% (10.4%)

The active "Arnica" is the component in this product that is officially recognized in the Homeopathic Pharmacopoeia of the United States.

Uses*

• temporary relief of muscle pain and stiffness due to

• minor injuries • swelling • bruising

• reduces symptoms of bruising such as

• pain • swelling • discoloration

Warnings

Do not use if you are allergic to Arnica montana or to any of the product's

inactive ingredients.

When using this product

• avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin.

• use only as directed. • If symptoms or reactions may occur

• do not apply heat or massage the treated area

• do not use if red or hot to the touch, or if severely swollen or after use.

Stop use and ask a doctor if:

• conditions persist for more than 3 days or worsen

• symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a

poison control center right away.

MADE FROM FRESH
Arnica montana plants

#1
HOMOEOPATHIC ARNICA
PAIN RELIEVER

Feel Better Faster

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073

♻️ please recycle

3 06962 03559 4

NDC 0220-9000-59

PAIN RELIEF*
Muscle Pain & Stiffness
Swelling from Injuries
Bruises*

Arnicare®
GEL

HOMOEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Fragrance-Free

#1
HOMOEOPATHIC ARNICA
PAIN RELIEVER

Feel Better Faster

NET WT.
2.6 oz (75 g)

BOIRON®
World Leader in Homeopathic Medicines

From the French Mountains to You

Boiron Arnicare Gel is made with one pure active ingredient: Arnica montana. This wild mountain daisy has been used for centuries to relieve muscle aches and bruises. Our Arnica is sustainably harvested by hand in the mountains of France. Within 48 hours, these freshly picked plants arrive at our laboratories to become one of the most widely used homeopathic medicines around the world.

- Carefully selected
- Laboratory tested
- Unsurpassed quality since 1952

**We take care of it,
it takes care of you.**

Drug Facts

Active ingredient**	Purpose*
Arnica montana..... TX HPUS 7%	Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component in this product is officially recognized in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain and stiffness due to:
 - minor injuries
 - overexertion
 - falls
- reduces symptoms of bruising such as:
 - pain
 - swelling
 - discoloration

Warnings
For external use only.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- dryness or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

- condition persists for more than 3 days or worsens
- symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

Other information do not use if glued carton and flaps are open or if the tube seal is broken

Inactive ingredients alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?
Arnicare.com
BoironUSA.com
Info@Boiron.com
 1-800-BOIRON-1 (1-800-264-7651)

*Homeopathic mother tincture made from Arnica montana fresh whole plant.
 **CLAIMS BASED ON TRADITIONAL HOMOEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
 *C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.



NEW LOOK!

PAIN RELIEF*

Muscle Pain & Stiffness • Swelling from Injuries • Bruises*

NDC 0220-9000-59

Arnicare®GEL

Quickly Absorbed ■ Non-Greasy ■ Fragrance-Free

BOIRON®

World Leader in Homeopathic Medicines

NET WT. 2.6 oz (75 g)

HOMEOPATHIC MEDICINE

Drug Facts

Active ingredient* Purpose
Arnica montana Relieves muscle pain & stiffness, swelling from injuries.
HYALURONIC ACID Relieves muscle pain & stiffness, swelling from injuries.
The Active "PLUS" indicates that the component in this product is officially recognized in the Homeopathic Pharmacopoeia of the United States.

Uses*
■ temporarily relieves muscle pain and stiffness due to:
■ minor injuries ■ overexertion ■ falls
■ reduce symptoms of bruising such as:
■ pain ■ swelling ■ discoloration

Warnings
For external use only.
Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product
■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
■ use only as directed
■ dryness or irritation may occur
■ do not tightly wrap or bandage the treated area
■ do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if
■ condition persists for more than 3 days or worsens
■ symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

Other information do not use if glass carton and flap are open or if the tube seal is broken.

Inactive ingredients alcohol, carbonates, purified water, sodium hydroxide.

Made from fresh Arnica montana.
*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

NEW LOOK!

NDC 0220-9000-59

PAIN RELIEF*

Muscle Pain & Stiffness
Swelling from Injuries
Bruises*

Arnicare®
GEL

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Fragrance-Free

#1
PAIN RELIEVER

Feel Better Faster



NET WT.
2.6 oz (75 g)

BOIRON®

World Leader in Homeopathic Medicines

arnica
natural
ACTIVE INGREDIENT*

Arnicare®GEL

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/info for details.

Made in France

Dist. by Boiron Inc.
Newman Square, PA 19073
1-800-BOIRON 4 (1-800-264-7690)

please recycle





arnica
natural
ACTIVE INGREDIENT*

ArnicareGEL
The Boiron Promise
Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.



3 06962 035594 4

Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073
1-800-BOIRON-1 (1-800-254-7671)



PAIN RELIEF*
Muscle Pain & Stiffness
Swelling from Injuries
Bruises*

Arnicare®
GEL

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Fragrance-Free



BOIRON®
World Leader in Homeopathic Medicines

NET WT.
2.6 oz (75 g)

Drug Facts

Active ingredient* Purpose
Arnica montana... Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises
The letter "XPS" indicates that the component in this product is officially recognized in the Homeopathic Pharmacopoeia of the United States

Uses*

- Temporarily relieves muscle pain and stiffness due to:
■ minor injuries ■ overexertion ■ falls ■ reduces symptoms of bruising such as:
■ pain ■ swelling ■ discoloration

Warnings

For external use only.

Do not use if you are allergic to Arnica montana or to any of the product's inactive ingredients.

When using this product

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- use only as directed
- if stings or irritation may occur
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if:
■ condition persists for more than 5 days
or
■ symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 3 minutes before applying Arnicare Gel.

Other information

do not use if glass container and cap are open or if the tube seal is broken.

Inactive ingredients alcohol, carbonates, purified water, sodium hydroxide.

Made from fresh Arnica montana.
CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

PAIN RELIEF*

arnica
natural
ACTIVE INGREDIENT*



Arnicare®
GEL

Quickly Absorbed ■ Non-Greasy ■ Fragrance-Free

World Leader in Homeopathic Medicines

BOIRON®
HOMEOPATHIC MEDICINE

NET WT. 2.6 oz (75 g)

LOT:

EXP:

NEW LOOK!

PAIN RELIEF*
Muscle Pain & Stiffness • Swelling from Injuries • Bruises*

NDC 0220-9000-59



**Feel
Better
Faster**

Arnicare® GEL

Quickly Absorbed ■ Non-Greasy ■ Fragrance-Free

BOIRON®

World Leader in Homeopathic Medicines

**HOMEOPATHIC
MEDICINE**

NET WT. 2.6 oz (75 g)

Drug Facts

Active ingredient Purpose**
Arnica montana..... Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises
1X HPUS 7%
The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses

Temporarily relieves muscle pain and stiffness due to:
■ minor injuries ■ overexertion ■ falls
■ reduces symptoms of bruising such as:
■ pain ■ swelling ■ discoloration

Warnings

For external use only.

Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.

When using this product

■ Avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
■ use only as directed
■ dryness or irritation may occur
■ do not tightly wrap or bandage the treated area
■ do not apply heat or ice to the treated area immediately before or after use.

Stop use and ask a doctor if

■ condition persists for more than 3 days or worsens
■ symptoms clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Gel.

Other information do not use if glued carton end flaps are open or if the tube seal is broken

Inactive ingredients alcohol, carbomer, purified water, sodium hydroxide

*Made from fresh Arnica montana.
**CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

NEW LOOK!

NDC 0220-9000-59

PAIN RELIEF*

Muscle Pain & Stiffness
Swelling from Injuries
Bruises*

Arnicare® GEL
HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Fragrance-Free



NET WT.
2.6 oz (75 g)

BOIRON®
World Leader in
Homeopathic Medicines

arnica
natural

ACTIVE INGREDIENT†

Arnicare® GEL

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.



Made in France
Distributed by Boiron Inc.
Newtown Square, PA 19073
1-800-80-BOIRON (1-800-80-7611)





Arnicare®
Roll-on

Drug Facts (continued)

Other information
do not use if glued carton end flaps are open • dispose of 6 months after opening

Inactive ingredients
alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?
Arnicare.com
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)
Distributed by Boiron Inc.
Newtown Square
PA 19073



please recycle
Made in France



NDC 0220-9000-84

PAIN RELIEF*

**Muscle Pain & Stiffness
Swelling from Injuries
Bruises***

Arnicare®
Roll-on

HOMEOPATHIC MEDICINE

- Non-Greasy
- Quickly Absorbed
- Massaging Roller Ball
- Unscented



NET WT.
1.5 oz. (45g)

BOIRON®

World Leader in Homeopathic Medicines

arnica natural
active ingredient*

Use Arnicare Roll-on at the onset of pain.

Arnicare Roll-on is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain. Arnica Roll-on is recommended by doctors, plastic surgeons, and pharmacists, and used by professional athletes and savvy moms.

- No mess roll-on
- Non-greasy
- Quickly absorbed by the skin
- Unscented
- Cooling effect

The Boiron Promise
At Boiron, we believe there's more than one way to feel better. Since 1932, the Boiron family has been committed to providing quality medicines. As world leader in homeopathy, our passion is your health. Our promise is your satisfaction. For more details, visit BoironUSA.com/promise.

Drug Facts

Active ingredient*
Arnica montana 1X HPUS 7%
Purpose*
Relieves muscle pain and stiffness, swelling from injuries, discoloration from bruises
The letters "HPUS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*
■ temporarily relieves muscle pain and stiffness due to minor injuries, overexertion, and falls
■ reduces pain, swelling, and discoloration from bruises

Warnings
For external use only.
Avoid contact with eyes, mucous membranes, damaged skin, or wounds. **Do not use** if you are allergic to Arnica montana or to any of this product's inactive ingredients.
When using this product
■ use only as directed
■ do not tightly wrap or bandage the treated area
■ do not apply heat or ice to the treated area immediately before or after use. **Stop use and ask a doctor** if condition persists for more than 3 days or worsens.
Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Apply a thin layer of Arnicare Roll-on to affected area and massage gently 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Roll-on.

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.
*C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.
*Homeopathic mother tincture made from Arnica montana fresh whole plant.

ETU.1EQF
11/18

LOT:
EXP:

334



NO MESS ROLL-ON APPLICATOR

**Muscle Pain & Stiffness
Swelling from Injuries • Bruises***



arnica natural
active ingredient*

TWIN PACK

PAIN RELIEF*

Arnicare®

NDC 0220-9000-86

Roll-on

HOMEOPATHIC MEDICINE

2 HANDY TUBES
for Home and on the Go

- Massaging Roller Ball
- Quickly Absorbed
- Unscented



BOIRON®
World Leader in
Homeopathic Medicines



CONTAINS 2
1.5 OZ ROLL-ON TUBES
NET WT. 3 OZ (90 g)

05/2019
7595389

LOT:
EXP:



Distributed by Boiron Inc.
Newtown Square, PA 19078
Made in France
Please recycle

The Boiron Promise
At Boiron, we believe there's more than one way to feel better. Since 1825, the Boiron family has been committed to providing quality medicines. As world leader in homeopathy, our passion is your health. Satisfaction. Please visit BoironUSA.com/promise for details.

arnica natural
active ingredient



CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.
*C, K, Ck, and X are homeopathic dilutions; see BoironUSA.com/info for details.
© 2019 Boiron Inc.

Questions or comments?	ArnicaRoll-on.com Info@Boiron.com 1-800-BOIRON-1 (1-800-264-7661)
Inactive ingredients	alcohol, carbonated water, purified water, sodium hydroxide
Other information	■ do not use if bleed carton end flaps are open ■ dispose of 6 months after opening
Directions	Shave well before each use. With the applicator facing down, gently squeeze the tube then roll ball against skin to apply a thin layer of product to affected area. Massage gently 3 times a day or as needed. If heat or ice is used, dry the area and wait 5 minutes before applying Arnica Roll-on.
Warnings	For external use only. Avoid contact with eyes, mucous membranes, damaged skin, or wounds. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.
Uses	■ temporarily relieves muscle pain and stiffness due to minor injuries, overexertion, and fatigue. ■ reduces pain, swelling, and discoloration from bruises.
Drug Facts	Active ingredient: Arnica montana 1% HPLS 7% The letters "HPLS" indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States. Purpose: Relieves muscle pain and stiffness, swelling from injuries, discoloration from bruises.



Use Arnica Roll-on at the onset of pain.
Arnica Roll-on is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain. Arnica Roll-on is recommended by doctors, plastic surgeons, and pharmacists, and used by professional athletes and savvy moms.
■ No mess roll-on
■ Non-greasy
■ Quickly absorbed by the skin
■ Unscented
■ Cooling effect

arnica natural
active ingredient



Drug Facts (continued)

Other information
■ do not use if glued carton
end flaps are open ■ dispose
of 6 months after opening

Inactive ingredients
alcohol, carbomer, purified
water, sodium hydroxide

Questions or comments?

Arnicare.com
BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

HOW TO APPLY



1 SHAKE



2 LIGHTLY
SQUEEZE



3 MASSAGE



please recycle
Made in France

NDC 0220-9000-84

PAIN RELIEF*

Muscle Pain & Stiffness
Swelling from Injuries
Bruises*

Arnicare®
Roll-on

HOMEOPATHIC MEDICINE

- Non-Greasy
- Quickly Absorbed
- Massaging Roller Ball
- Unscented



NET WT.
1.5 oz. (45 g)

BOIRON®

World Leader in Homeopathic Medicines

**arnica
natural**
active ingredient*

Use Arnicare Roll-on
at the onset of pain.

Arnicare Roll-on is made from
Arnica montana (a mountain
daisy), which has been used
for centuries to naturally
relieve pain.
Arnicare Roll-on is recommended
by doctors, plastic surgeons,
and pharmacists, and used
by professional athletes and
savvy moms.

- No mess roll-on
- Non-greasy
- Quickly absorbed by the skin
- Unscented
- Cooling effect

The Boiron Promise
At Boiron, we believe there's
more than one way to feel better.
Since 1932, the Boiron family
has been committed to
providing quality medicines.
As world leader in homeopathy,
our passion is your health.
Our promise is your satisfaction.
For more details, visit
BoironUSA.com/promise.

Distributed by Boiron Inc.
Newtown Square
PA 19073



ETU.1EY6
04/19

**arnica
natural**
active ingredient*

Drug Facts

Active ingredient**	Purpose*
Arnica montana..... 1X HPUS 7%	Relieves muscle pain and stiffness, swelling from injuries, discoloration from bruises

The letters "HPUS" indicate that the component
in this product is officially monographed in the
Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain
and stiffness due to minor injuries,
overexertion, and falls
- reduces pain, swelling, and discoloration
from bruises

Warnings

For external use only.
Avoid contact with eyes, mucous
membranes, damaged skin, or wounds.
Do not use if you are allergic to Arnica
montana or to any of this product's inactive
ingredients.
When using this product
■ use only as directed ■ do not tightly wrap
or bandage the treated area ■ do not apply
heat or ice to the treated area immediately
before or after use.
Stop use and ask a doctor if condition
persists for more than 3 days or worsens.
Keep out of reach of children.
If swallowed, get medical help or contact
a Poison Control Center right away.

Directions

Shake well before each use. With
the applicator facing down, lightly squeeze
the tube then roll ball against skin to apply
a thin layer of product to affected area.
Massage gently 3 times a day or as needed.
If heat or ice is used, dry the area and
wait 5 minutes before applying Arnicare
Roll-on.

*CLAIMS BASED ON TRADITIONAL
HOMEOPATHIC PRACTICE. NOT ACCEPTED
MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions: see
BoironUSA.com/info for details.
*Homeopathic mother tincture made from Arnica
montana fresh whole plant.

SP12438A1

00822199

LOT:
EXP:

**Active ingredient****

Arnica montana 1X HPUS 7%

Uses* ■ temporarily relieves muscle pain and stiffness due to minor injuries, overexertion, and falls ■ reduces pain, swelling, and discoloration from bruises **Warnings** For external use only. Avoid contact with eyes, mucous membranes, damaged skin, or wounds. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients. When using this product ■ use only as directed ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use. **Stop use and ask a doctor** if condition persists for more than three days or worsens. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions** Apply a thin layer of Arnicare Roll-on to affected area and massage gently 3 times a day or as needed. If heat or ice is applied, wait five minutes before applying Arnicare Roll-on.

Other information ■ do not use if glued carton end flaps are open or if the tube seal is broken ■ dispose of six months after opening **Inactive ingredients** alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?
 Arnica.com
 1-800-BOIRON-1 (1-800-284-7661)

Made in France

Distributed by Boiron Inc.
 Newtown Square, PA

*These "Uses" have not been evaluated by the Food and Drug Administration.
 **C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.
 *Homeopathic mother tincture made from Arnica montana fresh whole plant.

TUN1023 1/26/07

NDC 0220-9000-84

PAIN RELIEF*

**Muscle Pain and Stiffness
 Swelling from Injuries
 Bruises***

Arnicare®
Roll-on

HOMEOPATHIC MEDICINE

- Non-greasy
- Quickly Absorbed
- Massaging Roller Ball
- Unscented



NET WT.
 1.5 oz. (45g)

BOIRON®

World Leader in Homeopathic Medicines

Arnicare®
Roll-on

Drug Facts (continued)**Other information**

■ do not use if glued carton end flaps are open or if the tube seal is broken
 ■ dispose of six months after opening

Inactive ingredients
 alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?

Arnica.com
 BoironUSA.com
 Info@Boiron.com
 1-800-BOIRON-1
 (1-800-284-7661)

Distributed by Boiron Inc.
 8 Campus Blvd.
 Newtown Square
 PA 19073-3267



♻️ please recycle
 Made in France



3 06969 00084 7

NDC 0220-9000-84

PAIN RELIEF*

**Muscle Pain and Stiffness
 Swelling from Injuries
 Bruises***

Arnicare®
Roll-on

HOMEOPATHIC MEDICINE

- Non-greasy
- Quickly Absorbed
- Massaging Roller Ball
- Unscented



NET WT.
 1.5 oz. (45g)

BOIRON®

World Leader in Homeopathic Medicines

arnica
natural
 active ingredient*

Use Arnicare Roll-on
 at the onset of pain.

Arnicare Roll-on is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain.

Arnicare Roll-on is recommended by doctors, plastic surgeons, and pharmacists, and used by professional athletes and savvy moms.

- No mess Roll-On
- Non-Greasy
- Quickly absorbed by the skin
- Unscented
- Cooling effect

The Boiron Promise
 At Boiron, we believe there's more than one way to feel better. Since 1932, the Boiron family has been committed to providing quality medicines. As world leader in homeopathy, our passion is your health. Our promise is your satisfaction. Please visit BoironUSA.com/ promise for details.

Drug Facts**Active ingredient****

Arnica montana 1X HPUS 7% Relieves muscle pain and stiffness, swelling from injuries, discoloration from bruises

Purpose*

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses*

■ temporarily relieves muscle pain and stiffness due to minor injuries, overexertion, and falls
 ■ reduces pain, swelling, and discoloration from bruises

Warnings

For external use only.
 Avoid contact with eyes, mucous membranes, damaged skin, or wounds. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients. When using this product ■ use only as directed ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use. **Stop use and ask a doctor** if condition persists for more than three days or worsens. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Apply a thin layer of Arnicare Roll-on to affected area and massage gently 3 times a day or as needed. If heat or ice is applied, wait five minutes before applying Arnicare Roll-on.

*These "Uses" have not been evaluated by the Food and Drug Administration.
 **C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.
 *Homeopathic mother tincture made from Arnica montana fresh whole plant.

Drug Facts

Active ingredient** Arnica montana, 1X HPUS 7%
Purpose* Relieves muscle pain and stiffness, swelling from injuries, discoloration from bruises.

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses*
 ■ temporarily relieves muscle pain and stiffness due to minor injuries, overexertion, and falls
 ■ reduces pain, swelling, and discoloration from bruises

Warnings
 For external use only.
 Avoid contact with eyes, mucous membranes, damaged skin, or wounds.
 Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.
When using this product
 ■ use only as directed
 ■ do not tightly wrap or bandage the treated area
 ■ do not apply heat or ice to the treated area immediately before or after use.
 Stop use and ask a doctor if condition persists for more than 3 days or worsens.
 Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 Apply a thin layer of Arnicare Roll-on to affected area and massage gently 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying Arnicare Roll-on.

Other information
 ■ do not use if glued carton end flaps are open or if the tube seal is broken
 ■ dispose of 6 months after opening

Inactive ingredients
 alcohol, carboxer, purified water, sodium hydroxide

Questions or comments?

Arnicare.com
 BoironUSA.com
 info@boiron.com
 1-800-BOIRON-1
 (1-800-264-7661)
 Distributed by Boiron Inc.
 6 Campus Blvd.
 Newtown Square, PA 19073-3267

*These "Uses" have not been evaluated by the Food and Drug Administration.
 **C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.
 *Homeopathic mother tincture made from Arnica montana fresh whole plant.



**arnica
natural**
active ingredient*

**TWIN
PACK**

PAIN RELIEF*



**arnica
natural**
active ingredient*

The Boiron Promise
 At Boiron, we believe there's more than one way to feel better. Since 1932, the Boiron family has been committed to providing quality medicines. As world leader in homeopathy, our passion is your health. Our promise is your satisfaction. Please visit BoironUSA.com/promise for details.

please recycle
 Made in France



Arnicare®
Roll-on
 HOMEOPATHIC MEDICINE

2 Handy Tubes for Home and on the Go

- Massaging Roller Ball
- Quickly Absorbed
- Unscented



**arnica
natural**
active ingredient*



CONTAINS 2
 1.5 OZ. ROLL-ON TUBES
 NET WT. 3 OZ. (90 g)

BOIRON®
 World Leader in Homeopathic Medicines



**arnica
natural**
active ingredient*

Use Arnicare Roll-on at the onset of pain.

Arnicare Roll-on is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain. Arnicare Roll-on is recommended by doctors, plastic surgeons, and pharmacists, and used by professional athletes and savvy moms.

- No mess roll-on
- Non-greasy
- Quickly absorbed by the skin
- Unscented
- Cooling effect

Arnicare®
Gel

Drug Facts

(continued)

Inactive ingredients
 alcohol, carboxer, purified water, sodium hydroxide

Questions or comments?

Arnicare.com
 www.BoironUSA.com
 info@boiron.com
 1-800-BOIRON-1
 (1-800-264-7661)
 Distributed by Boiron Inc.
 6 Campus Boulevard
 Newtown Square, PA 19073-3267



please recycle

Made in France



PAIN RELIEF*

**Muscle Pain & Stiffness
 Swelling from Injuries
 Bruising***

Arnicare®
Gel
 HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Unscented, Paraben-Free
- Works Naturally with Your Body

**arnica
natural**
active ingredient*

NET WT.
 2.6 oz (75 g)

BOIRON®

World Leader in Homeopathic Medicines

**arnica
natural**
active ingredient*

Use Arnicare at the First Sign of Pain

Arnicare Gel is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain. It has a cooling effect for fast pain relief. Arnicare is recommended by doctors, plastic surgeons and pharmacists, and used by professional athletes and savvy moms.

- Quickly absorbed by the skin
- Non-greasy
- Unscented
- Paraben-free

The Boiron Promise
 At Boiron, we believe there's a better way to feel good. A better way that works naturally with your body. Since 1932, the Boiron family has been committed to providing homeopathic medicines. As world leader in homeopathic medicines, our passion is your total health. Our promise is your total satisfaction. Please visit boironusa.com/promise for details.

Drug Facts

Active ingredient** Arnica montana, 1X HPUS 7%
Purpose* Trauma, muscle pain & stiffness, swelling from injuries, discoloration from bruising

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses*
 ■ temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls
 ■ reduces pain, swelling and discoloration from bruises

Warnings
 For external use only.
 Avoid contact with eyes, mucous membranes, damaged skin or wounds.
 Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.
When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad.
 Stop use and ask a doctor if condition persists for more than 3 days or worsens.
 Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 Apply a thin layer of Arnicare Gel to affected area and massage gently as soon as possible after minor injury. Repeat 3 times a day or as needed.

Other information
 ■ do not use if glued carton end flaps are open or if the tube seal is broken
 ■ store at 68-77°F (20-25°C)

*These "Uses" have not been evaluated by the Food and Drug Administration.
 **C, K, CK, and X are homeopathic dilutions: see www.boironusa.com for details.

Arnica®
Gel

Drug Facts (continued)

Inactive ingredients
alcohol, carbomer,
purified water, sodium
hydroxide

**Questions
or comments?**

www.Arnica.com
www.BoironUSA.com
info@boiron.com
1-800-BOIRON-1
(1-800-264-7661)
Distributed by Boiron Inc.
6 Campus Boulevard
Newtown Square, PA
19073-3267



please recycle

Made in France



NDC 0220-9000-54

PAIN RELIEF*

**Muscle Pain & Stiffness
Swelling from Injuries
Bruising***

Arnica®
Gel

HOMEOPATHIC MEDICINE

- **Quickly Absorbed**
- **Non-Greasy**
- **Unscented, Paraben-Free**
- **Works Naturally with Your Body**



NET WT.
1.5 oz (45g)

BOIRON®

World Leader in Homeopathic Medicines

arnica
natural
active ingredient

**Use Arnica
at the First
Sign of Pain**

Arnica Gel is made from
Arnica montana (a mountain
daisy), which has been used
for centuries to naturally
relieve pain. It has a cooling
effect for fast pain relief.
Arnica is recommended
by doctors, plastic surgeons
and pharmacists, and used
by professional athletes and
savvy moms.

- **Quickly absorbed
by the skin**
- **Non-greasy**
- **Unscented**
- **Paraben-free**

The Boiron Promise

At Boiron, we believe there's
a better way to feel good.
A better way that works
naturally with your body.
Since 1932, the Boiron
family has been committed
to providing homeopathic
medicines. As world leader
in homeopathic medicines,
our passion is your total
health. Our promise is your
total satisfaction. Please visit
boironusa.com/promise for
details

Drug Facts

Active ingredient**	Purpose*
Arnica montana..... 1X HPUS-7%	Trauma, muscle pain & stiffness, swelling from injuries, discoloration from bruising

The letters HPUS indicate that this ingredient
is officially included in the Homeopathic
Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain
and stiffness due to minor injuries,
overexertion and falls
- reduces pain, swelling and
discoloration from bruises

Warnings

For external use only.
Avoid contact with eyes, mucous
membranes, damaged skin or wounds.
Do not use if you are allergic to Arnica
montana or to any of this product's
inactive ingredients.
When using this product ■ use only
as directed ■ do not bandage tightly
or use a heating pad.
Stop use and ask a doctor if condition
persists for more than 3 days
or worsens.
Keep out of reach of children.
If swallowed, get medical help
or contact a Poison Control Center
right away.

Directions

Apply a thin layer of Arnica Gel
to affected area and massage gently
as soon as possible after minor injury.
Repeat 3 times a day or as needed.

Other information

- do not use if glued carton end flaps
are open or if the tube seal is broken
- store at 68-77°F (20-25°C)

*These "Uses" have not been evaluated
by the Food and Drug Administration.
**C, K, CK, and X are homeopathic dilutions;
see www.boironusa.com for details.

FEEL BETTER FASTER

Neck, Back, Shoulder, Leg and Foot
Muscle Pain & Stiffness • Swelling from Injuries • Bruising*

Arnicare[®]Gel
Quickly Absorbed

Use Arnicare Gel at the first sign
of pain and feel better faster!



arnica
natural
active ingredient

PAIN RELIEF*

Arnicare[®]Gel
Quickly Absorbed

Unscented • Paraben-Free • Works Naturally with Your Body



BOIRON[®]

World Leader in Homeopathic Medicines

HOMEOPATHIC
MEDICINE

NET WT. 2.6 oz (75 g)



Made in France



The Boiron Promise

At Boiron, we believe there's a better way to feel good. A better way that works naturally with your body. Since 1832, the Boiron family has been committed to providing homeopathic medicines. As world leader in homeopathic medicines, our passion is your total health. Our promise is your total satisfaction. Please visit boironusa.com/promise for details.

*C, K, G, and X are homeopathic dilutions; see www.boironusa.com for details.

Drug Facts

Purpose

Arnica montana 1X HPUS-7%
Trauma, muscle
pain & stiffness,
swelling from injuries,
discoloration from bruising.

The labels HPUS indicate that this ingredient is officially included
in the Homeopathic Pharmacopoeia of the United States.

Uses

temporarily relieves muscle pain and stiffness due
to minor injuries, overexertion and falls. reduces
pain, swelling and discoloration from bruises.

Warnings

For external use only. Avoid contact with eyes, mucous
membranes, damaged skin or wounds. Do not use
if you are allergic to Arnica montana or to any of
this product's inactive ingredients. When using this
product use only as directed. Do not bandage
tightly or use a heating pad. Stop use and ask
a doctor if condition persists for more than 3 days
or worsens. Keep out of reach of children.
If swallowed, get medical help or contact
a Poison Control Center right away.

Questions or comments?

www.arnicareusa.com
info@boironusa.com
1-800-801-1100 (1-800-264-7661)
Distributed by Boiron Inc.,
6 Campus Boulevard
Newtown Square, PA 19078-3267

Inactive ingredients

alcohol, carbomer, purified water, sodium
hydroxide

Other information

do not use if glued carton end flaps are open
or if the tube seal is broken. non-greasy
store at 68-77°F (20-25°C)

Directions

Apply a thin layer of Arnicare Gel to affected area
and massage gently as soon as possible after
minor injury. Repeat 3 times a day or as needed.

Drug Facts

(continued)

Other information

■ do not use if the tube seal is broken

Inactive ingredients

alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?

Arnicare.com

BoironUSA.com

1-800-BOIRON-1 (1-800-264-7661)

Distributed by Boiron Inc.

6 Campus Boulevard

Newtown Square, PA 19073-3267

*Homeopathic mother tincture made from Arnica montana fresh whole plant. These "Uses" have not been evaluated by the Food and Drug Administration. "C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.



Made in France ♻️ please recycle

FEEL BETTER FASTER

Neck, Back, Shoulder, Leg and Foot
Muscle Pain & Stiffness
Swelling from Injuries • Bruising*



Arnicare Gel is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain. It has a cooling effect for fast pain relief. Arnicare is recommended by doctors, plastic surgeons and pharmacists and used by professional athletes and savvy moms.

SAMPLE
NOT FOR SALE

PAIN RELIEF*

NDC 0220-9000-65

Arnicare® Gel
Quickly Absorbed



Unscented • Paraben-Free • Help Your Body the Natural Way

BOIRON®

World Leader in Homeopathic Medicines

HOMEOPATHIC
MEDICINE

NET WT. 0.5 oz (14 g)

Drug Facts

Active ingredient**

Arnica montana.....Trauma, muscle pain & stiffness, swelling from injuries, discoloration from bruises

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Uses* ■ temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls ■ reduces pain, swelling and discoloration from bruises

Warnings For external use only. Avoid contact with eyes, mucous membranes, damaged skin or wounds. Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients. When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad. Stop use and ask a doctor if condition persists for more than 3 days or worsens. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. ▶

Arnicare[®] Gel

Drug Facts
(continued)

Inactive ingredients
alcohol, carbomer, purified water, sodium hydroxide

Questions or comments?
Arnicare.com
BoironUSA.com
info@boiron.com
1-800-BOIRON-1
(1-800-264-7661)
Distributed by Boiron Inc.,
6 Campus Boulevard
Newtown Square, PA
19073-3267

*Homeopathic mother tincture made from Arnica montana fresh whole plant.



 please recycle
Made in France



NDC 0220-9000-66

PAIN RELIEF*

**Muscle Pain & Stiffness
Swelling from Injuries
Bruising***

Arnicare[®] Gel

HOMEOPATHIC MEDICINE

- Quickly Absorbed
- Non-Greasy
- Unscented, Paraben-Free

VALUE SIZE



NET WT.
4.1 oz (120 g)

BOIRON[®]
World Leader in Homeopathic Medicines

arnica natural
active ingredient

Use Arnicare at the First Sign of Pain

Arnicare Gel is made from Arnica montana (a mountain daisy), which has been used for centuries to naturally relieve pain. It has a cooling effect for fast pain relief. Arnicare is recommended by doctors, plastic surgeons and pharmacists, and used by professional athletes and savvy moms.

- Quickly absorbed by the skin
- Non-greasy
- Unscented
- Paraben-free

The Boiron Promise
At Boiron, we believe there's more than one way to feel better. Since 1932, the Boiron family has been committed to providing quality medicines. As world leader in homeopathy, our passion is your health. Our promise is your satisfaction. Please visit BoironUSA.com/ promise for details.

Drug Facts

Active ingredient**	Purpose*
Arnica montana 1X HPUS-7%	Trauma, muscle pain & stiffness, swelling from injuries, discoloration from bruises

The letters HPUS indicate that this ingredient is officially included in the Homeopathic Pharmacopoeia of the United States.

Uses*

- temporarily relieves muscle pain and stiffness due to minor injuries, overexertion and falls
- reduces pain, swelling and discoloration from bruises

Warnings
For external use only.
Avoid contact with eyes, mucous membranes, damaged skin or wounds. **Do not use if you are allergic to Arnica montana or to any of this product's inactive ingredients.**
When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad.
Stop use and ask a doctor if condition persists for more than 3 days or worsens.
Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions
Apply a thin layer of Arnicare Gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed.

Other information
■ do not use if glued carton end flaps are open or if the tube seal is broken

*These "Uses" have not been evaluated by the Food and Drug Administration.
**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

ARNICARE

arnica montana gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-9000
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	1 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

WATER (UNII: 059QF0KO0R)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
CARBOMER HOMOPOLYMER TYPE C (UNII: 4Q93RCW27E)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-9000-66	1 in 1 PACKAGE	01/09/2007	
1		120 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0220-9000-59	1 in 1 PACKAGE	01/09/2007	
2		75 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:0220-9000-54	1 in 1 PACKAGE	01/09/2007	
3		45 g in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:0220-9000-65	1 in 1 PACKAGE	01/09/2007	
4		14 g in 1 TUBE; Type 0: Not a Combination Product		
5	NDC:0220-9000-84	1 in 1 PACKAGE	06/01/2018	
5		45 g in 1 TUBE; Type 0: Not a Combination Product		
6	NDC:0220-9000-86	2 in 1 PACKAGE	06/01/2018	
6		45 g in 1 TUBE; Type 0: Not a Combination Product		
7	NDC:0220-9000-94	5 g in 1 POUCH; Type 0: Not a Combination Product	06/09/2023	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic			01/09/2007	
Labeler - Laboratoires Boiron (282560473)				
Registrant - Boiron Inc. (014892269)				
Establishment				
Name	Address	ID/FEI	Business Operations	
Boiron		282560473	manufacture(0220-9000)	