

**ALLERGY RELIEF- diphenhydramine hydrochloride tablet**  
**Navarro Discount Pharmacies,LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredient (in each tablet)**

Diphenhydramine HCL 25mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold
  - runny nose
  - sneezing

**Warnings**

**Do not use** with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose get medical help or contact a Poison Control Center right away.

**Directions**

- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

adults and children 12 years of age and over	25 mg to 50 mg (1 to 2 tablets)
children 6 to under 12 years of age	25 mg (1 tablet)
children under 6 years of age	ask a doctor
children under 4 years of age	do not use

**Other information**

- **each tablet contains:** calcium 0.1mg
- store at 59° to 77°F in a dry place
- protect from light

**Inactive ingredients**

FD&C red no. 40, hypromellose 2910, hydroxypropyl cellulose, lactose anhydrous, microcrystalline cellulose, polyethylene glycol 6000, sodium starch glycolate, silicic acid anhydride, stearic acid, titanium dioxide

**Package label**

Allergy Relief



# Allergy Tablet

Tableta para Alergias

NDC #59970-082-24

Compare to Benadryl Allergy®  
active ingredient\*

Compare con el ingrediente  
activo de Benadryl Allergy®\*

Para información en Español lea el inserto



**Allergy Tablet**  
Tableta para Alergias



# Allergy Tablet

## Tableta para Alergias

■ Diphenhydramine HCl Tablets  
Tabletas de Difenhidramina HCl

■ Antihistamine  
Antihistamínico

**Relief for:**

- Sneezing
- Itchy, Watery Eyes
- Itchy Throat or Runny Nose due to Colds & Allergies

**Alivio para:**

- Estornudos
- Ojos llorosos y con picazón
- Garganta con Picazón o Nariz Mucosa debida a Resfriados & Alergias

ZN75

**Easy to Swallow**  
Fácil de tragar

**20**  
Tablets  
Tabletas

**LOT & EXP.**  
LOTE & FECHA DE VENCIMIENTO

**Temper Evident:** This product is protected in a child resistant, sealed blister. Do not use if blister or printed foil is broken.  
**Evidencia de Alteración:** Este producto está empacado en una ampolla sellada a prueba de niños. No usar si la ampolla o la lámina de aluminio impreso está rota.

**Drug Facts**

**Active ingredient (in each tablet)** **Purpose**  
 Diphenhydramine HCl 25mg.....Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itchy nose or throat
- temporarily relieves these symptoms due to the common cold
  - runny nose
  - Sneezing

**Warnings**

**Do not use** with any other product containing diphenhydramine, even one used on skin

- Ask a doctor before use if you have** ■ glaucoma  
 ■ a breathing problem such as emphysema or chronic bronchitis  
 ■ trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers**

- When using this product** ■ drowsiness may occur
- avoid alcoholic drinks
  - alcohol, sedatives, and tranquilizers may increase drowsiness
  - excitability may occur, especially in children
  - use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of accidental overdose get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions** ■ take every 4 to 6 hours  
 ■ do not take more than 6 doses in 24 hours

adults and children 12 years of age and over	25 mg to 50 mg (1 to 2 tablets)
children 6 to under 12 years of age	25 mg (1 tablet)
children under 6 years of age	ask a doctor
children under 4 years of age	do not use

**Other information**

- each tablet contains: calcium 0.1mg
- store at 15° - 30°C (59° - 77°F) in a dry place
- protect from light

**Inactive ingredients**

FD&C red no. 40, hydroxypropyl cellulose, hypromellose 2910, lactose anhydrous, microcrystalline cellulose, polyethylene glycol 6000, silicic acid anhydride, sodium starch glycolate, stearic acid, titanium dioxide

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, Inc., owner of the registered trademark, Benadryl Allergy®.

\*Este producto no es fabricado o distribuido por McNeil Consumer Healthcare, Inc., propietario de la marca registrada, Benadryl Allergy®.

**Exclusively distributed by:**  
**Distribuido exclusivamente por:**

**MAGE LAN**  
 DISTRIBUTION SOLUTIONS  
 Medley, Florida 33178



**Made in Korea**  
**Fabricado en Corea**



**ALLERGY RELIEF**

diphenhydramine hcl tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG LABEL	<b>Item Code (Source)</b>	NDC:59970-082
<b>Route of Administration</b>	ORAL	<b>DEA Schedule</b>	

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (DIPHENHYDRAMINE)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

**Inactive Ingredients**

Ingredient Name	Strength
FD&C RED NO. 40	
HYPROMELLOSE 2910 (50 MPA.S)	
HYDROXYPROPYL CELLULOSE	
CELLULOSE, MICROCRYSTALLINE	
ANHYDROUS LACTOSE	
SODIUM STARCH GLYCOLATE TYPE A POTATO	
SILICON DIOXIDE	
STEARIC ACID	
POLYETHYLENE GLYCOL 6000	

TITANIUM DIOXIDE

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	ZN75
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59970-082-24	2 in 1 BOX		
1		10 in 1 BLISTER PACK		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	01/01/2013	

**Labeler** - Navarro Discount Pharmacies,LLC (094930963)

Revised: 2/2013

Navarro Discount Pharmacies,LLC