

# **ACETAMINOPHEN REGULAR STRENGTH- acetaminophen tablet**

## **KROGER COMPANY**

-----

### **Drug Facts**

#### **Active ingredient (in each tablet)**

Acetaminophen USP 325 mg

### **Purpose**

Pain reliever/fever reducer

### **Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - muscular aches
  - backache
  - minor pain of arthritis
  - the common cold
  - toothache
  - premenstrual and menstrual cramps
- temporarily reduces fever

### **Warnings**

**Liver warning:** This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if the user has**

liver disease

**Ask a doctor or pharmacist before use if the user is**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:**In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222)

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 tablets every 4 to 6 hours while symptoms last</li><li>• do not take more than 10 tablets in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children 6 years to under 12 years	<ul style="list-style-type: none"><li>• take 1 tablet every 4 to 6 hours while symptoms last</li></ul>

	<ul style="list-style-type: none"> <li>do not take more than 5 tablets in 24 hours</li> <li>do not use for more than 5 days unless directed by a doctor</li> </ul>
children under 6 years	ask a doctor

### Other information

- store between 20° to 25°C (68° to 77°F)
- do not use if carton is open or if printed foil seal under cap is torn or missing.**

### Inactive ingredients

povidone, pregelatinized starch (maize), stearic acid.

### Questions or comments?

**1-800-632-6900**

**Distributed by:THE KROGER CO.  
CINCINNATI, OHIO 45202**

**MADE IN INDIA**

Code: TS/DRUGS/16/2014

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 325 mg (100 Tablets Bottle)**



NDC 30142-052-21

**Kroger®**

**Regular Strength  
Acetaminophen Tablets  
325 mg  
Pain Reliever/  
Fever Reducer**

**100  
TABLETS  
325 mg EACH**

NDC 30142-052-21

**Regular Strength**

**Acetaminophen Tablets**  
325 mg  
Pain Reliever/  
Fever Reducer

**100 TABLETS**  
325 mg EACH

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

**Active Ingredient (in each tablet)**  
Acetaminophen USP 325 mg

**Purpose**  
Pain reliever/fever reducer

**Uses** ■ temporarily relieves minor aches and pains due to: ■ headache ■ muscular aches ■ backache ■ minor pain of arthritis ■ the common cold ■ toothache ■ premenstrual and menstrual cramps ■ temporarily reduces fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if ■ adult takes more than 4,000 mg of acetaminophen in 24 hours ■ child takes more than 5 doses in 24 hours, which is the maximum daily amount ■ taken with other drugs containing acetaminophen ■ adult has 3 or more alcoholic drinks every day while using this product. **Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ hives ■ rash. If a skin reaction occurs, stop use and seek medical help right away. Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product. **Ask a doctor before use if the user has liver disease. Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin. Stop use and ask a doctor if ■ pain gets worse or lasts more than 10 days in adults ■ pain gets worse or lasts more than 5 days in children under 12 years ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not take more than directed (see overdose warning) adults and children 12 years and over ■ take 2 tablets every 4 to 6 hours while symptoms last ■ do not take more than 10 tablets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor, children 6 years to under 12 years ■ take 1 tablet every 4 to 6 hours while symptoms last ■ do not take more than 5 tablets in 24 hours ■ do not use for more than 5 days unless directed by a doctor children under 6 years ask a doctor

**Other Information** ■ store between 20° to 25°C (68° to 77°F) ■ do not use if printed foil seal under cap is torn or missing.

**Inactive ingredients** povidone, prepectulized starch (maize), stearic acid.

**Questions or comments?** 1-800-532-6900

**DISTRIBUTED BY THE KROGER CO.**  
CINCINNATI, OHIO 45202  
**MADE IN INDIA**

Code: TS/DRUGS/16/2014  
L 10 - 4752 P 1429347

**NC**

## PACKAGE LABEL-PRINCIPAL DISPLAY PANEL 325 mg (100 Tablets Bottle Carton)

COMPARE TO the active ingredient  
of

NDC 30142-052-21

**REGULAR STRENGTH TYLENOL® TABLETS \* See top panel**  
**Kroger®**


**Regular Strength**  
**Acetaminophen Tablets**  
**325 mg**

**Pain Reliever/Fever Reducer**

**DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN**

actual  
size

**100 TABLETS**  
**325 mg EACH**



## ACETAMINOPHEN REGULAR STRENGTH

acetaminophen tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-052
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	325 mg	
Inactive Ingredients				
Ingredient Name			Strength	
POVIDONE K30 (UNII: U725QWY32X)				
STARCH, CORN (UNII: O8232NY3SJ)				
PALMITOSTEARIC ACID (UNII: Q8Y7S3B85M)				
Product Characteristics				
Color	white (White to off White)	Score	no score	
Shape	ROUND	Size	10mm	
Flavor		Imprint Code	N74	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-052-21	1 in 1 CARTON	02/02/2022	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013		02/02/2022	

**Labeler** - KROGER COMPANY (006999528)

**Registrant** - Aurohealth LLC (078728447)

## Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	analysis(30142-052) , manufacture(30142-052)

Revised: 12/2023

KROGER COMPANY