ORIGINAL PAIN-A-TRATE PAIN-RELIEVING CREAM- camphor and menthol and methyl salicylate cream Melaleuca, Inc.

Original Pain-A-Trate Pain-Relieving Cream

Active ingredients

Camphor 3.25%

Menthol. 1.5%

Methyl Salicylate, 15%

Purpose

Topical analgesic

Indications For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises, sprains. Provides penetrating pain relief.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad
- on a child under 12 years of age with arthritis-like conditions

Ask a doctor before use if you have redness over the affected area.

When using this product

- avoid contact with eyes or mucus membranes
- do not bandage tightly

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive skin irritation occurs

Keep out of reach of children to avoid accidental ingestion. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply to affected area with gentle massage
- do not apply more than 3 to 4 times daily

Other information do not store above 95°F (35°C)

Inactive ingredients acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis

flower extract, benzyl alcohol, cetyl alcohol, chlorophyllin-copper complex, coccinia indica fruit extract, corallina officianalis extract, curcuma longa (turmeric) root extract, ethylhexylglyverin, glyceryl monostearate SE, melaleuca alternifolia (tea tree) leaf oil, melia azadirachta flower extract, melia azadirachta leaf extract, ocimum basilicum (basil) flower/leaf extract, ocimum sanctum (holy basil) leaf extract, polysorbate 20, solanum melongena (eggplant) fruit extract, sorbitan stearate, stearic acid, triethanolamine, water



z Z ш П < 0 z Ħ G Q C Z ш ➣ Z NET ٧T ω OZ (85

Drug Facts

Active ingredients	Purpose
Methyl salicylate 15%	Topical analgesic
Camphor 3.25%	Topical analgesic
Menthol 1,5%	Topical analgesic

Indications For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises, and sprains. Provides penetrating pain relief.

Warnings For external use only

Do not use ■ on wounds or damaged skin ■ with a heating pad ■ on a child under 12 years of age with arthritis-like conditions

Ask a doctor before use if you have redness over the affected area

When using this product = avoid contact with eyes or mucous membranes = do not bandage tightly

Stop use and ask a doctor if = condition worsens or symptoms persist for more than 7 days = symptoms clear up and occur again within a few days = excessive skin irritation occurs

Keep out of reach of children to avoid accidental ingestion.
If swallowed, get medical help or contact a Poison Control Center
right away.

Directions

- apply to affected area with gentle massage
- do not apply more than 3 to 4 times daily

Other information do not store above 95°F (35°C)

Inactive ingredients acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis flower extract, benzyl alcohol, cetyl alcohol, chlorophyllin-copper complex, coccinia indica fruit extract, corallina officinalis extract, curcuma longa (turmeric) root extract, ethylhexylglycerin, glyceryl monostearate SE, melaleuca alternifolia (tea tree) leaf oil, melia azadirachta flower extract, melia azadirachta leaf extract, ocimum basilicum (basil) flower/leaf extract, ocimum sanctum (holy basil) leaf extract, polysorbate 20, solanum melongena (eggplant) fruit extract, sorbitan stearate, stearic acid, triethanolamine, water

Melaleuca, Inc.
Idaho Falls, ID 83402
208-534-3000 • Melaleuca,com
Made in the USA with thoughtfully
selected globally sourced ingredients
N° 184 08/22 U
NOT FOR RESALE



ORIGINAL PAIN-A-TRATE PAIN-RELIEVING CREAM

camphor and menthol and methyl salicylate cream

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54473-335	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	32.5 mg in 1 g	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	15 mg in 1 g	
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:0414PZ4LPZ)	METHYL SALICYLATE	150 mg in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
AZADIRACHTA INDICA FLOWER (UNII: 3TE8A92UPM)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
SORBITAN MONOSTEARATE (UNII: NVZ 4I0H58X)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
TEA TREE OIL (UNII: VIF565UC2G)	
COCCINIA GRANDIS FRUIT (UNII: VLJ6WOT3K5)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CORALLINA OFFICINALIS (UNII: 4004498D06)	
CURCUMA LONGA WHOLE (UNII: W5488JUO8U)	
OCIMUM BASILICUM FLOWERING TOP (UNII: 7SAB275FP2)	
OCIMUM GRATISSIMUM LEAF OIL (UNII: AVG2506KDV)	
TROLAMINE (UNII: 903K93S3TK)	
SODIUM COPPER CHLOROPHYLLIN A (UNII: VAC44EX123)	
AZADIRACHTA INDICA LEAF (UNII: HKY915780T)	
SOLANUM MELONGENA WHOLE (UNII: 5DS5EE0N93)	
ALOE VERA FLOWER (UNII: 575DY8C1ER)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	

Product Characteristics				
Color	Score			
Shape	Size			
Flavor	Imprint Code			
Contains				

Packaging			
# Itom Codo	Packago Doccrintion	Marketing Start	Marketing End

# Item Code	Раскаде резсприон	Date	Date
1 NDC:54473-335-	85 g in 1 TUBE; Type 0: Not a Combination Product	10/01/2021	



Drug Facts

Active ingredients	Purpose
Methyl salicylate 15%	Topical analgesic
Camphor 3.25%	Topical analgesic
Menthol 1,5%	Topical analgesic

Indications For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises, and sprains. Provides penetrating pain relief.

Warnings For external use only

Do not use ■ on wounds or damaged skin ■ with a heating pad ■ on a child under 12 years of age with arthritis-like conditions

Ask a doctor before use if you have redness over the affected area

When using this product = avoid contact with eyes or mucous membranes = do not bandage tightly

Stop use and ask a doctor if a condition worsens or symptoms persist for more than 7 days symptoms clear up and occur again within a few days excessive skin irritation occurs

Keep out of reach of children to avoid accidental ingestion.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply to affected area with gentle massage
- do not apply more than 3 to 4 times daily

Other information do not store above 95°F (35°C)

Inactive ingredients acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis flower extract, benzyl alcohol, cetyl alcohol, chlorophyllin-copper complex, coccinia indica fruit extract, corallina officinalis extract, curcuma longa (turmeric) root extract, ethylhexylglycerin, glyceryl monostearate SE, melaleuca alternifolia (tea tree) leaf oil, melia azadirachta flower extract, melia azadirachta leaf extract, ocimum basilicum (basil) flower/leaf extract, ocimum sanctum (holy basil) leaf extract, polysorbate 20, solanum melongena (eggplant) fruit extract, sorbitan stearate, stearic acid, triethanolamine, water

Melaleuca, Inc.
Idaho Falls, ID 83402
208-534-3000 • Melaleuca,com
Made in the USA with thoughtfully
selected globally sourced ingredients
N° 184 08/22 U
NOT FOR RESALE



Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	10/01/2021	

Labeler - Melaleuca, Inc. (139760102)

Establishment			
Name	Address	ID/FEI	Business Operations
Melaleuca, Inc		079711683	manufacture(54473-335)

Revised: 5/2024 Melaleuca, Inc.