# MENSTRUAL RELIEF - acetaminophen, caffeine, pyrilamine tablet Velocity Pharma

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Acetaminophen, Caffeine, Diuretic, Pyrilamine Maleate, Antihistamine

## **Active Ingredient**

(in each caplet)

Acetaminophen 500 mg

Caffeine 60 mg

Pyrilamine Maleate 15 mg

#### **Purpose**

Pain Reliever

Diuretic

Antihistamine

#### Uses

For the temporary relief of these symptoms associated with menstrual periods:

- Cramps
- Bloating
- Water-weight gain
- Headache
- Backache
- Muscle aches
- Fatigue

#### Warnings

#### SEE BOTTLE FOR ADDITIONAL WARNINGS AND PRODUCT INFORMATION.

**Liver Warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- More than 6 caplets in 24 hours, which is the maximum daily amount for this product
- With other drug containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

#### Do not use:

- With any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- If you have ever had an allergic reaction to this product or any of its ingredients.

## Ask a doctor before use if you have:

- Liver disease
- Glaucoma
- Difficulty in urination due to enlargement of the prostate gland

• A breathing problem such as emphysema or chronic bronchitis

### Ask a doctor or pharmacist before use if you are:

- Taking the blood thinning drug warfarin
- Taking sedatives or tranquilizers

#### When using this product:

- You may get drowsy
- Avoid alcoholic drinks
- Excitability may occur, especially in children
- Alcohol, sedatives, and tranquilizers may increase drowsiness
- Be careful when driving a motor vehicle or operating machinery
- Limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heartbeat. The recommended dose of this product contains as a cup of coffee.

## Stop use and ask a doctor if:

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

**If pregnant or breast feeding** ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### Directions

Do not take more than the recommended dose

- Adults and Children 12 years and older:
- take 2 caplets with water
- repeat every 6 hours, as needed
- do not exceed 6 caplets per day
- Children under 12 years: ask a doctor.

#### Other Information

• Store at a controlled temperature between 62 and 77 degrees F

#### **Inactive Ingredients**

Carnauba wax, croscarmellose sodium, FD&C blue #2 aluminum lake, hypromellose, magnesium stearate, micro-crystalline cellulose, pregelatinized starch, propylene glycol, shellac, titanium dioxide, triacetin

#### Questions?

Call 1-855-314-1850

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Distributed by: Velocity Pharma LLC

## PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



Do not use if imprinted safety seal under cap is broken or missing.

## **Drug Facts**

# Active ingredient (in each caplet)

## **Purpose**

Acetaminophen 500 mg...... Pain reliever Caffeine 60mg. ..... Diuretic Pyrilamine maleate 15 mg. ..... Antihistamine

#### Uses:

for the temporary relief of these symptom associated with menstrual periods.

- cramps bloating water weight gain
- headache backache muscle aches
- fatigue

## Warnings:

Keep outer carton for complete warnings and product information.

- Liver Warning Do not Use Ask a Doctor Before Using ■ Ask a Pharmacist Before Using
- When Using This Product Stop Use and Ask a Doctor if ■ If Pregnant ■ Keep Out of Reach of Children.

**Directions:** Do not take more than the recommended dose

# Adults and children 12 years or older:

- take 2 caplets with water
- repeat every 6 hours as needed
- do not exceed 2 caplets per day.

Children under 12 years: ask a doctor.

Distributed by **VELOCITY PHARMA LLC** 226 B Sherwood Avenue Farmingdale, NY 11735

99MR20CTL

# **Drug Facts** (continued)

# Ask a doctor before use if you have:

- liver disease
- daucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

# Ask a doctor or pharmacist before use if you are:

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

# When using this product:

- you may get drowsy
- avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

# Drug Facts (continued)

## Stop use and ask a doctor if:

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

If pregnant or breast-feeding ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any sions or symptoms.

Inactive Ingredients: camauba wax, croscarmellose sodium, FD&C blue #2 aluminum lake, hypromellose, magnesium stearate, micro- crystalline cellulose, pregelatinized starch, propy-lene glycol, shellac, titanium dioxide, triacetin.

**Directions** Do not take more than the recommended dose

- Adults and children 12 years and older:
- take 2 caplets with water
- repeat every 6 hours, as needed
- do not exceed 6 caplets per day
- Children under 12 years: ask a doctor.

Questions or Comments? 1-855-314-1850

Acetaminophen, Pyrilamine Male Maleate, Caffeine, T Antih orm

istamine Diuretic, 0

0

CAPLETS

# Drug Facts

Compare to the active ingredient in Midol®

# Active ingredients (in each caplet)

Purpose Acetaminophen 500 mg..... Pain reliever

Caffeine 60 mg. Diuretic Pyrilamine maleate 15 mg., Antihistamine

**Uses** for the temporary relief of these symptoms associated with menstrual periods: ■ cramps ■ bloating

■ water-weight gain ■ headache

■ backache ■ muscle aches ■ fatioue

# Warnings SEE BOTTLE FOR ADDITIONAL WARNINGS AND PRODUCT INFORMATION.

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 6 caplets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

# Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients.

NDC: 76168-064-03 -20 COUNT

Enteric Coated to help prevent upset stomach

## MENSTRUAL RELIEF

acetaminophen,caffeine,pyrilamine tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76168-064
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	500 mg	
CAFFEINE (UNII: 3G6 A5W338E) (CAFFEINE - UNII:3G6 A5W338E)	CAFFEINE	60 mg	
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg	

Inactive Ingredients	
Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0 EIZ)	
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULO SE, MICRO CRYSTALLINE (UNII: OP1R32D61U)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46 N107B710)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics			
Color	WHITE	Score	no score
Shape	CAPSULE	Size	17mm
Flavor		Imprint Code	СН
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:76168-064-03	20 in 1 BOTTLE		
1	1 in 1 CARTON		

Marketing Inform	mation		
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	05/01/2013	

# Labeler - Velocity Pharma (962198409)

# Registrant - Velocity Pharma (962198409)

Revised: 10/2013 Velocity Pharma