

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
14W- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
22W- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
26W- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
12C- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
20W- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
10N- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
24N- homosalate, titanium dioxide, zinc oxide lotion
POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN
16C- homosalate, titanium dioxide, zinc oxide lotion
Rare Beauty, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Positive Light Tinted Moisturizer Broad Spectrum SPF 20 Sunscreen

Drug Facts

Active ingredients

Homosalate 9.0%

Titanium Dioxide 1.8%

Zinc Oxide 0.9%

Purpose

Sunscreen

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs

and ask a doctor if a rash occurs.

Keep out of reach of children.

If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentylidol, Sorbitol, Tocopheryl Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/Vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Disteardimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Other Information

Protect the product in this container from excessive heat and direct sun.

Questions?

Call **1-888-892-7273**

Monday-Friday, 7am-4pm PST

Company Information

Dist. By Rare Beauty, LLC

El Segundo, CA 90245

Made in Italy

www.rarebeauty.com

10N

BACK

Drug Facts	Purpose
Active ingredients Homosalate 9.0% Titanium Dioxide 1.8% Zinc Oxide 0.9%	Sunscreen
Uses • Helps prevent sunburn	
Warnings For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use if irritation occurs and ask a doctor if a rash occurs. Keep out of reach of children. If swallowed, get medical help right away.	Other Information Protect the product in this container from excessive heat and direct sun.
Directions • Apply liberally and evenly 15 minutes before sun exposure. • Children under 6 months of age: Ask doctor. • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	Questions? Call 1-888-892-7273 Monday-Friday, 7am-4pm PST
Inactive Ingredients Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzzoate, Isododecane, Cetyl PEG/PG-10/4 Dimethicone, Isopentylidol, Sorbitol, Tocopherol Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/Vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, DisodiumDimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, <i>Helianthus Annuus</i> (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, <i>Gardenia Florida</i> Fruit Extract, <i>Nelumbo Nucifera</i> Flower Extract, <i>Nymphaea Odorata</i> Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)	No. 404 <AI004>

FRONT

**Positive Light
Tinted Moisturizer**


BROAD SPECTRUM SPF 20 SUNSCREEN


Rare Beauty
1 $\frac{3}{16}$ 1 $\frac{1}{4}$


RECYCLE

DIST. BY RARE BEAUTY, LLC
El Segundo, CA 90245
Made in Italy
www.rarebeauty.com

FSC  MIX
Packaging from
responsible sources
FSC® C125426 







14W

Drug Facts

Active ingredients BACK Sunscreen
 Homosalate 9.0%
 Titanium Dioxide 1.8%
 Zinc Oxide 0.9%

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.
 Rinse with water to remove.

Stop use if irritation occurs and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children, under 6 months of age: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzene, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentylidol, Sorbitol, Tocopheryl Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Distearidimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)**Other Information**

Protect the product in this container from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
 Monday-Friday, 7am-4pm PST

<AI004>

Positive Light Tinted Moisturizer

BROAD SPECTRUM SPF 20 SUNSCREEN

No. FRONT

A weightless tinted moisturizer that instantly blurs and hydrates skin with light to medium coverage and a natural finish.

Rare Beauty
1 1/4

1 3/16
1.0 fl. oz. / 30 mL


1 3/16



MIX
 Packaging from
 responsible sources
 FSC® C125426



Dist. By Rare Beauty, LLC
 El Segundo, CA 90245
 Made in Italy
www.rarebeauty.com



Drug Facts

Active ingredients BACK Purpose
Homosalate 9.0% Sunscreen
Titanium Dioxide 1.8%
Zinc Oxide 0.9%

Uses
• Helps prevent sunburn

Warnings
For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use if irritation occurs and ask a doctor if a rash occurs.
Keep out of reach of children. If swallowed, get medical help right away.

Directions
• Apply liberally and evenly 15 minutes before sun exposure.
• Children under 6 months of age: Ask a doctor.
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients
Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentylidol, Sorbitol, Tocopherol Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Diisostearamonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)

Other Information
Protect the product in this container from excessive heat and direct sun.

Questions?
Call 1-888-892-7273
Monday-Friday, 7am-4pm PST
<AI004>

No. FRONT BACK

POSITIVE Light Tinted Moisturizer

BROAD SPECTRUM SPF 20 SUNSCREEN


Rare Beauty
1 3/16 1 1/4

MIX
Packaging from
responsible sources
FSC® C125426




Dist. By Rare Beauty, LLC
El Segundo, CA 90245
Made in Italy
www.rarebeauty.com



20W

<p>Drug Facts</p> <p>Active ingredients BACK Purpose Homosalate 9.0% Sunscreen Titanium Dioxide 1.8% Zinc Oxide 0.9%</p> <p>Uses • Helps prevent sunburn</p> <p>Warnings For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use if irritation occurs and ask a doctor if a rash occurs. Keep out of reach of children. If swallowed, get medical help right away.</p> <p>Directions • Apply liberally and evenly 15 minutes before sun exposure. • Children under 6 months of age: Ask a doctor. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses</p> <p>Inactive Ingredients Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzozate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentylidol, Sorbitol, Tocopherol Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Distearidimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylcitane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)</p>	<p>Drug Facts (continued)</p> <p>Other Information Protect the product in this container from excessive heat and direct sun.</p> <p>Questions? Call 1-888-892-7273 Monday-Friday, 7am-4pm PST</p> <p><AI004></p>	<p>FRONT</p> <p>POSITIVE LIGHT Tinted Moisturizer</p> <p>BROAD SPECTRUM SPF 20 SUNSCREEN</p> <p>No. 20W</p> <p>A weightless tinted moisturizer that instantly plumps and hydrates skin with light to medium coverage and a natural finish.</p> <p>Rare Beauty 1 3/16 1 1/4</p> <p>MIX Packaging from responsible sources FSC® C125426</p> <p> </p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



22W

Drug Facts

Active ingredients **PACK** **Purpose**
 Homosalate 9.0% Sunscreen
 Titanium Dioxide 1.8%
 Zinc Oxide 0.9%

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use if irritation occurs and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.

Children under 6 months of age: Ask a doctor.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentylidol, Sorbitol, Tocopherol Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/Vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Disodium Monoglyceride, Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)**Other Information**

Protect the product in this container from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
 Monday-Friday, 7am-4pm PST

<AI004>


FRONT
POSITIVE LIGHT
Tinted Moisturizer
BROAD SPECTRUM SPF 20 SUNSCREEN
 No. **244**

A weightless tinted moisturizer that instantly blurs and hydrates skin with light-to-medium coverage and a natural finish.

Rare Beauty
1 3/16
1 1/4
 1.0 fl. oz. / 30 mL



Dist. By Rare Beauty, LLC
 El Segundo, CA 90245
 Made in Italy
www.rarebeauty.com



Drug Facts

Active ingredients **PACK** Purpose
 Homosalate 9.0% Sunscreen
 Titanium Dioxide 1.8%
 Zinc Oxide 0.9%

Uses

- Helps prevent sunburn

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.
Rinse with water to remove.

Stop use if irritation occurs and ask a doctor if a rash occurs.

Keep out of reach of children. If swallowed, get medical help right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
Children under 6 months of age:
Ask a doctor.
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water/Aqua, Dimethicone, Talc, C12-15 Alkyl Benzoate, Isododecane, Cetyl PEG/PPG-10/1 Dimethicone, Isopentylidol, Sorbitol, Tocopherol Acetate, Phenoxyethanol, Sodium Chloride, Dimethicone/Vinyl Dimethicone Crosspolymer, Magnesium Sulfate, Sodium Dehydroacetate, Hydrogen Dimethicone, Potassium Sorbate, Disodium Dimonium Hectorite, Lecithin, Benzoic Acid, Aluminum Hydroxide, Alumina, Dehydroacetic Acid, Propylene Carbonate, Helianthus Annuus (Sunflower) Seed Oil, Triethoxycaprylylsilane, Tocopherol, Ethylhexylglycerin, Ascorbyl Palmitate, Citric Acid, Gardenia Florida Fruit Extract, Nelumbo Nucifera Flower Extract, Nymphaea Odorata Root Extract, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)

Drug Facts (continued)**Other Information**

Protect the product in this container from excessive heat and direct sun.

Questions?

Call 1-888-892-7273
Monday-Friday, 7am-4pm PST

<AI004>


FRONT
POSITIVE Light
Tinted Moisturizer
BROAD SPECTRUM SPF 20 SUNSCREEN
 No. **FRM**
 A weightless tinted moisturizer that instantly blurs and hydrates skin with light to medium coverage and a natural finish.


Rare Beauty
 1 3/16
 1.0 fl. oz. / 30 mL


1 1/4



Dist. By Rare Beauty, LLC
El Segundo, CA 90245
Made in Italy
www.rarebeauty.com







POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 14W

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-102
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI2606933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKNOB0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-102-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	------------------------------------------	----------------------	--------------------

OTC monograph not final	part352	03/30/2022	
-------------------------	---------	------------	--

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 22W

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-105
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKNOB0MIM)	
WATER (UNII: 059QF0KOOR)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	

ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSOFERRIC OXIDE (UNII: XM0M87F357)
TALC (UNII: 7SEV7J4R1U)
ISODODECANE (UNII: A8289P68Y2)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-105-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 26W

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-107
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)

DIMETHICONE/VINYL DIMETHICONE CROSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)

MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)

SODIUM DEHYDROACETATE (UNII: 8W46YN971G)

SUNFLOWER OIL (UNII: 3W1JG795YI)

NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)

FERRIC OXIDE RED (UNII: 1K09F3G675)

DIMETHICONE (UNII: 92RU3N3Y1O)

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)

ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)

ALUMINUM OXIDE (UNII: LMI26O6933)

PROPYLENE CARBONATE (UNII: 8D08K3S51E)

SORBITOL (UNII: 506T60A25R)

ISOPENTYLDIOL (UNII: 19NOL5474Q)

PHENOXYETHANOL (UNII: HIE492ZZ3T)

SODIUM CHLORIDE (UNII: 451W47IQ8X)

HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)

POTASSIUM SORBATE (UNII: 1VPU26JZZ4)

BENZOIC ACID (UNII: 8SKN0B0MIM)

WATER (UNII: 059QF0KO0R)

DEHYDROACETIC ACID (UNII: 2KAG279R6R)

TOCOPHEROL (UNII: R0ZB2556P8)

ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)

ASCORBYL PALMITATE (UNII: QN83US2B0N)

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)

GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)

NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)

FERROSOFERRIC OXIDE (UNII: XM0M87F357)

TALC (UNII: 7SEV7J4R1U)

ISODODECANE (UNII: A8289P68Y2)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-107-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 12C

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-101
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLDIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKNOB0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	

NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)

FERRIC OXIDE YELLOW (UNII: EX438O2MRT)

FERROSOFERRIC OXIDE (UNII: XM0M87F357)

TALC (UNII: 7SEV7J4R1U)

ISODODECANE (UNII: A8289P68Y2)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-101-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 20W

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-104
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	

SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
SUNFLOWER OIL (UNII: 3W1JG795YI)
NELUMBO NUCIFERA FLOWER (UNII: 61WB22NLDV)
FERRIC OXIDE RED (UNII: 1K09F3G675)
DIMETHICONE (UNII: 92RU3N3Y1O)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
ALUMINUM OXIDE (UNII: LMI26O6933)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
SORBITOL (UNII: 506T60A25R)
ISOPENTYL DIOL (UNII: 19NOL5474Q)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
BENZOIC ACID (UNII: 8SKNOB0MIM)
WATER (UNII: 059QF0KO0R)
DEHYDROACETIC ACID (UNII: 2KAG279R6R)
TOCOPHEROL (UNII: R0ZB2556P8)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSOFERRIC OXIDE (UNII: XM0M87F357)
TALC (UNII: 7SEV7J4R1U)
ISODODECANE (UNII: A8289P68Y2)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-104-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 10N

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-100
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61WB22NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYLIDOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKNOB0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-100-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 24N

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-106
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

DIMETHICONE (UNII: 92RU3N3Y1O)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
ALUMINUM OXIDE (UNII: LMI26O6933)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
SORBITOL (UNII: 506T60A25R)
ISOPENTYL DIOL (UNII: 19NOL5474Q)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
BENZOIC ACID (UNII: 8SKN0B0MIM)
WATER (UNII: 059QF0KO0R)
DEHYDROACETIC ACID (UNII: 2KAG279R6R)
TOCOPHEROL (UNII: R0ZB2556P8)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
ASCORBYL PALMITATE (UNII: QN83US2B0N)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSOFERRIC OXIDE (UNII: XM0M87F357)
TALC (UNII: 7SEV7J4R1U)
ISODODECANE (UNII: A8289P68Y2)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-106-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/30/2022	

POSITIVE LIGHT TINTED MOISTURIZER BROAD SPECTRUM SPF 20 SUNSCREEN 16C

homosalate, titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82109-103
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	18 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE/VINYL DIMETHICONE CROSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
NELUMBO NUCIFERA FLOWER (UNII: 61WB22NLDV)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
SORBITOL (UNII: 506T60A25R)	
ISOPENTYL DIOL (UNII: 19NOL5474Q)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
WATER (UNII: 059QF0KO0R)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
TOCOPHEROL (UNII: R0ZB2556P8)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GARDENIA JASMINOIDES FRUIT (UNII: 7CTH8MD549)	
NYMPHAEA ODORATA ROOT (UNII: 69RAZ4C432)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82109-103-01	1 in 1 CARTON	03/30/2022	
1		30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/30/2022	

Labeler - Rare Beauty, LLC (117041437)

Revised: 10/2022

Rare Beauty, LLC