

**ACETAMINOPHEN PM EXTRA STRENGTH- acetaminophen, diphenhydramine
hcl tablet, coated
Sam's West Inc**

Members Mark 44-556

Active ingredients (in each gelcap)

Acetaminophen 500 mg
Diphenhydramine HCl 25 mg

Purpose

Pain reliever
Nighttime sleep-aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- with other drugs containing acetaminophen
- more than 4,000 mg of acetaminophen in 24 hours
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- drowsiness will occur
- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 gelcaps at bedtime
 - do not take more than 2 gelcaps of this product in 24 hours
- children under 12 years: do not use

Other information

- use by expiration date on package
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- avoid high humidity

Inactive ingredients

ammonium hydroxide, colloidal silicon dioxide, croscarmellose sodium, FD&C blue #1,

FD&C red #3, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, simethicone, stearic acid, titanium dioxide

Principal Display Panel

**Compare to Extra Strength
Tylenol® PM active ingredients***

**Member's Mark®
QUALITY GUARANTEED**

NDC 68196-556-54

extra strength

acetaminophen pm
acetaminophen 500 mg/
pain reliever
diphenhydramine HCl 25 mg/
nighttime sleep aid

- Relieves headache, minor aches
& pains accompanied
by sleeplessness

actual size

**375
Gelcaps**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by
Johnson & Johnson Corporation, owner of the registered
trademark Extra Strength Tylenol® PM.
50844 REV0322B55654

DISTRIBUTED BY: SAM'S WEST, INC., BENTONVILLE, AR 72716

100% MONEY BACK GUARANTEE
SUPERIOR QUALITY AND PERFORMANCE

we would like to hear from you with any comments or suggestions.
In the continental U.S. or Canada, you can call us at 1-800-426-9391
from 8:30 a.m. to 4:00 p.m. EST Monday-Friday.

Drug Facts (continued)

When using this product ■ drowsiness will occur ■ avoid alcoholic beverages
■ do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if ■ sleeplessness persists continuously for more than 2 weeks.
Insomnia may be a symptom of a serious underlying medical illness.
■ pain gets worse or lasts more than 10 days ■ new symptoms occur
■ fever gets worse or lasts more than 3 days ■ redness or swelling is present
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ do not take more than directed
■ adults and children 12 years and over
■ take 2 gelcaps at bedtime ■ do not take more than 2 gelcaps of this product in 24 hours
■ children under 12 years: do not use

Other information ■ use by expiration date on package ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ avoid high humidity

Inactive Ingredients ammonium hydroxide, colloidal silicon dioxide, croscarmellose sodium, FD&C blue #1, FD&C red #3, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, simethicone, stearic acid, titanium dioxide

No Print/No Varnish Area
Lot no/Exp date

100% MONEY BACK GUARANTEE
SUPERIOR QUALITY AND PERFORMANCE
We would like to hear from you with any comments or suggestions.
In the continental U.S. or Canada, you can call us at 1-800-426-9391
from 8:30 a.m. to 4:00 p.m. EST Monday-Friday.



Compare to Extra Strength
Tylenol® PM active ingredients*



NDC 68196-556-54



actual size

extra strength
acetaminophen pm
acetaminophen 500 mg/
diphenhydramine HCl 25 mg/
pain reliever
nighttime sleep aid

• Relieves headache, minor aches
& pains accompanied
by sleeplessness

375
Gelcaps



0 78742 09585 1

*This product is not manufactured or distributed by
Johnson & Johnson Corporation, owner of the registered
trademark Extra Strength Tylenol® PM.
50844 RE03285654
DISTRIBUTED BY: S&W'S WEST, INC., BENTONVILLE, AR 72716

Drug Facts

TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Active ingredients (in each gelcap) Purpose
Acetaminophen 500 mg Pain reliever
Diphenhydramine HCl 25 mg Nighttime sleep-aid

Uses temporary relief of occasional headaches and minor aches and pains
with accompanying sleeplessness

Warnings
Liver warnings: This product contains acetaminophen. Severe liver damage
may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours
■ with other drugs containing acetaminophen
■ 3 or more alcoholic drinks every day while using this product
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms
may include: ■ skin reddening ■ hives ■ rash
If a skin reaction occurs, stop use and seek medical help right away.
Do not use ■ with any other drug containing acetaminophen (prescription
or nonprescription). If you are not sure whether a drug contains
acetaminophen, ask a doctor or pharmacist.
■ with any other product containing diphenhydramine, even one used on
skin ■ in children under 12 years of age
■ if you have ever had an allergic reaction to this product or any of its
ingredients
Ask a doctor before use if you have ■ liver disease ■ glaucoma
■ a breathing problem such as emphysema or chronic bronchitis
■ difficulty in urination due to enlargement of the prostate gland
Ask a doctor or pharmacist before use if you are ■ taking the blood
thinning drug warfarin ■ taking sedatives or tranquilizers

Members Mark 44-556

ACETAMINOPHEN PM EXTRA STRENGTH

acetaminophen, diphenhydramine hcl tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68196-556
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
AMMONIA (UNII: 5138Q19F1X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

SHELLAC (UNII: 46N107B71O)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	blue (light blue) , blue (dark blue)	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	L;6
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68196-556-54	375 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/17/2007	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/17/2007	

Labeler - Sam's West Inc (051957769)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(68196-556) , pack(68196-556)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(68196-556)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(68196-556)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(68196-556)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(68196-556)

