

REZAMID- sulfur and resorcinol lotion
Summers Laboratories Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

SULFUR 5%

RESORCINOL 2%

PURPOSE

ACNE TREATMENT LOTION

USE

DRIES UP ACNE PIMPLES, HELPS PREVENT NEW PIMPLES

WARNINGS

- FOR EXTERNAL USE ONLY

DO NOT USE

- ON BROKEN SKIN
- ON LARGE AREAS OF THE BODY

WHEN USING THIS PRODUCT

- APPLY TO AFFECTED AREAS ONLY
- DO NOT GET INTO EYES
- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time

STOP USE AND ASK A DOCTOR IF

- IF SKIN IRRITATION OCCURS OR GETS WORSE

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

Directions

- shake very well before using
- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day

Inactive ingredients

water, SD-40 alcohol 28%, zinc oxide, talc, titanium dioxide, propylene glycol, attapulgate, lauramide DEA, iron oxides, sodium bisulfite, PEG-8 laurate, parachlorometaxyleneol, hydroxyethylcellulose, sodium chloride, sodium polynaphthalene sulfonate, EDTA, methyl paraben, xanthan gum, butylparaben, fragrance, simethicone.



REZAMID

sulfur and resorcinol lotion

Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:11086-022
Route of Administration	TOPICAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SULFUR (SULFUR)	SULFUR	5 g in 100 mL
RESORCINOL (RESORCINOL)	RESORCINOL	2 in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER	
ALCOHOL	28 mL in 100 mL
ZINC OXIDE	
TALC	
TITANIUM DIOXIDE	
PROPYLENE GLYCOL	
ATTAPULGITE	
LAURIC DIETHANOLAMIDE	
FERRIC OXIDE RED	
SODIUM BISULFITE	
PEG-8 LAURATE	
CHLOROXYLENOL	
HYDROXYETHYL CELLULOSE (140 MPAS AT 5%)	
SODIUM CHLORIDE	
SODIUM NAPHTHALENESULFONATE	
EDETIC ACID	
METHYL PARABEN	
XANTHAN GUM	
BUTYL PARABEN	
DIMETHICONE	
SILICON	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11086-022-11	1 in 1 BOX		
1	NDC:11086-022-01	56.7 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	10/30/2013	

Labeler - Summers Laboratories Inc (002382612)

Establishment

Name	Address	ID/FEI	Business Operations
Summers Laboratories Inc		002382612	manufacture(11086-022), pack(11086-022)