MALE GENITAL DESENSITIZER STUD 100- lidocane spray, metered Pound International Corp

Stud 100 Male Desensitizer

Active Ingredient Purpose

Lidocaine Base 9.6% w/w (approximately 10 mg per spray)

Topical Anesthetic

Use

temporarily reduces sensitivity of the penis, which helps to delay ejaculation in cases of over-rapid or premature ejaculation (coming to a climax too quickly)

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Stop and consult a doctor

if you or your partner develop a rash or irritation, such as burning or itching

if you do feel unwell or have any unpleasant effects after using the spray

If this product, used as directed, does not provide relief. Premature ejaculation may be due to a condition requiring medical supervision

Warnings

For external use only

Allergy alert: do not use this product if you or your partner are allergic (sensitive) to local Anesthetics.

Do not use - on broken or inflamed skin -if your partner is pregnant

Ask a doctor before use if you have, or ever had, liver or kidney problems

Ask a doctor or pharmacist before use if you are already taking prescribed drugs when using this product

- do not get into eyes
- do not inhale
- do not exceed 24 sprays in 24 hours

Directions

- -apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse, or as directed by a doctor
- -wash product after intercourse
- -correct quantity and time of application will be determined by individual requirements and you should always use the minimum effective quantity

Inactive Ingredients


Fragrance, isopropyl myristate, solvent, stearic acid

Stud 100 Male Genital Desensitizer Spray The Delay Spray for Men

Active ingredient

Lidocaine Base USP

9.6% w/w 7/16 fl. oz





STUD 100 Male Genital Desensitizer

Lidocaine 9.6% w/w 7/16 FL.OZ. Helps to Delay Ejaculation

Active learnedient: Purpose:
Lidocaine 86% Topical
lagorox. Idon ger sproy) Anesthetic
Juses for reducing over-sensitivity in the male in
advance of intercourse. Helps in the prevention
of over-rapid or premature is aculation.
Warnings: SEE SEPARATE WARNINGS
AND INSTRUCTION LEAFLET.
Do Nort Use this product if you or your partner
are allergic Issensitive) to local anesthetics.
If swallowed get medical help right away,
Do Not puncture or incinerate can.
KEEP OUT OF REACH OF CHILDREN.
FOR EXTERNAL USE OUT.
Visual product off after intercourse.
Made in the UK for Pound International Lid.,
Caste Keep, High Stent, Decidings, Oxforchian.
CMS GS, Engiero
CMSSOS.
SW 1st Avenue, Suite 1018, Purtland, Oregon 97/201, USA

base

MALE GENITAL DESENSITIZER STUD 100

lidocane spray, metered

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:57707-050

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) LIDOCAINE 9.6 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength

ISOPROPYL MYRISTATE (UNII: ORE8K4LNJS)

STEARIC ACID (UNII: 4ELV7Z65AP)

Packaging

r dekaging						
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:57707- 050-02	1 in 1 CARTON	03/13/2013			
1	NDC:57707- 050-01	12.5 mL in 1 CAN; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)				

Marketing Information

Marketing information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M017	03/13/2013			

Labeler - Pound International Corp (802685065)

Revised: 1/2024 Pound International Corp