

**MALE GENITAL DESENSITIZER STUD 100- lidocaine spray, metered
Pound International Corp**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Stud 100 Male Desensitizer

Active Ingredient

Lidocaine Base 9.6% w/w (approximately 10 mg per spray)

Purpose

Topical Anesthetic

Use

temporarily reduces sensitivity of the penis, which helps to delay ejaculation in cases of over-rapid or premature ejaculation (coming to a climax too quickly)

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Stop and consult a doctor

if you or your partner develop a rash or irritation, such as burning or itching

if you do not feel unwell or have any unpleasant effects after using the spray

If this product, used as directed, does not provide relief. Premature ejaculation may be due to a condition requiring medical supervision

Warnings

For external use only

Allergy alert: do not use this product if you or your partner are allergic (sensitive) to local Anesthetics.

Do not use - on broken or inflamed skin -if your partner is pregnant

Ask a doctor before use if you have, or ever had, liver or kidney problems

Ask a doctor or pharmacist before use if you are already taking prescribed drugs when using this product

- do not get into eyes

- do not inhale

- do not exceed 24 sprays in 24 hours

Directions

-apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse, or as directed by a doctor

-wash product after intercourse

-correct quantity and time of application will be determined by individual requirements and you should always use the minimum effective quantity

Inactive Ingredients

Fragrance, isopropyl myristate, solvent, stearic acid

STUD 100
Male Genital
Desensitizer Spray

BN:
EXP:

Drug Facts

Active Ingredient

Lidocaine Base USP 9.6% w/w
(approximately 10 mg per spray)

Purpose

Topical Anesthetic

Use temporarily reduces sensitivity of the penis, which helps to delay ejaculation in cases of over-rapid or premature ejaculation (coming to a climax too quickly)

Warnings

For external use only.

Allergy alert: do not use this product if you or your partner are allergic (sensitive) to local anesthetics

Do not use • on broken or inflamed skin • if your partner is pregnant

Ask a doctor before use if you have, or have had, liver or kidney problems

Ask a doctor or pharmacist before use if you are already taking prescribed drugs

When using this product

- do not get into eyes
- do not inhale
- do not exceed a maximum of 24 sprays in 24 hours.

Stop use and consult a doctor

- if you or your partner develop a rash or irritation, such as burning or itching
- if you do feel unwell or have any unpleasant effects after using the spray
- if this product, used as directed, does not provide relief. Premature ejaculation may be due to a condition requiring medical supervision

Keep out of reach of children. If swallowed get medical help or contact a Poison Control. Center right away

Directions

- apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse, or use as directed by a doctor
- wash product off after intercourse
- correct quantity and time of application will be determined by individual requirements and you should always use the minimum effective quantity

Other information

• this product is fitted with a Child Resistant Cap - insert key or coin, twist it to flip top open. • Store below 25°C (77°F).

Inactive ingredients Fragrance, isopropyl myristate, solvent, stearic acid

Questions? +1 971 255 1185 Monday to Friday, 9am to 5pm.

4093F



MANUFACTURED IN THE UK

VARNISH FREE



STUD
100

US Distributor
Pound Int'l. Corp.,
1500 SW 1st Ave.,
Suite 1018, Portland,
Oregon 97201,
U.S.A

Made in the UK for:
Pound Int'l. Ltd.,
109 Baker St.,
London W1U 6RP,
UK

Helps to
Delay
Ejaculation

www.stud100.com

STUD 100[®]

Male Genital Desensitizer Spray

The
Delay
Spray
for Men

Active
Ingredient:
Lidocaine
Base USP
9.6% w/w
7/16 fl. oz.

ESPAÑOL: Encontrará instrucciones
completas en el inserto adjunto



STUD
100

Helps in cases
of over-rapid
or premature
ejaculation
Pre-measured
metered pump
spray for topical
application –
contains NO CFCs
Active Ingredient:
Lidocaine Base USP
9.6% w/w

Helps to
Delay
Ejaculation

www.stud100.com

STUD 100[®]
Male Genital
Desensitizer Spray

BN:
EXP:

Drug Facts

Active Ingredient

Lidocaine Base USP 9.6% w/w
(approximately 10 mg per spray)

Purpose

Topical Anesthetic

Use temporarily reduces sensitivity of the penis, which helps to delay ejaculation in cases of over-rapid or premature ejaculation (coming to a climax too quickly)

Warnings

For external use only.

Allergy alert: do not use this product if you or your partner are allergic (sensitive) to local anesthetics

Do not use • on broken or inflamed skin • if your partner is pregnant

Ask a doctor before use if you have, or have had, liver or kidney problems

Ask a doctor or pharmacist before use if you are already taking prescribed drugs

When using this product

- do not get into eyes
- do not inhale
- do not exceed a maximum of 24 sprays in 24 hours.

Stop use and consult a doctor

- if you or your partner develop a rash or irritation, such as burning or itching
- if you do feel unwell or have any unpleasant effects after using the spray
- if this product, used as directed, does not provide relief. Premature ejaculation may be due to a condition requiring medical supervision

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away

Directions

- apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse, or use as directed by a doctor
- wash product off after intercourse
- correct quantity and time of application will be determined by individual requirements and you should always use the minimum effective quantity

Other information

- this product is fitted with a Child Resistant Cap - insert key or coin, twist it to flip top open.
- Store below 25°C (77°F).

Inactive ingredients

Fragrance, isopropyl myristate, solvent, stearic acid

Questions? +1 971 255 1185 Monday to Friday, 9am to 5pm.

4093E



MANUFACTURED IN THE UK



STUD 100[®]

US Distributor
Pound Int'l. Corp.,
1500 SW 1st Ave.,
Suite 1018, Portland,
Oregon 97201,
U.S.A

Made in the UK for:
Pound Int'l. Ltd.,
109 Baker St.,
London W1U 6RP,
UK

**Helps to
Delay
Ejaculation**

www.stud100.com

STUD 100[®]

Male Genital Desensitizer Spray

**The
Delay
Spray
for Men**

**Active
Ingredient:**
**Lidocaine
Base USP**
9.6% w/w
7/16 fl. oz.



STUD 100[®]

**Helps in cases
of over-rapid
or premature
ejaculation**
**Pre-measured
metered pump
spray for topical
application –
contains NO CFCs**
Active Ingredient:
Lidocaine Base USP
9.6% w/w

**Helps to
Delay
Ejaculation**

www.stud100.com



STUD 100 Male Genital Desensitizer

Lidocaine
9.6% w/w
7/16 FL.OZ.
Helps to Delay
Ejaculation

Active Ingredient:

Lidocaine 9.6%
(approx. 10mg per spray)

Purpose:

Topical
Anesthetic

Uses: For reducing over-sensitivity in the male in advance of intercourse. Helps in the prevention of over-rapid or premature ejaculation

Warnings: SEE SEPARATE WARNINGS AND INSTRUCTION LEAFLET.

Do Not Use this product if you or your partner are allergic (sensitive) to local anesthetics. If swallowed get medical help right away.

Do Not puncture or incinerate can.

KEEP OUT OF REACH OF CHILDREN.

FOR EXTERNAL USE ONLY

Directions: Apply 3 or more sprays, not to exceed 10, to the head and shaft of the penis before intercourse, or use as directed by a doctor. Wash product off after intercourse.

Made in the UK for: Pound International Ltd., 109 Baker Street, London W1U 6RP, England
USA Distributor - Pound International Corp., 1500 SW 1st Avenue, Suite 1018, Portland, Oregon 97201, USA

3033G

Stud 100 Male Genital Desensitizer Spray

The Delay Spray for Men

Active ingredient

Lidocaine Base USP

9.6% w/w 7/16 fl. oz.

MALE GENITAL DESENSITIZER STUD 100

lidocaine spray, metered

Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:57707-050
Route of Administration	TOPICAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

LIDOCAINE (LIDOCAINE)		LIDOCAINE	9.6 mg in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
ISOPROPYL MYRISTATE				
STEARIC ACID				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57707-050-02	1 in 1 CARTON		
1	NDC:57707-050-01	473 mL in 1 CAN		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	03/13/2013		

Labeler - Pound International Corp (802685065)

Registrant - FLEET LABORATORIES LTD (217269489)

Establishment

Name	Address	ID/FEI	Business Operations
FLEET LABORATORIES LTD		217269489	manufacture(57707-050)

Revised: 1/2015

Pound International Corp