

**MAGNESIUM CITRATE- magnesium citrate liquid
QUALITY CHOICE (Chain Drug Marketing Association)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient

Magnesium citrate 1.745g per fl. oz.

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet
- a sodium restricted diet
- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that lasts more than 1 week

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug.

When using this product

- do not exceed the maximum recommended daily dosage in a 24 hour period

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Directions

adults and children 12 years of age and older	1/2 to 1 bottle (10 fl. oz.). Drink a full 8 oz. glass of liquid with each dose. The dose may be taken as a single daily dose or in divided doses.
children 6 to 11 years of age	1/3 to 1/2 bottle with a full 8 oz. glass of liquid
children under 6 years of age	consult a doctor

Other information

- each fluid ounce contains: **magnesium 282 mg, sodium 37 mg**
- store at room temperature
- protect from excessive heat and freezing
- discard unused product within 24 hours of opening bottle

Inactive ingredients

citric acid, FD&C red #40, flavors, purified water, saccharin sodium, sodium bicarbonate

Questions or comments?

Call 1-248-449-9300 Monday-Friday 9 AM-5PM EST

Principal Display Panel

Oral Solution

Magnesium Citrate

Saline Laxative

For Relief of Occasional Constipation

Pasteurized

Cherry Flavor

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.

Distributed by C.D.M.A Inc. ©

43157 W. Nine Mile

Novi, MI 48376-0995

www.qualitychoice.com

Package Label

QC QUALITY CHOICE NDC 63868-934-10

Oral Solution Magnesium Citrate
Saline Laxative

For Relief of Occasional Constipation
Pasteurized
Cherry Flavor

10 FL OZ (296 mL)

Drug Facts
Active ingredient
Magnesium citrate 1.745g per fl. oz. **Purpose**
Saline laxative

Uses • relieves occasional constipation (irregularity) • generally produces bowel movement in 1/2 to 6 hours

Warnings
Ask a doctor before use if you have • kidney disease • a magnesium restricted diet • a sodium restricted diet • stomach pain, nausea or vomiting • noticed a sudden change in bowel habits that lasts more than 1 week
Ask a doctor or pharmacist before use if you are presently taking a prescription drug.
When using this product • do not exceed the maximum recommended daily dosage in a 24 hour period.
Stop use and ask a doctor if • you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition • you need to use a laxative for more than 1 week
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Directions
adults and children 12 years of age and older | 1/2 to 1 bottle (10 fl.oz.). Drink a full 8 oz glass of liquid with each dose. The dose may be taken as a single daily dose or in divided doses.
children 6 to 11 years of age | 1/3 to 1/2 bottle with a full 8 oz. glass of liquid.
children under 6 years of age | consult a doctor

Other information • each fluid ounce contains: **magnesium 282 mg, sodium 37 mg**
• store at room temperature • protect from excessive heat and freezing
• discard unused product within 24 hours of opening bottle.

Inactive ingredients citric acid, FD&C red #40, flavors, purified water, saccharin sodium, sodium bicarbonate

Questions or comments? Call
1-248-449-9300 Monday-Friday 9AM-5PM EST

PLD-H273A
LB001905

100% SATISFACTION GUARANTEE
Distributed by C.D.M.A., Inc.®
43527 W. Nine Mile
Novi, MI 48376-0995
www.qualitychoice.com
Questions: 248-449-9300

6 35515 90111 7

TAMPER EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.

Quality Choice Oral Solution Magnesium Citrate

MAGNESIUM CITRATE			
magnesium citrate liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-934
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL	
Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
POTASSIUM BICARBONATE (UNII: HM5Z15LEBN)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			

FD&C RED NO. 40 (UNII: WZB9127XOA)

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-934-10	296 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/30/2014	02/28/2025

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	06/30/2014	02/28/2025

Labeler - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)

Revised: 11/2022

QUALITY CHOICE (Chain Drug Marketing Association)