# LIVE TINTED HUEGUARD 3-IN-1 MINERAL SUNSCREEN MOISTURIZER PRIMER BROAD SPECTRUM SPF 30- zinc oxide cream Live Tinted, Inc.

-----

## LIVE TINTED Hueguard 3-in-1 Mineral Sunscreen Moisturizer Primer Broad Spectrum SPF 30

#### **Drug Facts**

#### **Active Ingredient**

Zinc Oxide 18.23%

#### **Purpose**

Sunscreen

#### Uses

• Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), helps decrease the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

### For external use only

#### Do not use

on damaged or broken skin. Rinse with water to remove. Keep out of eyes.

### Stop use if rash occurs

and ask a doctor.

### Keep out of reach of children

if swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

• Apply liberally to face and neck for everyday moisture and protection. • Can be worn alone or under makeup. • Reapply at least every two hours. • Pair with a water-resistant SPF when swimming or sweating. • • Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection methods such as: • Limit time in the sun, especially from 10 am – 2 pm. • Wear long-sleeve shirts, pants, hats, and sunglasses. • Children under 6 months, ask a doctor.

#### **Sun Protection Measures**

#### **Inactive Ingredients**

WATER (AQUA), CAPRYLIC / CAPRIC TRIGLYCERIDE, C13-15 ALKANE, PROPANEDIOL, C15-19 ALKANE, BISDIGLYCERYL POLYACYLADIPATE-2, TOCOPHEROL, OCTYLDODECANOL, POLYHYDROXYSTEARIC ACID, INOSITOL, HIPPOPHAE RHAMNOIDES OIL, SILICA, POLYACRYLATE ROSSPOLYMER- 6, ISOSTEARIC ACID, LECITHIN, POLYGLYCERYL-3 POLYRICINOLEATE, XANTHAN GUM, COCOGLUCOSIDE, POLYGLYCERIN-3, OLYGLYCERYL- 3 LACTATE / LAURATE, BISABOLOL, CAPRYLHYDROXAMIC ACID, SODIUM DILAURAMIDOGLUTAMIDE LYSINE, SODIUM CITRATE, CITRIC ACID, ARACHIDYL GLUCOSIDE, SODIUM PHYTATE, GLYCERIN, PHYSALIS ALKEKENGI CALYX EXTRACT, BIOSACCHARIDE GUM-1, SODIUM LEVULINATE, GLYCERYL CAPRYLATE, CETEARYL ALCOHOL, T-BUTYL ALCOHOL, SODIUM ANISATE, GLUCOSE, BETACAROTENE, BEHENYL ALCOHOL, ARACHIDYL ALCOHOL, IRON OXIDES (CI 77492), IRON OXIDE (CI 77491)

Package Labeling: 150mL

#### **Drug Facts**

Active Ingredient Zinc Oxide 18.23%

#### Warnings

For external use only Do not use on damaged or

Keep out of eyes. Rinse with water to remove.

Stop use if rash occurs

Keep out of reach of

- · Pair with a water-resistant
- Sun Protection Measures

#### Drug Facts (continued)

broad spectrum SPF value especially from 10 am - 2 pm.

Inactive Ingredients

WATER (AQUA), CAPRYLIC / CAPRIC TRIGLYCERIDE, C13-15 ALKANE, PROPANEDIOL, C15-19 ALKANE, PROPANEDIOL, C15-19
ALKANE, BISDIGLYCERYL
POLYACYLADIPATE-2, TOCOPHEROL, OCTYLDODECANOL,
POLYHYDROXYSTEARIC ACID,
INOSITOL, HIPPOPHAE
RHAMNOIDES OIL, SILICA,
POLYACRYLATE CROSSPOLYMER-6, ISOSTEARIC ACID,
LECITHIN, POLYGLYCERYL-3
POLYCINOLEATE, XANTHAN
GUM, COCO-GLUCOSIDE,
POLYGLYCERIN-3 POLYGLY-GOM, COCO-GLUCOSIDE,
POLYGLYCERIN-3, POLYGLYCERYL-3 LACTATE / LAURATE,
BISABOLOL, CAPRYLHYDROXAMIC ACID, SODIUM
DILAURAMIDOGLUTAMIDE LYSINE, SODIUM CITRATE, CITRIC ACID, ARACHIDYL GLUCOSIDE, SODIUM PHYTATE, GLYCERIN, PHYSALIS ALKEKENGI CALYX EXTRACT, BIOSACCHARIDE GUM-1, SOUTION LEVULINATE, GLYCERYL CAPRYLATE, CETEARYL ALCOHOL, T-BUTYL ALCOHOL, SODIUM ANISATE, GLUCOSE, BETACAROTENE, BEHENYL ALCOHOL, IRON OXIDES (CI 77492), IRON OXIDE (CI 77491)







⊢ Z

harmful UVA/UVB rays and blue light.

fast-absorbing formula blends seamlessly into natural glow with no white cast

Apply directly to external use only.

REEF-SAFE

JOIN THE MOVEMENT





Package Labeling: 15mL

#### **Drug Facts** (continued)

#### Directions

- · Apply liberally to face and neck for everyday moisture and protection.
- Can be worn alone or under makeup.
- Reapply at least every two hours.
- · Pair with a waterresistant SPF when swimming or sweating. Sun Protection Measures
- Spending time in the sun increases your risk of skin cancer and early

skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection methods such as:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeve shirts, pants, hats, and sunglasses.
  • Children under 6
- months, ask a doctor.

Inactive Ingredients Water (Aqua), Caprylic /

#### **Drug Facts** (continued)

Capric Triglyceride, C13-15 Alkane, Propanediol, C15-19 Alkane, Bisdiglyceryl Polyacyladipate-2 stearic Acid. Inositol. Hippophae Rhamnoides Oil, Silica, Polyacrylate coside, Polyglycerin-3, Polyglyceryl-3 Lactate / Laurate, Bisabolol, Caprylhydroxamic Acid, chidyl Glucoside, Sodium Phytate, Glycerin, Physalis Alkekengi Calyx Extract, Biosaccharide nate, Glyceryl Caprylate, Arachidyl Alcohol, Iron Oxides (CI 77492, CI



**HUEGUARD** protects skin from harmful UVA / UVB rays and blue light with no white cast.

### Drug Facts

Active Ingredient Zinc Oxide 18.23% Purpose

#### Uses

- Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), helps decrease the risk of skin cancer and early skin aging caused by the sun.
- Warnings For external use only Do not use on damaged or broken skin. Keep out of eyes. Rinse with water to remove. Stop use if rash occurs and ask a doctor. Keep out of reach of children if swallowed, get medical help orcontact a Poison Control Center right away.











## LIVE TINTED HUEGUARD 3-IN-1 MINERAL SUNSCREEN MOISTURIZER PRIMER BROAD SPECTRUM SPF 30

zinc oxide cream

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82153-271	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	182.3 mg in 1 mL	

Strength

C13-15 ALKANE (UNII: 114P5I43UJ) PENTYLENE GLYCOL (UNII: 50C1307PZG) C15-19 ALKANE (UNII: CI87N1IM01) **BIS-DIGLYCERYL POLYACYLADIPATE-2** (UNII: 6L246LAM9T) TOCOPHEROL (UNII: R0ZB2556P8) OCTYLDODECANOL (UNII: 461N1O614Y) **INOSITOL** (UNII: 4L6452S749) **SILICON DIOXIDE** (UNII: ETJ7Z6XBU4) AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9) ISOSTEARIC ACID (UNII: X33R8U0062) XANTHAN GUM (UNII: TTV12P4NEE) COCO GLUCOSIDE (UNII: ICS790225B) POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6) LEVOMENOL (UNII: 24WE03BX2T) CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W) SODIUM DILAURAMIDOGLUTAMIDE LYSINE (UNII: MNJ7VPT2R5) **SODIUM CITRATE** (UNII: 1Q73Q2JULR) CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) ARACHIDYL GLUCOSIDE (UNII: 6JVW35JOOJ) PHYTATE SODIUM (UNII: 88496G1ERL) **GLYCERIN** (UNII: PDC6A3C0OX) PHYSALIS ALKEKENGI CALYX (UNII: AL7F9NO9HR) **BIOSACCHARIDE GUM-1** (UNII: BB4PU4V09H) **SODIUM LEVULINATE (UNII: VK44E1MQU8) GLYCERYL CAPRYLATE** (UNII: TM2TZ D4G4A) CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S) TERT-BUTYL ALCOHOL (UNII: MD83SFE959) **SODIUM ANISATE** (UNII: F9WFJ28MV9) ANHYDROUS DEXTROSE (UNII: 5SL0G7R0OK) **BETA CAROTENE** (UNII: 01YAE03M7J) **DOCOSANOL** (UNII: 9G10E216XY) ARACHIDYL ALCOHOL (UNII: 1QR1QRA9BU) FERRIC OXIDE RED (UNII: 1K09F3G675)

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:82153-271- 00	1 in 1 CARTON	03/08/2023		
1		150 mL in 1 TUBE; Type 0: Not a Combination Product			
2	NDC:82153-271- 01	1 in 1 CARTON	03/08/2023		
2		15 mL in 1 TUBE; Type 0: Not a Combination Product			

### **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/08/2023	

Labeler - Live Tinted, Inc. (118213769)

Revised: 10/2023 Live Tinted, Inc.