ZINC COLD REMEDY FAST MELTING- zinc acetate and zinc gluconate tablet Izeen Pharma, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Zinc Cold Remedy Fast Melting -Cherry Flavor

Drug Facts

Active ingredients (in each tablet)

Zincum aceticum 2x Zincum gluconicum 1x

Purpose

Reduces duration and severity of the common cold

Uses

- may reduce duration of the common cold
- may reduce the severity of cold symptoms
 - stuffy nose
 - sneezing
 - coughing
 - nasal congestion

Warnings

Ask a doctor before use if you have

Warnings

Zinc Cold Remedy was formulated to shorten the duration of the common cold and is not forulated to be effective for the flu or allergies.

Ask your doctor or pharmacist if you are allergic or sensitive to zinc.

Stop use and ask a doctor if symptoms persist or are accompanied by fever

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- for best results, use at the first sign of a cold and continue to use until symptoms completely subside
- adults and children 12 years of age and older:
 - take 1 tablet at the onset of symptoms
 - dissolve entire tablet in mouth. Do not chew. Do not swallow whole.
 - repeat every 4-6 hours, not to exceed 4 tablets in 24 hours
 - to avoid minor stomach upset, do not take on an empty stomach

- do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
- children under 12 years of age: ask a doctor before use

Other information

store between 15-29° (59-84°F)

Inactive ingredients

acesulfame –K, crospovidone, magnisium streate, mannatol, microcrystalline celulose, polysorbate 80, modified food starch, soodium lauryl sulfate, sodium starch glycolate, sorbitan monostearate, sucralose, talc.

Questions/Comments

Questions/Comments call 1-844-287-0260

Manufactured by Izeen Pharma, Inc. 6900 English Muffin Way, Unit A, Frederick, MD 21703

PRINCIPAL DISPLAY PANEL-25-Carton



zinc acetate and zinc gluconate tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66007-101
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	2 [hp_X]		
ZINC GLUCONATE (UNII: U6 WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	1 [hp_X]		

Inactive Ingredients	
Ingredient Name	Strength
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
SORBITAN (UNII: 6O92ICV9RU)	
MODIFIED CORN STARCH (1-O CTENYL SUCCINIC ANHYDRIDE) (UNII: 46 1P5CJN6T)	
CELLULO SE, MICRO CRYSTALLINE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TALC (UNII: 7SEV7J4R1U)	
ACESULFAME POTASSIUM (UNII: 230 V73Q5G9)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	15mm
Flavor	CHERRY	Imprint Code	CP115
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:66007-101-25	1 in 1 CARTON		
1	25 in 1 BOTTLE, PLASTIC		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		02/06/2015	

Labeler - Izeen Pharma, Inc. (079300974)

Establishment				
Name	Address	ID/FEI	Business Operations	
Izeen Pharma, Inc.		079300974	MANUFACTURE(66007-101)	

Revised: 2/2015 Izeen Pharma, Inc.