COLD MEDICINE- acetaminophen, chlorpheniramine maleate, phenylephrine hcl tablet Selder, S.A. de C.V.

275 - XL-3 Cold Medicine

Active ingredients (in each tablet)

Acetaminophen 325 mg Chlorpheniramine maleate 2 mg Phenylephrine HCl 5 mg

Purposes

Pain reliever/fever reducer Antihistamine Nasal decongestant

Uses

temporarily relieves:

- minor aches and pains
- headaches
- nasal congestion
- sinus congestion & pressure
- runny nose
- sneezing

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 12 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

skin reddening

- blisters
- 🗖 rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to acetaminophen
- more than 10 days unless directed by a doctor

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- liver disease
- heart disease
- glaucoma
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you

- are taking the blood thinning drug warfarin
- are taking sedatives or tranquilizers

When using this product

- do not use more than directed
- excitability may occur, especially in children

■ may cause drowsiness n alcohol, sedatives, and tranquilizers may increase drowsiness

■ avoid alcoholic drinks n be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

redness or swelling is present

new symptoms occur

■ you get nervous, dizzy, or sleepless n pain or nasal congestion gets worse or lasts for more than 7 days

■ fever gets worse or lasts for more than 3 days

If pregnant or breast-feeding,

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Keep out of reach of children. In case of overdose, contact a Poison Control Center (1-800-222-1222) immediately.

Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Do not use more than directed

■ Adults and children 12 years of age and older: take 2 tablets every 6 hours. Do not take more than 12 tablets in 24 hours.

■ Children under 12 years of age: do not use this product in children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage.

Other information

- store at room temperature in a dry place
- do not use if blister package is torn.

Inactive ingredients

corn starch, crospovidone, hypromellose, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, stearic acid

Questions and comments?

1-888-952-0050 Monday through Friday 9 AM - 5 PM EST

Principal Display Panel



XL-3 Cold Medicine

COLD MEDICINE

acetaminophen, chlorpheniramine maleate, phenylephrine hcl tablet

Product Information

Product	Туре
---------	------

HUMAN OTC DRUG

Item Code (Source)

Route of Administration ORAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg		
CHLORPHENIRAMINE MALEATE (UNII: V1Q0090J9Z) (CHLORPHENIRAMINE - UNII: 3U6I01965U)	CHLORPHENIRAMINE MALEATE	2 mg		
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS 297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg		

Inactive Ingredients			
Ingredient Name	Strength		
STARCH, CORN (UNII: 08232NY3SJ)			
CROSPOVIDONE (UNII: 2S7830E561)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
POVIDONE (UNII: FZ989GH94E)			
STEARIC ACID (UNII: 4ELV7Z65AP)			

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	11mm		
Flavor		Imprint Code	AZ;275		
Contains					

Packaging							
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:63654- 275-20	2 in 1 CARTON	11/15/2011				
1		0 in 1 BLISTER PACK; Type 0: Not a Combination Product					
Marketing Information							
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
ОТ	C Monograph Drug	M012	11/15/2011				

Labeler - Selder, S.A. de C.V. (824413629)