

**SALICYLIC ACID- corn and callus remover kit liquid**  
**VALU MERCHANDISERS, CO**

-----  
**Best Choice Liquid Corn & Callus Remover**

***Active ingredient***

Salicylic acid 17%w/w

***Purpose***

Corn and callus remover

***Uses***

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

***Warnings***

**For external use only.**

**Flammable**

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

**Do not use**

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

**When using this product**

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

**Stop and ask a doctor if**

discomfort persists, see your doctor or podiatrist

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- wash affected area and dry thoroughly

- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushions with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

### ***Other information***

store between 20°C to 30°C (68°F to 86°F)

### ***Inactive ingredients***

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

### ***Questions?***

Call 1-866-964-0939

### **Principal Display Panel**

Best Choice

#### **Liquid Corn & Callus Remover**

with Salicylic Acid

- Removes corns and calluses safely
- Cushions against pain and pressure

3 Cushions

1/3 FL OZ (9.8 mL)

\* Compare to Dr. Scholl's®

## Liquid Corn & Callus Remover

WITH SALICYLIC ACID

Best Choice®

- Removes corns and calluses safely
- Cushions against pain and pressure

FPO

Blister and Product

Covers

This Area

3 Cushions

1/3 FL OZ (9.8 mL)

## Liquid Corn & Callus Remover

- Medicine for safe removal of corns and calluses
- Cushions against pain and pressure

### Drug Facts

#### Active ingredient

Salicylic acid 17% w/w..... Corn and callus remover

#### Purpose

#### Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

#### Warnings

For external use only.

#### Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

#### Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

#### When using this product

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eye, flush with water for 15 minutes

Stop use and ask a doctor if discomfort persists, see your doctor or podiatrist.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- wash the affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each corn/callus; let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

#### Other information

- store between 20°–25°C (68°–77°F)
- close tightly to prevent solidification
- store in a cool place

**Inactive ingredients** camphor, castor oil, ethanol, ethyl ether, nitrocellulose

**Questions?** Call 1-866-964-0939

#### Care

- Wipe top of bottle clean after each use

Best Choice,  
100% Guaranteed

www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:  
VALU MERCHANTS, CO.  
5000 KANSAS AVE.  
KANSAS CITY, KS 66106

BEST CHOICE



\*This product is not manufactured or distributed by the Bayer HealthCare LLC, owner of the registered trademark Dr. Scholl's®. Made in USA with U.S. and imported parts. 41-030BC-01

70038 60206

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

**Active ingredient:** salicylic acid (17% w/w)

**Purpose:** Corn and callus remover  
**Uses:** For the removal of corns and calluses. Relieves pain by removing corns and calluses.

**Warnings:** For external use only. **Flammable:** Keep away from fire or flame. **Cap bottle tightly** and store at room temperature away from heat. **Do not use** this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist.

## Liquid Corn & Callus Remover

SALICYLIC ACID

Best Choice®

- Removes corns and calluses safely
- Cushions against pain and pressure

1/3 FL OZ (9.8 mL)

**Do not use this product** on irritated skin, on any area that is infected or reddened.

**When using this product** avoid contact with eyes, if product gets into the eyes, flush with water for 15 minutes. Avoid inhaling vapors.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** Wash affected area and dry thoroughly. Apply one drop at a time with applicator to sufficiently cover each corn/callus. Let dry. Use cushions with hole centered over corn or callus to relieve pressure. Repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

**Other information:** Store at 20° to 30° C (68° to 86° F).

**Inactive ingredients:** camphor, castor oil, ethanol, ethyl ether, nitrocellulose

**Questions?** Call 1-866-964-0939

Made in USA

PROUDLY DISTRIBUTED BY:  
VALU MERCHANTS, CO.  
5000 KANSAS AVE.  
KANSAS CITY, KS 66106  
www.bestchoicebrand.com

Best Choice,  
100% Guaranteed

BC030-05

SALICYLIC ACID

corn and callus remover kit liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63941-544
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 mg in 9.8 mL

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>PYROXYLIN</b> (UNII: KYR8BR2X6O)	
<b>CAMPHOR (NATURAL)</b> (UNII: N20HL7Q941)	
<b>CASTOR OIL</b> (UNII: D5340Y2I9G)	

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
<b>1</b>	NDC:63941-544-98	9.8 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	12/11/2017	

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M030	12/11/2017	

**Labeler** - VALU MERCHANDISERS, CO (868703513)

Revised: 1/2024

VALU MERCHANDISERS, CO