

**MAGNESIUM OXIDE- magnesium oxide tablet**  
**PAR Pharmaceuticals**

-----  
**Magnesium Oxide Tablets**

**ACTIVE INGREDIENT (In each tablet)**

Magnesium Oxide 400mg (240mg Elemental Magnesium)

**Purpose**

Antacid

**USES**

Relieves: ■ acid indigestion ■ upset stomach

**WARNINGS**

**Ask a doctor if you have:**

kidney disease

**Ask a doctor or pharmacist before use if you are:**

taking a prescription drug. Antacids may interact with certain prescription drugs.

**Do not take**

more than 2 tablets in a 24 hour period or use the maximum dosage of this product for more than two weeks, except under the advise and supervision of a physician. May have a laxative effect.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep Out of Reach of Children.**

**DIRECTIONS**

**Antacid Directions:** ■ take 1 tablet twice a day or as directed by a physician

**Magnesium Supplement Directions:** ■ take 1 to 2 tablets daily or as directed by a physician

**OTHER INFORMATION**

■ store at controlled room temperature 59°-86° F (15°-30°C) ■ do not use if imprinted

safety seal under cap is broken or missing

■ Magnesium content per tablet: 240 mg

INACTIVE INGREDIENTS

colloidal silicon dioxide, croscarmellose sodium, microcrystalline cellulose, stearic acid


PRINCIPAL DISPLAY PANEL

NDC 0603-0209-22

MAGNESIUM  
OXIDE  
TABLETS  
400 mg

240 mg Elemental Magnesium Per Tablet  
Magnesium Dietary Supplement and Antacid

Sugar Free  
120 Tablets



Supplement Facts

Serving Size	1 tablet
Servings / Container	120
Amount per Serving	Magnesium 240 mg
% Daily Value	60%

Drug Facts

Active ingredient (in each tablet)

Purpose

Magnesium Oxide 400mg (241.3mg elemental magnesium).....Antacid

Use

relieves ■ acid indigestion ■ upset stomach

Warnings

Ask a doctor before use if you have kidney disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take more than 2 tablets in a 24 hour period or use the maximum dosage of this product for more than two weeks, except under the advice and supervision of a physician. May have a laxative effect.

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children.

Directions

Antacid Directions: ■ take 1 tablet twice a day or as directed by a physician

Magnesium Supplement Directions: ■ take 1 to 2 tablets daily or as directed by a physician


Other information ■ store at controlled room temperature 59°-86° F (15°-30° C) ■ do not use if imprinted safety seal under cap is broken or missing ■ Magnesium content per tablet: 240 mg

Inactive ingredients colloidal silicon dioxide, croscarmellose sodium, microcrystalline cellulose, stearic acid

Mfg. for:

PAR PHARMACEUTICAL  
CHESTNUT RIDGE, NY 10977

LB0185  
R0719



N 3 0603-0209-22 3

UNVARNISHED AREA

Lot: Exp:

Magnesium Oxide Tablets 420mg

MAGNESIUM OXIDE

magnesium oxide tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0603-0209
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM OXIDE (UNII: 3A3U0GI71G) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM OXIDE	400 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	174
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0603-0209-22	120 in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2014	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	07/01/2014	

**Labeler** - PAR Pharmaceuticals (092733690)

Revised: 6/2020

PAR Pharmaceuticals