# POLYETHYLENE GLYCOL 3350 - polyethylene glycol 3350 powder, for solution Aurohealth LLC

-----

#### Polyethylene Glycol 3350 Powder for Oral Solution

#### **Drug Facts**

#### Active ingredient (in each dose)

Polyethylene Glycol 3350, USP 17 grams (cup filled to the indicated 17 grams line)

#### **Purpose**

Osmotic Laxative

#### Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

#### Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

**Do not use** if you have kidney disease, except under the advice and supervision of a doctor

# Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are taking a prescription drug When using this product you may have loose, watery, more frequent stools

### Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding, ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

- do not take more than directed unless advised by your doctor
- this product is supplied with a dosing cup marked to contain 17 grams of powder when filled to the indicated line
- adults and children 17 years of age and older:
  - use once a day
  - fill to the indicated 17 grams line on cup which is marked to indicate the correct dose 17 grams
  - stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
  - do not combine with starch-based thickeners used for difficulty swallowing
  - ensure that the powder is fully dissolved before drinking
  - do not drink if there are any clumps
  - do not use no more than 7 days
- children 16 years of age or under: ask a doctor

#### Other information

- store at 20° to 25°C (68° to 77°F)
- tamper-evident: do not use if foil seal under cap, printed with "SEALED for YOUR PROTECTION" is missing, open or broken

### Inactive ingredients

none

#### Questions or comments?

call **1-855-274-4122** 

Distributed by:

**AUROHEALTH LLC** 

279 Princeton-Hightstown Road East Windsor, NJ 08520

Made in India

Code: TS/DRUGS/19/1993

# PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 119 g Bottle Label AUROHEALTH

NDC 58602-805-01

# Compare to active ingredient of MiraLax®\*

Polyethylene Glycol 3350 Powder for Oral Solution

#### **Osmotic Laxative**

- Relieves Occasional Constipation/Irregularity
- Softens Stool


**UNFLAVORED POWDER - GRIT FREE** 

7 ONCE-DAILY DOSES NET WT 4.1 OZ (119 g)

#### Top Layer



#### Top Layer Back side (Adhesive Side)



#### Base layer



# PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 17 g Sachet Label AUROHEALTH

NDC 58602-805-26

Compare to active ingredient of MiraLax®\*

Polyethylene Glycol 3350 Powder for Oral Solution

#### Osmotic Laxative


- Relieves Occasional Constipation/Irregularity
- Softens Stool
- Sugar Free
- Dissolves in any Beverage

#### **UNFLAVORED POWDER - GRIT FREE**

1 DOSE

**NET WT 0.5 oz (17 g)** 





#### **AUROHEALTH**

NDC 58602-805-27

Compare to active ingredient of MiraLax®\*

Polyethylene Glycol 3350 Powder for Oral Solution

#### **Osmotic Laxative**


Polyethylene Glycol 3350 powder for oral solution increases frequency of bowel movements and softness the stool.

- Relieves Occasional Constipation/Irregularity
- Softens Stool
- Sugar Free
- Dissolves in Any Beverage

14 ONCE-DAILY DOSES
UNFLAVORED POWDER - GRIT FREE

14 PRE-MEASURED, SINGLE DOSES

14 Packets NET WT 0.5 oz (17 g) Each



#### **POLYETHYLENE GLYCOL 3350**

polyethylene glycol 3350 powder, for solution

## **Product Information**

**Item Code (Source)** NDC:58602-805 **Product Type** HUMAN OTC DRUG

ORAL **Route of Administration** 

# **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
-----------------	--------------------------	----------

POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL

3350 - UNII:G2M7P15E5P)

POLYETHYLENE GLYCOL 3350

17 g in 17 g

#### **Product Characteristics**

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	

Contains

# Packaging

rackaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58602- 805-01	119 g in 1 BOTTLE, PLASTIC; Type 1: Convenience Kit of Co-Package	04/09/2018	
2	NDC:58602- 805-02	238 g in 1 BOTTLE, PLASTIC; Type 1: Convenience Kit of Co-Package	04/09/2018	
3	NDC:58602- 805-03	510 g in 1 BOTTLE, PLASTIC; Type 1: Convenience Kit of Co-Package	04/09/2018	
4	NDC:58602- 805-04	850 g in 1 BOTTLE, PLASTIC; Type 1: Convenience Kit of Co-Package	04/09/2018	
5	NDC:58602- 805-25	765 g in 1 BOTTLE, PLASTIC; Type 1: Convenience Kit of Co-Package	04/23/2024	
6	NDC:58602- 805-27	14 in 1 CARTON	04/23/2024	
6		17 g in 1 PACKET; Type 1: Convenience Kit of Co- Package		

# Marketing Information

i la Reting in ormation				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA209017	04/09/2018		

### Labeler - Aurohealth LLC (078728447)

# **Establishment**

Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		918917642	ANALYSIS(58602-805), MANUFACTURE(58602-805)

Establishment			
Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	ANALYSIS(58602-805), MANUFACTURE(58602-805)

Revised: 4/2024 Aurohealth LLC