# BERLEY AND JENSEN PAIN RELIEF- acetaminophen tablet, film coated BJWC

-----

#### BJWC Pain Relief Drug Facts

#### Active ingredient (in each caplet)

Acetaminophen 500 mg

#### Purpose

Pain reliever/fever reducer

#### Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- minor pain of arthritis
- headache
- backache
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

#### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use

• with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

• if you have ever had an allergic reaction to this product or any of its ingredients

# Ask a doctor before use if you have

liver disease

# Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

# Stop use and ask a doctor if

- new symptoms occur
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

# Directions

do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul> <li>take 2 caplets every 6 hours while symptoms last</li> <li>do not take more than 6 caplets in 24 hours, unless directed by a doctor</li> <li>do not use for more than 10 days unless directed by a doctor</li> </ul>
children under 12	ask a doctor
years	

# Other information

- store at 20-25°C (68-77°F)
- do not use if printed seal under cap is broken or missing

#### Inactive ingredients

croscarmellose sodium, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, mica-based pearlescent pigment, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid

#### **Questions or comments?**

1-800-934-1204

#### Package/Label Principal Display Panel

Compare to the active ingredient in Tylenol<sup>®</sup> Extra Strength Rapid Release Gels

berkley jensen®

EXTRA STRENGTH

RAPID RELEASE

PAIN RELIEF

ACETAMIOPHEN

PAIN RELIEVER/FEVER REDUCER

FOR ADULTS

FAST RELIEF

400 CAPLETS | 500 mg EACH

ACTUAL SIZE



# **BERLEY AND JENSEN PAIN RELIEF**

acetaminophen tablet, film coated

Product Information								
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68391-004					
Route of Administration	ORAL							

Active	Ingredi	ent/Activ	ve Moiety					
Ingred			gredient N	redient Name		<b>Basis of Strength</b>		Strengt
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAM			MINOPHEN - UNII:3620	NOPHEN - UNII:36209ITL9D) ACETAMING			500 mg	
Inacti	ve Ingre	dients						
			Ingree	dient Name			S	trength
ROSC	ARMELLOS	E SODIUM	(UNII: M28OL1H	HH48)				
ROSPO	OVIDONE (	120 .MU.M)	) (UNII: 684019	60MK)				
IYPRON	IELLOSE,	UNSPECIFI	ED (UNII: 3NXV	/29V3WO)				
POLYET	HYLENE G	LYCOL, UN	SPECIFIED (U	NII: 3WJQ0SDW1A)				
POLYSO	RBATE 80	(UNII: 60ZF	P39ZG8H)					
	•	· ·	NII: FZ989GH94	E)				
STEARIO	C ACID (UN	II: 4ELV7Z65	SAP)					
FD&C R	ED NO. 40	(UNII: WZB9	9127XOA)					
D&C Y	ELLOW NO	<b>6</b> (UNII: H	77VEI93A8)					
Produ	ct Chara	acteristic	s					
Color		RED Score				no score		
Shape OVA		OVAL	Size			18mm		
Flavor			Imprint Code		39	50		
Contai	ns							
Packa	ging							
# Itei	m Code	I	Package De	escription		ing Start ate		ting End ate
1 NDC:6	58391-004-	400 in 1 BC Product	) in 1 BOTTLE; Type 0: Not a Combination					
	eting	Inform	ation					
Mark			Application Number or Monograph Citation		Mark			ting End
Ма	rketing tegory	Appli						Date

# Labeler - BJWC (159082692)

Revised: 4/2024