

**BENADRYL- diphenhydramine hydrochloride tablet, film coated**  
**Select Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Benadryl®**

**Drug Facts**

**Active ingredient (in each tablet)**

Diphenhydramine HCl 25 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

**Warnings**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks

- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

### Other information

- each tablet contains: calcium 15 mg
- store between 20-25°C (68-77°F). Protect from light.
- **do not use if pouch is torn or damaged**
- see above for lot number and expiration date

### Inactive ingredients

carnauba wax, croscarmellose sodium, D&C red no. 27 aluminum lake, dibasic calcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, titanium dioxide

### Questions or comments?

call 1-877-717-2824 (toll-free) or 215-273-8755 (collect)

Repackaged and Distributed by:

**Select Corporation**

Carrollton, TX 75007

Distributed by: **JOHNSON & JOHNSON CONSUMER INC**

McNeil Consumer Healthcare Division

Fort Washington, PA 19034 USA

### PRINCIPAL DISPLAY PANEL - 2 Tablet Pouch Single-Pack

Benadryl®  
ALLERGY

2 Tablets  
Single-Pack

**Benadryl**<sup>®</sup>

**ALLERGY**

**2 Tablets**  
*Single-Pack*



Open Flap for **DRUG FACTS** →  
Read all warnings and directions before use

**Benadryl**<sup>®</sup> **ALLERGY**

**Diphenhydramine HCl 25 mg | Antihistamine**

- ✔ Sneezing
- ✔ Itchy, Watery Eyes
- ✔ Runny Nose
- ✔ Itchy Throat

**ULTRATABS**<sup>®\*</sup>  
\*small tablet size



**Single - Pack: 2 Tablets**

Repackaged and Distributed by:  
**Select Corporation**  
Carrollton, TX 75007



**Drug Facts**

<b>Active ingredient (in each tablet)</b>	<b>Purpose</b>
Diphenhydramine HCl 25 mg.....	Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing

**Warnings**

- Do not use** ■ to make a child sleepy ■ with any other product containing diphenhydramine, even one used on skin
- Ask a doctor before use if you have**
  - a breathing problem such as emphysema or chronic bronchitis
  - glaucoma ■ trouble urinating due to an enlarged prostate gland
- Ask a doctor or pharmacist before use if you are taking** sedatives or tranquilizers
- When using this product**
  - marked drowsiness may occur ■ avoid alcoholic drinks
  - alcohol, sedatives, and tranquilizers may increase drowsiness
  - be careful when driving a motor vehicle or operating machinery
  - excitability may occur, especially in children

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) →

1711960142

<b>Drug Facts</b> (continued)	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>■ take every 4 to 6 hours, or as directed by a doctor</li> <li>■ do not take more than 6 times in 24 hours</li> </ul>	
adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use
<b>Other information</b>	
<ul style="list-style-type: none"> <li>■ each tablet contains: calcium 15 mg</li> <li>■ store between 20-25° C (68-77° F). Protect from light.</li> <li>■ do not use if pouch is torn or damaged</li> <li>■ see above for lot number and expiration date</li> </ul>	
<b>Inactive ingredients</b>	
carnauba wax, croscarmellose sodium, D&C red no. 27 aluminum lake, dibasic calcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, titanium dioxide	
<b>Questions or comments?</b>	
call 1-877-717-2824 (toll-free) or 215-273-8755 (collect)	

Active ingredient made in Japan  
 Distributed by: **JOHNSON & JOHNSON CONSUMER INC**  
 McNeil Consumer Healthcare Division  
 Fort Washington, PA 19034 USA  
 ©J&JCI 2016  
 1711960142

## BENADRYL

diphenhydramine hydrochloride tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52904-960(NDC:50580-226)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
diphenhydramine hydrochloride (UNII: TC2D6JAD40) (diphenhydramine - UNII:8GTS82S83M)	diphenhydramine hydrochloride	25 mg

### Inactive Ingredients

Ingredient Name	Strength
carnauba wax (UNII: R12CBM0EIZ)	
croscarmellose sodium (UNII: M28OL1HH48)	
D&C red no. 27 aluminum lake (UNII: ZK64F7XSTX)	
dibasic calcium phosphate dihydrate (UNII: O7TSZ97GEP)	
hypromellose, unspecified (UNII: 3NXW29V3WO)	
magnesium stearate (UNII: 70097M6I30)	
microcrystalline cellulose (UNII: OP1R32D61U)	

polyethylene glycol, unspecified (UNII: 3WJQ0SDW1A)

polysorbate 80 (UNII: 6OZP39ZG8H)

titanium dioxide (UNII: 15FIX9V2JP)

### Product Characteristics

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	B;WL;25
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52904-960-04	1 in 1 BLISTER PACK	09/01/2008	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:52904-960-05	2 in 1 BLISTER PACK	09/01/2008	
2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:52904-960-20	20 in 1 CARTON	09/01/2008	
3		2 in 1 POUCH; Type 0: Not a Combination Product		
4	NDC:52904-960-25	25 in 1 CARTON	09/01/2008	
4		2 in 1 POUCH; Type 0: Not a Combination Product		
5	NDC:52904-960-30	30 in 1 CARTON	09/01/2008	
5		2 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	09/01/2008	

**Labeler** - Select Corporation (053805599)