

**TRIPLE ANTIBIOTIC PLUS PAIN RELIEF- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment
Valu Merchandisers, Co.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Best Choice Triple Antibiotic Ointment plus Pain Relief

Active ingredients (in each gram)

Bacitracin Zinc 500 units

Neomycin 3.5mg

Polymyxin B Sulfate 10,000 units

Pramoxine HCl 10mg

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

External analgesic

Uses

First aid to help prevent infection and provide temporary relief of pain or discomfort in minor

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persists for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older:
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: consult a physician

Other information

store at 20°-25°C (68°-77°F)

Inactive ingredients

petrolatum

PRINCIPAL DISPLAY PANEL

Best Choice Antibiotic Ointment Plus Pain Relief



MAXIMUM STRENGTH

Triple Antibiotic Ointment

PLUS PAIN RELIEF

**Polymyxin B Sulfate-Bacitracin
Zinc-Neomycin Sulfate- Pramoxine HCl
Soothing Ointment**
First Aid to Help Prevent Infection in:
• Minor Cuts • Scrapes
• Burns

Net Wt. 1 OZ (28.3g)



PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106
MADE IN CHINA

BEST CHOICE



Drug Facts (continued)

Drug Facts (in each gram)
Bacitracin 500 units.....First aid antibiotic
Neomycin Sulfate 3.5 mg.....First aid antibiotic
Polymyxin B Sulfate 10,000 units.....First aid antibiotic
Pramoxine HCl 10 mg.....External analgesic

Uses First aid to help prevent infection and provide temporary relief of pain or discomfort in minor cuts • scrapes • burns

Warnings
For external use only.
Do not use
• if you are allergic to any of the ingredients
• in the eyes • over large areas of the body
Ask a doctor before use if you have
• deep or puncture wounds • animal bites
• serious burns
Stop use and ask a doctor if
• you need to use longer than 1 week
• condition persists or gets worse
• symptoms persist for more than 1 week, or clear up and occur again within a few days

Active Ingredients (in each gram)
Bacitracin 500 units.....First aid antibiotic
Neomycin Sulfate 3.5 mg.....First aid antibiotic
Polymyxin B Sulfate 10,000 units.....First aid antibiotic
Pramoxine HCl 10 mg.....External analgesic

Purpose
First aid antibiotic

Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away

Directions
• adults and children 2 years of age and older:
• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
• may be covered with a sterile bandage.
• children under 2 years of age: Consult a physician.

Other information store at 20° to 25°C (68° to 77° F)

Inactive ingredients petrolatum

*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner of the registered trademark Original Neosporin.®

TRIPLE ANTIBIOTIC PLUS PAIN RELIEF

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-315
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-315-01	1 in 1 BOX	09/05/2012	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	09/05/2012	

Labeler - Valu Merchandisers, Co. (868703513)

Revised: 2/2023

Valu Merchandisers, Co.