

## **MEIJER ANTI ITCH- hydrocortisone ointment**

**Meijer, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Meijer Anti-itch Ointment 1oz 94033 (2019)**

#### **Active ingredient**

#### **Purpose**

Hydrocortisone 1%..... Anti-itch

#### **Uses**

- temporary relieves itching associated with minor skin irritations, inflammation and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, and psoriasis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

#### **Warnings**

##### **For external use only**

##### **Do not use**

- in the genital area if you have a vaginal discharge. Consult a doctor
- for the treatment of diaper rash. Consult a doctor
- more than directed unless directed by a doctor

##### **When using this product**

- avoid contact with the eyes
- do not put directly into the rectum by using fingers or any mechanical device or applicator

##### **Stop use and ask a doctor if**

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

##### **Keep out of the reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

- **for itching of skin irritation, inflammation, and rashes:**
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: consult a doctor
- **for external anal and genital itching, adults:**
- when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: consult a doctor

**Other information**

- store at 20°-25°C (68°-77°F)

**Inactive ingredients**

cetanol, methylparaben, propylparaben, sorbitan monostearate, stearyl alcohol, white petrolatum

Distributed by:

Meijer Distribution, Inc.

Grand Rapids, MI 49544

Made in South Korea



## MEIJER ANTI ITCH

hydrocortisone ointment

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-338
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
HYDROCORTISONE (UNII: WI4X0 X7BPJ) (HYDROCORTISONE - UNII:WI4X0 X7BPJ)			HYDROCORTISONE	1 g in 100 g
Inactive Ingredients				
Ingredient Name				Strength
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
SORBITAN MONOSTEARATE (UNII: NVZ4I0 H58 X)				
STEARYL ALCOHOL (UNII: 2KR89 I4HIY)				
PETROLATUM (UNII: 4T6 H12BN9 U)				
CETYL ALCOHOL (UNII: 936 JST6 JCN)				
METHYLPARABEN (UNII: A2I8 C7HI9 T)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-338-28	1 in 1 CARTON	01/15/2015	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part348	01/15/2015	

**Labeler** - Meijer, Inc. (006959555)

Revised: 7/2019

Meijer, Inc.